

Personal Protection Solutions Pages 4-114 General Safety Supplies Pages 115-194



# Personal protection from head to toe

industry, VWR, part of Avantor, has the personal protective equipment



# table of contents

**PERSONAL PROTECTION** 

Head protection Pages 5-9

Hearing protection
Pages 9-12

Eye and face protection

Pages 13-32

Respiratory protection

Pages 33-43

Body protection Pages 43-69

Hand and arm protection

Pages 70-102

Foot protection Pages 103-114

**GENERAL SAFETY SUPPLIES** 

Ergonomics and matting

Pages 116-123

Fall protection Pages 123-128

First aid

Pages 128-137

Cleaning

Pages 138-151

Handcare

Pages 151-154

Material handling and storage

Pages 155-164

Spill control and waste disposal

Pages 164-177

Radiation protection

Pages 177-179

Lockout/Tagout
Pages 180-183

Monitoring and detection

Pages 183-186

Signs, printers and labels

Pages 186-194



# Personal protection from head to toe

Head protection

Hearing protection

Eye and face protection

Respiratory protection

Body protection

Hand and arm protection

Foot protection



### **OMEGA II CAP SAFETY HELMET, ERB SAFETY**

- 6-Point woven nylon ratchet suspension
- Accessory slots accommodate a wide variety of eye, face, and hearing protection
- Accomodates chin strap
- Certified when headband is installed in reverse position
- Moisture wicking brow pad is removable, ashable, and replaceable
- Goggle retaining slots on suspension

Description	Color	Cat. No.
Omega II Cap Safety Helmet	White	10159-642



# **SKULLGARD® PROTECTIVE CAPS AND HATS, MSA**

- Heavy-duty construction
- For use in steel mills and other industries where elevated temperatures are common



Color	Weight	Cat. No.
-Trac® Ratchet Suspension		
Natural Tan	1.05 lb	300009-002

This specific product is not available in canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

# **OFFICIALLY LICENSED NFL** V-GARD HELMETS, 1-TOUCH, MSA

- All helmets are designed in a slotted cap style, with pin-lock adjustment mechanisms
- Applications include use in asbestos abatement, food processes, general hard hat applications, and painting



Description	Size	Material	Suspension	Weight	Cat. No.
Dallas Cowboys Logo	6 1/2 - 8	Polyethylene	Staz-On®	0.79 lbs.	300009-027
Pittsburgh Steelers Logo	6 1/2 - 8	Polyethylene	Staz-On®	1 lbs.	300009-029
Green Bay Packers Logo	6 1/2 - 8	Polyethylene	Staz-On®	1 lbs.	300072-680
New England Patroits Logo	6 1/2 - 8	Polyethylene	Staz-On®	1 lbs.	300072-692

These specific products are not available in canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

# **67 BUMP CAP, ERB SAFETY**

- Perforated sides allow cross ventilation for maximum air circulation
- Moisture wicking brow pad is removable, washable, and replaceable
- Pin-lock sizing adjusts from head sizes 6.5 to 7.75
- Total cap weight is 7.34 oz.
- Not a hard hat



Material	Color	Cat. No.
HDPE	Blue	10159-636
HDPE	White	10159-648
HDPE	Yellow	10611-554

# **V-GARD® PROTECTIVE CAPS AND HATS, MSA**

- Comfortable, lightweight protection
- Self adjusting crown straps
- Polyethylene shell and suspension system working together



Material	Color	Weight	Cat. No.
-Trac® Ratchet Suspe	ension		
Polyethylene	White	0.82 lb	300008-987
Polyethylene	Blue	0.86 lb	300008-988
Polyethylene	Yellow	0.86 lb	300008-989
Polyethylene	White	0.94 lb	300008-997

These specific products are not available in canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

### H-700 SERIES HARD HATS, 3M<sup>™</sup>

- Protective headgear helps protect the top of the head due to the potential hazard of small falling objects or exposed fixed objects that may be bumped into
- 4-point ratchet suspension adjusts easily to allow for a customized height and fit



Description	Color	Cat. No.
Pinlock Suspsension, Unvented, without Uvicator Sensor	Tan	10756-240
Ratchet Suspension, Vented, without Uvicator Sensor	Black	10756-248
Ratchet Suspension, Unvented, without Uvicator Sensor	Pink	10756-254
Ratchet Suspension, Unvented, with Uvicator Sensor	Tan	10756-244

These specific products are not available in canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

### **FOUR-POINT SUSPENSION HARD** HATS, HONEYWELL SAFETY

- Grooved high-density polyethylene outer shell, rain trough, and accessory slots
- Ratchet or pin lock adjustments
- Suspension offers three-level height adjustment



# **VERSALITE HELMET LIGHTS, MSA**

- Fits cap or hat adapters
- Non-incendive
- Intrinsically safe



Description	Color	Cat. No.
Ratchet 4-Point Nylon Suspension	White	13502-131
Ratchet 4-Point Nylon Suspension	Orange	13502-142
Pin Lock 4-Point Plastic Suspension	White	13502-193

Description	Weight	Cat. No.
MSA VersaLite Helmet Lights with (2) AA Alkaline Batteries	0.24 lbs.	300072-630

# H-800 SERIES FULL BRIM HARD HATS, 3M™

- Protective headgear helps protect the head from small falling objects and fixed objects that may be bumped into
- 4-point suspension system has unique features that allows for a customized height and fit that best suits the individual needs of the wearer



Description	Color	Cat. No.
Ratchet Suspension, Vented, with Uvicator Sensor	Black	10756-268
Ratchet Suspension, Vented, without Uvicator Sensor	Pink	10756-226
Ratchet Suspension, Unvented, with Uvicator Sensor	Tan	10756-232

These specific products are not available in canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

# JACKSON SAFETY® AA-7 WINDGARD™ **HEAD PROTECTION, KIMBERLY-CLARK PROFESSIONAL®**

- For temperatures ranging from 32 to 0° F  $(0 \text{ to } -20^{\circ} \text{ C})$
- Knitted, flame-resistant, treated polyester meets 16 CFR 1610, Class 1 requirements
- High-visibility color
- Fits over most safety caps and full-brim styles



Color	Cat. No.
Red	33001-138
Orange	33001-142
	Red

### **GOGGLE RETAINERS, MSA**

- Designed for applications where goggles must be worn with helmets
- Goggles not included



# JACKSON SAFETY® AA-8 WINDGARD™ **HEAD PROTECTION, KIMBERLY-CLARK PROFESSIONAL®**

- Keeps wind out and traps warmth
- Knitted, flame-resistant, treated polvester construction
- High-visibility color
- Snug-fitting cap style fits over most hard hats
- Provides warmth in temperatures ranging from 0 to 32°F (-20 to 0°C)



Description	Color	Cat. No.
Goggle Retginer, Neoprene Rubber	Black	300072-530

Description	Color	Cat. No.
AA-8 WINDGARD™ Head Protection	Red	33001-148

### JACKSON SAFETY® AA-9 WINDGARD™ **HEAD PROTECTION, KIMBERLY-CLARK PROFESSIONAL®**

- For temperatures ranging from 0 to  $-20^{\circ}$ F (-20 to -28°C)
- Knitted, flame-resistant, treated polyester meets 16 CFR 1610, Class 1 requirements
- High-visibility color
- Full face and neck model protects mouth and cheeks
- Fits over most safety caps



### HARD HAT WINTER LINERS, **HONEYWELL SAFETY**

- Made of royal blue fire retardant cotton
- Liner 13502-186 comes with a face warmer



Description	Color	Cat. No.	Description	Cat. No.
AA-9 WINDGARD™	Red	33001-152	Deluxe Winter Liner	13502-182

## JACKSON SAFETY® 225 PLUS WINTERLINER, KIMBERLY-**CLARK PROFESSIONAL®**

- Hook-and-loop fastener for a close and comfortable fit
- Water-resistant material
- Polyester fleece lining
- Designed for use in temperatures from 0 to 32°F (-20 to 0°C)



Description	Cat. No.
Winterliner	33001-126

### SPEEDGLAS<sup>™</sup> 100 SERIES **WELDING HELMETS, 3M<sup>™</sup>**

- Speedglas<sup>™</sup> 100 Series Welding Helmets feature dark shades 8 to 12
- Battery type for this helmet is CR2032
- Helmet is ideally suited for MIG welding, stick welding, and TIG welding processes



Description	Color	Cat. No.
Speedglas™ 100 Series Welding Helmets, with 1.73 x		
3.66" ADF Viewing Area and 1500 hr. Battery Life	Black	10204-892

This specific product is not available in canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

### JACKSON SAFETY® 375 WINTERLINER. KIMBERLY-CLARK PROFESSIONAL®

- Thick polyester sherpa lining allow for warmth and comfortable extended wear
- A long nape ensures extra neck coverage from the wind
- Provides warmth for temperatures as low as -17 to -28 °C (0 to -20 °F)



Description	Color	Cat. No.
375 Winterliner	Blue/Black	33001-132

# SPEEDGLAS<sup>™</sup> 9100 SERIES WELDING HELMET, 3M<sup>™</sup>

- All Speedglas<sup>™</sup> 9100 Series Welding Helmets feature dark shades 5, 8 - 13
- Battery type for all helmets is CR2032
- Helmets are ideally suited for MIG welding, stick welding, and TIG welding processes



Description	Color	Cat. No.
Speedglas <sup>™</sup> 9100 Series Welding Helmet, with 2.1 x 4.2" ADF Viewing Area and 2500 hr. Battery Life	Black	10204-940
Speedglas" 9100 Series Welding Helmet, with 2.8 x 4.2" ADF Viewing Area and 2000 hr. Battery Life	Black	10204-942

These specific products are not available in canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

### **SNAP-ON HARD HAT SWEATBANDS, OK-1® SAFETY & ERGONOMICS**

- 100% cotton
- Machine washable





		Cat No.

This specific product is not available in canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

### **DISPOSABLE SWEATBANDS, OK-1® SAFETY & ERGONOMICS**

Snap-On Hard Hat Sweatband, Terry Cloth

- Anti-mold treated
- Pre-moistened
- Dip in cold water, squeeze out, and wear





76006-506

Description	Cat. N	o.
Absorbent Sweatbands, Cellulose	76006-5	08

This specific product is not available in canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

# **VWR® BASIC PROTECTION INDUSTRIAL NYLON HAIRNET**

- VWR® Basic Protection Industrial Nylon Hairnet is made from nylon
- Comfortable and sturdy construction
- Allows users to keep hair secure and out of the way





Size	Material	Color	Cat. No.
45.7 cm (18")	Nylon	White	75997-646
53.3 cm (21")	Nylon	White	75829-204
61 cm (24")	Nylon	White	75997-636
45.7 cm (18")	Nylon	Blue	76076-778
53.3 cm (21")	Nylon	Blue	76076-776
61 cm (24")	Nylon	Blue	76076-780
45.7 cm (18")	Nylon	Black	76076-784
53.3 cm (21")	Nylon	Black	76076-782
61 cm (24")	Nylon	Black	76076-786

### **VWR® BASIC PROTECTION SPP BOUFFANT CAPS**

- Economical first-line barrier
- Non-linting





### **COOL OFFS, ALLEGRO®**

- Keep cool all day long with our dual-use Cool Offs
- Quilted in four sections for an even distribution of hydration material
- Can be worn around neck or head
- Unique button hole closure





Material	Length	Color	Cat. No.
100% Cotton	38"	Cowboy Blue	300056-818
100% Cotton	38"	Royal Blue	300056-820
100% Cotton	38"	American Flag	300056-822

These specific products are not available in canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Description	Size	Diameter	Color	Cat. No.
Latex-Free	21"	53 cm (21")	White	89107-768
Latex-Free	24"	61 cm (24")	Blue	89131-622
Latex-Free	24"	61 cm (24")	White	89107-770

# DUPONT™ PROCLEAN® 1 BOUFFANT **CAPS WITH SERGED SEAMS AND LARGE OPENING**

- Elastic headband
- Serged seams
- One size fits most



Color	Cat. No.
ProClean® Bouffant Caps, Multi Pack	
Blue	76290-248
White	76290-252

# **DUPONT™ PROCLEAN® 1 BOUFFANT CAPS WITH SERGED SEAMS**

- Elastic headband
- Serged seams
- One size fits most



### **VWR® IRRADIATED BOUFFANT CAPS**

- Strong, lightweight, breathable spunbonded polypropylene
- Lowest level of particle shedding, non-linting
- First-line barrier





Color	Cat. No.
White	76290-250

Size	Diameter	Color	Cat. No.
Small	53 cm (21")	White	414004-504
Large	61 cm (24")	White	414004-505

# **KLEENGUARD® A10 BOUFFANT CAPS,** KIMBERLY-CLARK PROFESSIONAL®

- For use in food processing, manufacturing, and general maintenance

-	Light duty, disposable; protects against	CONTRACTOR OF THE PARTY OF THE
	dirt, grime, and dry particulates in	
	nonhazardous environments	
-	Lightweight, latex-free, breathable	
	polypropylene fabric	
_	Combination of price and protection	
		1

# **DUPONT™ TYVEK® ISOCLEAN® BOUFFANT CAPS**

- Serged seams
- Elastic headband
- One size fits most



	Diameter	Color	Cat. No.
Medium	53.3 cm (21")	White	10815-910
Large	61 cm (24")	White	89002-728
Large	61 cm (24")	White	10837-308

89127-360
89125-652

### **VWR® ADVANCED PROTECTION SPP BOUFFANT CAPS**

- First-line barrier
- Higher basis weight for increased protection
- Non-linting





# E-A-R<sup>™</sup> CLASSIC<sup>™</sup> EARPLUGS, 3M<sup>™</sup>

- Provide comfortable, effective seal while exerting low pressure in the ear
- Gradually expand and conform to the ear canal for custom-fit seal
- Washable, flame retardant, moisture resistant
- Noise reduction rating: 29dB



Description	Diameter	Color	Cat. No.
Latex-Free	53 cm (21")	White	414005-000
Latex-Free	61 cm (24")	White	414005-001

Description	Color	Noise Reduction Rating	Packaging	Cat. No.
Corded	Yellow	30 dB	Poly Bag	55615-664
Uncorded	Yellow	29 dB	Pillow Pack	33001-580

### NO-TOUCH<sup>™</sup> PUSH-TO-FIT EARPLUGS, 3M<sup>™</sup>

- Hygienic, noise-reducing seal
- Soft foam, smooth tapered shape, paddle stems
- Push-to-fit design makes fitting hearing protection easy



# **HOWARD LEIGHT MAX®** AND MAX LITE® EARPLUGS, **HONEYWELL SAFETY**

- Disposable, nonirritating and nonallergenic
- Available with or without connecting cord
- Max Lite® low-pressure self-adjusting foam fits smaller ear canals



Description	Color	Noise Reduction Rating	Packaging	Cat. No.
Corded	Purple	29 dB	Poly Bag	12000-187
Uncorded	Purple	29 dB	Poly Bag	12000-185

Description	Model	Noise Reduction Rating	Cat. No.
Uncorded Earplugs	Max Earplugs	33 dB	55533-002
Uncorded Earplugs	Max Lite Earplugs	30 dB	55533-004
Corded Earplugs	Max Lite Earplugs	30 dB	55533-006
Corded Earplugs	Max Earplugs	33 dB	55533-008
Dispenser Box with Uncorded Earplugs	Max Earplugs	33 dB	55533-026

### E-A-RSOFT<sup>™</sup> FX<sup>™</sup> EARPLUGS, 3M<sup>™</sup>

- E-A-Rsoft<sup>™</sup> FX<sup>™</sup> Earplugs provide reliable hearing protection
- Bell shape and super-soft, slow-recovery foam effectively seals the earcanal



Description	Color	Noise Reduction Rating	Packaging	Cat. No.
Uncorded	Yellow	33 dB	Poly Bag	89107-470
Corded	Yellow	33 dB	Poly Bag	89009-314

# **HOWARD LEIGHT LASER LITE® EARPLUGS, HONEYWELL SAFETY**

- Single use, T-shape for easy insertion
- Nonallergenic polyurethane foam expands to fit virtually every wearer
- Vibrant colors make protection visible
- Noise reduction rating: 32dB



Description	Noise Reduction Rating	Packaging	Cat. No.
Uncorded Earplugs	32 dB	Bulk Pack	55533-028
Uncorded Earplugs	32 dB	Individual Poly Bag	55533-030
Corded Earplugs	32 dB	Individual Poly Bag	82007-111

# E-A-R<sup>™</sup> EXPRESS<sup>™</sup> POD PLUGS<sup>™</sup> EARPLUGS, 3M<sup>™</sup>

- Soft, flexible grip for easy insertion and removal
- Slow-recovery foam inserts easily, seats, and stays in place
- InstaSeal™ assures instant protection and fit
- Breakaway cord protects wearer in case of machine entanglement
- Convenient reusable pillow pack to promote reuse
- Grips are assorted colors

Description	Color	Noise Reduction Rating	Packaging	Cat. No.
Uncorded	Yellow Foam/Assorted Grips	25 dB	Pillow Pack	55666-299
Uncorded	Yellow Foam/Blue Grips	25 dB	Pillow Pack	89006-818
Corded	Yellow Foam/Assorted Grips	25 dB	Pillow Pack	55666-302
Corded	Yellow Foam/Blue Grips	28 dB	Pillow Pack	55005-252
Corded, Metal				
Detectable	Yellow Foam/Blue Grips	26 dB	Pillow Pack	89006-788



- Comfortable even for extended wear
- Washable, reusable protection
- Available with or without connecting cord



Description	Noise Reduction Rating	Cat. No.
Earplugs with Red Poly Cord	27 dB	55533-014
Earplugs with White Nylon Cord	27 dB	82001-017

# **HOWARD LEIGHT FUSION**™ **DETECTABLE EARPLUGS, HONEYWELL SAFETY**

- FlexiFirm® core ensures easy insertion into the ear canal and a superior fit
- SoftFlange<sup>™</sup> design adjusts perfectly to the ear canal to deliver unmatched comfort and superior attentuation
- Two sizes provide optimal fit for comfort and safety
- Metalized cord and stem ring offer detection for process industries
- Earplugs are stored in an included HearPack® plastic case

Size	Noise Reduction Rating	Cat. No.
Regular	25 dB	82020-866

### **PURA-FIT® 6800 AND 6900 EARPLUGS, MOLDEX®**

- Convenient, comfortable hearing protection
- Soft foam fits snugly, tapered design allows easy insertion
- Brightly colored for easy compliance checks



METAL DETECTABLE
EARPLUGS, MOLDEX®

- Moldex® Metal Detectable Corded Earpluas are available in reusable Rockets® or soft foam SparkPlugs®
- Both models feature a securely attached metal detectable cord and a bright blue color that is ideal for any hearing protection program, especially in the food processing industry
- SparkPlugs® are rated NRR 33, the highest independently tested NRR available for use in the most noisy environments



- SparkPlugs® are made of extra-soft foam and have a tapered design to fit snugly and comfortably in the ear
- SparkPlugs® have an enclosed metal ball bearing which eliminates any exposed metal
- Rockets® have an enclosed metal spring which eliminates anv exposed metal
- The ball bearing or spring are in seperate holes ensuring the plugs are still detectable even if the cord is removed
- Independently tested to ANSI S3.19-1974
- 100% PVC-free, like all Moldex® products & packaging, offering a greener alternative
- Made in U.S.A.

Description	Noise Reduction Rating	Cat. No.
Earplugs	31 dB	56610-663
Earplugs with Cord	31 dB	56610-673

Description	Packaging	Cat. No.
Rockets® Metal Detectable Reusable Earplugs	50 Pairs/Box	56219-250
SparkPlugs® Metal Detectable Foam Earplugs	100 Pairs/Box	89011-750

### SPARKPLUGS® EARPLUGS, MOLDEX®

- Tapered shape ensures easy insertion and removal
- Shaped to fit even small ear canals
- Disposable



# **ROCKETS® REUSABLE EARPLUGS, MOLDEX**™

- An air bubble in the tip offers cushioned comfort all day long
- Soft, flexible flanges provide a superior seal and fit most ear canal sizes
- Available with or without connecting cord
- Washable



Description	Noise Reduction Rating	Cat. No.
Earplugs	31 dB	56610-677
Earplugs with Cord	31 dB	56610-679

Description	Noise Reduction Rating	Cat. No.
Earplugs	26 dB	56219-252
Earplugs with Vinyl Cord	26 dB	56219-254
Earplugs with Cloth Cord	26 dB	56219-266

### **PLUGSTATION**<sup>™</sup> **EARPLUG DISPENSERS. MOLDEX®**

- Highly visible earplug dispensers for easy dispensing of SparkPlugs® or Pura-Fit® earplugs
- Dispensers deliver plugs individually, eliminating individual paper/ polybag packaging
- Disposable dispenser is sealed and completely recyclable
- Chute delivers plugs into palm of the hand
- Each dispenser is sealed and disposable, completely recyclable
- Easily mounts on virtually any wall

PlugStation™ with SparkPlugs® Earplugs, Uncorded

PlugStation™ with Pura-Fit® Earplugs, Uncorded

PlugStation™ with Pura-Fit® Earplugs, Uncorded



Assorted

Bright Green

Bright Green

500 Pair

250 Pair

500 Pair

56610-667

56610-669

56610-671



### BILSOM™ VIKING® EARMUFFS. **HONEYWELL SAFETY**

- Robust non-deforming dielectric construction withstands use and abuse, while protecting workers in electrical environments
- Unique Air Flow Control™ technology for optimal attenuation across all frequencies
- Snap-in ear cushions enable easy maintenance
- Elastic headband strap is included for positioning when not worn over the head

Description	Cat. No.
V3 Earmuffs	13450-191
V3 Earmuffs	89013-675

### JAZZ BAND® HEARING PROTECTOR, MOLDEX®

- Lightweight, comfortable alternative to earmuffs
- Colorful band features soft foam ear pods
- Band will not interfere with eyewear
- Hangs easily around neck with optional cord



# PELTOR<sup>™</sup> OPTIME<sup>™</sup> SERIES EARMUFFS, 3M<sup>™</sup> COMPANY

- Unique dual-cup design and soft, foam-filled cushions provide noise reduction and comfort
- Double-shell technology boosts the noise blocking ability
- Ultra-light with liquid/foam filled earmuff cushions




Description	Noise Reduction Rating	Cat. No.
Jazz Band® Hearing Protector	25 dB	56610-661

### BILSOM™ LEIGHTNING® EARMUFFS. **HONEYWELL SAFETY**


- Padded foam headband and supersoft ear cushions eliminate squeezing pressure on the head
- Steel wire construction provides high performance and durability
- Air Flow Control™ technology delivers optimal attenuation across all frequencies
- Snap-in ear cushions for easy maintenance
- Ultra-slim neckband earmuffs and folding earmuffs provide appropriate protection in low-noise environments

Description	Noise Reduction Rating	Cat. No.
L3 Headband Earmuff	30 dB	82017-255
LON Neckband Earmuff	22 dB	89013-681



### **VWR® VISITOR SPECS**







- Contoured protective brow guard and molded-in comfort nose bridge
- Impact-resistant, scratch-resistant polycarbonate lenses
- Provides 99.9% UV protection


Frame Color	Lens Coating	Lens Tint	Quantity	Cat. No.
Clear	Anti-Scratch	Clear	Pk. 12	89187-988



### **VWR® PROTECTIVE EYEWEAR WITH WRAPAROUND LENS**



- Lightweight design combines sleek appearance with rugged durability
- Rubberized temple tips and integrated nosepiece for extra comfort
- Fits comfortably with half-mask respirators
- Impact-resistant, scratch-resistant polycarbonate lenses
- Provides 99.9% UV protection

Frame Color	Lens Coating	Lens Tint	Cat. No.
Clear	Anti-Scratch	Clear	89187-986



### **VWR® PROTECTIVE EYEWEAR WITH ADJUSTABLE TEMPLES**



- Unique ratcheting temples lock into place for a custom fit
- Ultra-lightweight nylon frames and soft PVC nose pads to prevent slipping
- 8-base spherical lenses provide excellent side protection
- Antifog coating extends lens life
- Provides 99.9% UV protection

Frame Color	Lens Coating	Lens Tint	Cat. No.
Black	Anti-Fog, Anti-Scratch	Clear	89187-984



### **VWR® SPORT SAFETY GLASSES**



- Anatomically-shaped nose adapts to all faces
- Co-injected comfort pad will not peel off in hot climates
- High-visibility rubber color
- Polycarbonate lens
- Provides 99.9% UV protection

Frame Color	Lens Coating	Lens Tint	Cat. No.
Smoke	Anti-Scratch, Anti-Fog	Clear	76210-730



### **VWR® OTG SAFETY GLASSES**

- Fits over most prescription glasses
- Adjustable temple length for varied facial contours
- Polycarbonate lens
- Provides 99.9% UV protection

Frame Color	Lens Coating	Lens Tint	Cat. No.
Navy	Anti-Scratch, Anti-Fog	Clear	76210-732



### **VWR® LADIES PINK SAFETY GLASSES**

- Molded-in nose bridge
- Soft, non-slip rubber temple tips
- Impact-resistant
- Polycarbonate lens

Frame Color	Lens Coating	Lens Tint	Cat. No.
Pink	Anti-Scratch, Anti-Fog	Clear	76210-824



### **VWR® SLEEK SAFETY GLASSES**

- Super lightweight at 22.7 grams
- Dielectric construction
- Comfortable nose piece
- Slim temple with rubber pad
- Impact-resistant
- Polycarbonate lens
- Provides 99.9% UV protection

Frame Color	Lens Coating	Lens Tint	Cat. No.
Blue	Anti-Scratch, Anti-Fog	Clear	76210-826



### ZENON Z12<sup>™</sup> CLEAR RIMLESS SAFETY GLASSES, PROTECTIVE INDUSTRIAL PRODUCTS

- With 9.5 base curve lens
- Molded nose bridge design to fit the vast majority of users

Description	Lens Coating	Lens Color	Cat. No.
Zenon Z12™ Rimless Safety Glasses	Non-coated	Clear	89179-574



COLLECTION



### **EVA® WOMEN'S PINK RIMLESS SAFETY GLASSES, PIP**

- Smaller and narrower than standard safety glasses; allows the eyewear to better fit the facial structure of a woman
- Pink rubber co-molded temples and molded nose bridge provide a more secure fit
- Lightweight, rimless design provides all day user comfort
- 10 Base curve lens
- A portion of the proceeds are donated to the American Cancer Society

Frame Color	Lens Coating	Lens Color	Cat. No.
Clear/Pink	Anti-Scratch/Anti-Fog	Clear	10120-243



# JACKSON SAFETY® V10 ELEMENT™ SAFETY EYEWEAR, KIMBERLY-CLARK PROFESSIONAL®

- Lightweight, popular styling
- 9.5-base curved lens, wide field of vision
- Universal nose bridge
- Uncoated, 100% polycarbonate lens
- 99.9% U.V. protection
- Dielectric, thermoplastic construction
- Meets ANSI Z87.1+ standards

Frame Color	Lens Coating	Lens Tint	Cat. No.
Clear	Uncoated	Clear	89130-922
Black	Uncoated	Smoke	89130-924
Light Blue	Uncoated	Light Blue	89217-740



# JACKSON SAFETY® V50 OTG\* SAFETY EYEWEAR, KIMBERLY-CLARK PROFESSIONAL®

- Integrated side shields provide added protection
- Base curve 4

Frame Color	Lens Coating	Lens Tint	Cat. No.
Black	Anti-Fog	Clear	10031-582



# SMITH & WESSON® MAGNUM 3G<sup>™</sup> SAFETY GLASSES KIMBERLY-CLARK PROFESSIONAL®

- All lenses provide 99.9% UV protection
- #3 filter lens coating is ideal for welding sites and for light brazing or cutting
- #5 filter lens is also ideal for welding sites and for heavy brazing or cutting

Description	Frame Color	Lens Tint	Cat. No.
Magnum 3G™ Models			
Magnum 3G™ Models	Black	Clear	14219-770
Magnum 3G™ Models	Black	Clear Antifog	14219-778
Magnum 3G™ Models	Platinum	Clear	14219-780
Mini-Magnum™ Models			
Mini-Magnum™ Models	Black	Clear	14219-786

These specific products are not available in canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.





### SMITH & WESSON® ELITE<sup>™</sup> SAFETY EYEWEAR, KIMBERLY-CLARK PROFESSIONAL®

- Wide temple design ensures structural integrity and stability
- Anti-scratch dual lenses with an 8-base curve provide wrap-around protection
- High performance polycarbonate lens provides 99.9% UV protection
- Supplied with micro-fiber carry pouch that doubles as a cleaning cloth
- Weight: 59 g (0.13 lb.)

Frame Color	Lens Coating	Lens Tint	Cat. No.
Black	Anti-Fog	Clear	89215-598
Black	Anti-Fog	Indoor/Outdoor	89215-602

These specific products are not available in canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.



# JACKSON SAFETY® V30 NEMESIS™ S SAFETY EYEWEAR, KIMBERLY-CLARK PROFESSIONAL®

- Soft touch temples for added comfort
- Fun temple tip colors for individuality
- Base curve of 8.25
- Provides 99.9% UV protection against harmful UV rays

Description	Frame Color	Lens Coating	Lens Tint	Cat. No.
V30 NEMESIS™ S Safety Glasses	Black with Black Tips	Uncoated	Clear	89427-014
V30 NEMESIS™ S Safety Glasses	Black with Pink Tips	Anti-Fog	Clear	89427-018

These specific products are not available in canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.



### HI-VOLTAGE ARC™ SAFETY GLASSES, PROTECTIVE INDUSTRIAL PRODUCTS

- U-Fit® spatula temples
- 4 base curve lens
- Lens design maximizes view, providing user comfort and safety
- Adjustable length temples provide a secure and comfortable fit
- Molded nose bridge design to fit the vast majority of users

Frame Color	Lens Coating	Cat. No.
Black Temples	Hard-Coat	89179-578



### CREWS® BLACKJACK® PROTECTIVE EYEWEAR, MCR SAFETY

- Single, dual-focus wraparound lens
- Integral side shields for added protection
- Strong, lightweight, polycarbonate lenses
- Duramass® scratch-resistant coating filter out 99% of UV radiation
- Metal temples with spring hinge design provide maximum flexibility
- Meets or exceeds ANSI 787.1+ standards

Lens Tint	Cat. No.
Clear Antifog	80081-999
Grav	80082-001



### RUBICON™ PRO GRADE PROTECTIVE EYEWEAR, MCR SAFETY

- Lenses are scratch-resistant and filter out 99% of UV radiation
- Platinum color metal temples with resilient spring hinges provide maximum flexibility
- Soft, secure gel nosepiece and nonslip gel temple sleeves provide a comfortable fit for extended wear
- Antifog lenses feature exclusive Duramass AF4® antifog lens coating

Lens Tint	Cat. No.
Clear Antifog	89015-604
Gray Antifog	89015-606



### SOLUS<sup>™</sup> PROTECTIVE EYEWEAR WITH ANTI-FOG LENS, 1000 SERIES, 3M<sup>™</sup>

- Removable temples enable the use of the optional strap
- Optional foam gasket heps reduce eye exposure
- Available in several frame colors and lens tints
- All lenses offer 99.9% UV protection

Description	Lens Coating	Temple Color	Lens Color	Cat. No.
Half-Frame Style Eyewear	Anti-Fog	Green & Black	Clear	10806-080
Half-Frame Style Eyewear	Anti-Fog	Green & Black	Gray	10806-082
Half-Frame Style Eyewear	Anti-Fog	Blue & Black	Clear	10806-092



### REFINE<sup>™</sup> PROTECTIVE EYEWEAR, 3M<sup>™</sup>

- Lightweight, slim-frame fit adjusts comfortably to female facial profile
- Antifog coating and polycarbonate lens deliver clarity of vision

Frame Color	Lens Coating	Lens Tint	Style	Lens Color	Cat. No.
Teal	Anti-Fog	Clear	Half-Frame	Clear	89136-098
Teal	Anti-Scratch	Indoor/Outdoor	Half-Frame	Mirror	89136-102

These specific products are not available in canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.



### VIRTUA™ PROTECTIVE EYEWEAR, 3M™

- Designed for indoor or outdoor use
- Wide profile provides necessary impact protection and an unobstructed view

Frame Color	Lens Coating	Lens Tint	Style	Lens Color	Cat. No.
Clear	Hard Coat	Clear	Frameless	Clear	47746-233
Clear	Anti-Fog	Clear	Frameless	Clear	47746-237
Clear	Uncoated	Clear	Frameless	Clear	89217-718

These specific products are not available in canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.



### **UVEX ULTRA-SPEC® PROTECTIVE EYEWEAR, HONEYWELL SAFETY**

- Features 100% polycarbonate wraparound unilens design
- Side shields add extra protection without compromising visibility
- Clear lenses and frames
- The Ultra-dura® lens coating provides superior scratch and chemical resistance
- Uvextreme lens coating provides antifog, antiscratch, antistatic, and ultaviolet protection

Description	Lens Coating	Lens Tint	Cat. No.
Ultra-spec 2001 OTG Glasses	Uvextreme®	Clear	13500-857
Ultra-spec 1000 Glasses	Uncoated	Clear	14222-870



### SECUREFIT<sup>™</sup> PROTECTIVE EYEWEAR, SF400 SERIES, 3M<sup>™</sup>

- Eyewear design enhances frame comfort without compromising the security of fit across a diverse workforce
- All lenses offer 99.9% UV protection

Description	Lens Coating	Temple Color	Lens Color	Cat. No.
Frameless Eyewear	Anti-Fog	Black/Lime Green	Clear	10030-236
Frameless Eyewear	Anti-Fog	Black/Lime Green	Gray	10030-238



# **UVEX GENESIS® PROTECTIVE EYEWEAR, HONEYWELL SAFETY**

- Dual 9-base wrap-around lens provides uncompromised peripheral vision and protection Elastomer brow-guard diffuses and deflects impact
- Temple length and lens inclination are adjustable
- Soft fingers conform to any nasal profile
- Frames augranteed for life
- Meets ANSI Z87.1+ and CSA Z94.3 standards

Frame Color	Lens Coating	Lens Tint	Cat. No.
Black	Ultra-dura®	Clear	15001-568
Black	Uvextreme®	Clear	15001-570
Vapor Blue	Ultra-dura®	Clear	15001-610



### A700 SERIES PROTECTIVE EYEWEAR, HONEYWELL SAFETY

- Economic and sporty glasses provide a stylish fit for the everyday wearer
- Lightweight design is equipped with sport temples and soft temple tip pads that offer a secure, wraparound fit
- Molded universal nose bridge provides added comfort throughout extended use
- 9-base polycarbonate hardcoated lenses provide a 180° field of distortion-free vision, and offer 99.9% UV protection
- Model 89020-074 features Fog-Ban® treatment to reduce fogging in extreme conditions

Description	Frame Color	Lens Tint	Cat. No.
Lenses with Anti-Scratch Treatment	Clear	Clear	89020-064
Lenses with Fog-Ban® Treatment	Clear	Clear	89020-074



### CHECKLITE® CLEAR UNCOATED LENS, MCR SAFETY

- Lightweight and comfortable design
- Ideal combination of safety features and comfort for extended wear

Description	Temple Color	Lens Color	Cat. No.
Glasses	Clear	Clear	80081-868
Anti-Scratch Glasses	Clear	Clear	80081-870
Anti-Fog/Anti-Scratch Glasses	Clear	Clear	80081-872



### MOSSY OAK® STORM® FRAME, MCR SAFETY

- Three ratchet styles of camouflage frames are available
- Sleek hingeless frame system protects from major impact

Frame Color	Temple Color	Lens Color	Cat. No.
Mossy Oak	Mossy Oak	Amber	47734-894
Mossy Oak	Mossy Oak	Silver Mirror	47734-896



# UVEX ASTRO OTG<sup>™</sup> 3001 SAFETY EYEWEAR, HONEYWELL SAFETY

- Fits comfortably and attractively over prescription eyewear
- Lens inclination provides a close-to-the-face fit
- Adjustable Duoflex<sup>™</sup> temples feature comfort cushions for extended use
- Easily replaceable lenses are available with scratch- and chemical-resistant Ultra-dura® coating or Uvextreme® AF antifog, antistatic, anti-scratch, and anti-UV coating

Frame Color	Lens Coating	Lens Tint	Cat. No.
Black	Ultra-dura®	Clear	33000-506
Black	Uvextreme® AF	Clear	33000-508
Blue	Ultra-dura®	Clear	33000-517
Patriot RWB	Uvextreme® AF	Clear	33000-538



# JACKSON SAFETY® V60 30-06<sup>™</sup> DUAL READERS SAFETY **EYEWEAR, KIMBERLY-CLARK PROFESSIONAL®**

- Lenses provide 99.9% UV protection
- All glasses have black frames with clear lenses
- Readers meet ANSI Z87.1+ standards

Description	Diopter Strength	Frame Color	Lens Tint	Cat. No.
V60 30-06™ Dual Readers Safety Glasses	+1.5	Black	Clear	67200-245
V60 30-06™ Dual Readers Safety Glasses	+2.0	Black	Clear	67200-247
V60 30-06™ Dual Readers Safety Glasses	+2.5	Black	Clear	67200-251



### BX<sup>™</sup> MAGNIFYING SAFETY GLASSES, 3M<sup>™</sup>

- Features magnifying diopters, lightweight lenses with adjustable soft tip temples, and integrated sideshields

Diopter Strength	Frame Color	Lens Coating	Style	Lens Color	Cat. No.
1.5	Silver	Anti-Fog	Half-Frame	Clear	89006-633
2	Silver and Black	Anti-Fog	Half-Frame	Clear	89006-635
2.5	Silver and Black	Anti-Fog	Half-Frame	Clear	89006-637



### VIRTUA™ CCS PROTECTIVE EYEWEAR READERS WITH FOAM GASKET, 3M™

- Clear anti-fog lens features a magnifying reading diopter
- Magnification helps workers who have difficulty reading small print, or those who are engaged in small detail work
- All lenses offer 99.9% UV protection

Description	Diopter Strength	Lens Coating	Lens Color	Cat. No.
Half-Frame Style Eyewear	1.5	Anti-Fog	Clear	10128-150
Half-Frame Style Eyewear	2.0	Anti-Fog	Clear	10128-152
Half-Frame Style Eyewear	2.5	Anti-Fog	Clear	10128-154



### PROTECTIVE EYEWEAR SLIP-ON SIDE SHIELDS, 3M™

- Protective eyewear slip-on side shields
- Shields can be used with a variety of different eyewear styles
- Side shields do not meet ANSI standards

Description	Lens Tint	Cat. No.
Protective Eyewear Slip-On Side Shields	Clear	33001-569



### **VWR® NONSTERILE SAFETY GOGGLES**

- Two ventilation options available
- Goggles fit over most prescription glasses
- Fully adjustable headband
- Provides 99.9% UV protection

Description	Lens Coating	Frame Material	Lens Material	Cat. No.
Indirect Ventilation	Uncoated	PVC	Polycarbonate	76017-902
Indirect Ventilation	Anti-Scratch	PVC	Polycarbonate	75982-624
Direct Ventilation	Uncoated	PVC	Polycarbonate	76017-944
Direct Ventilation	Anti-Scratch	PVC	Polycarbonate	75982-626

# **VWR® CHEMICAL SPLASH GOGGLES**

- Wrap around modern style provides excellent panoramic vision
- Fits most facial contours
- Comfortably fits over most prescription glasses
- Indirect ventilation
- Provides 99.9% UV protection



### **VWR® STERILIZED SOFTSIDE SAFETY GOGGLES**

- Green tinted frame with fog-free lens
- Indirect cap-vented frame provides splash resistance
- Soft, clear plastic construction for a comfortable fit and good peripheral vision





Description	Lens Coating	Frame Materi	al Lens Material	Cat. No.	Description	Cat. No.
Chemical Splash					Indirect Venting Goggle	69100-210
Gogale	Anti-fog, Anti-scratch	PVC	Polycarbonate	75982-628		

### **VWR® INDUSTRIAL FIT SAFETY GOGGLES**

- Smaller fit goggle designed to accommodate face masks, respirators, and hard hats
- Wraparound style with indirect ventilation
- Opalescent frame prevents light reflection
- Provide 99.9% UV protection



### **VWR® STERILIZED DIRECT VENT SOFT SIDE GOGGLES**

- Sterilized Direct Vent soft side goggles allow for a cool and comfortable fit
- Fog free lens ensures a clear view
- Blue tint with a blue rubber band strap
- Packed and sealed in a Tyvek pouch





D 111		F M 1		C I N	B 10	
Description	Lens Coating	Frame Material	Lens Material	Cat. No.	Description	
Industrial Fit Goggle	Anti-Fog, Anti-Scratch	PVC	Polycarbonate	75982-630	Direct Venting Goggle	

ndustrial Fit Goggle	Anti-Fog, Anti-Scratch	PVC	Polycarbonate	75982-630	Direct Venting Goggle	89522-676

### **VWR® DISPOSABLE GOGGLES, STERILE**

- Two types of ventilation
- Anti-fog and antiscratch
- Fits over prescription glasses





# JACKSON SAFETY™ V80 **REVOLUTION**<sup>™</sup> **PROTECTIVE GOGGLES, KIMBERLY-CLARK PROFESSIONAL®**

- Expanded visual field and fits over most prescription glasses
- Goggles feature a blue frame and clear lens
- RX inserts and replacement lens sold separately



Description	Frame Material	Lens Material	Cat. No.
Disposable Goggles, Indirect Ventilation	PVC	Polycarbonate	10770-152
Disposable Goggles, Direct Ventilation	PVC	Polycarbonate	10770-146

Description	Frame Color	Cat. No.
Revolution™ Protective Goggles	Blue	89135-145

# **JACKSON SAFETY® V80 MRXV<sup>™</sup> GOGGLE** PROTECTION, KIMBERLY-**CLARK PROFESSIONAL®**

- Oversized PVC frame for snug, comfortable fit even over prescription eyewear
- Indirect ventilation for unobstructed peripheral vision
- Chemical-resistant neoprene headband
- Provides 99.9% U.V. protection

Description	Frame Color	Lens Coating	Lens Tint	Cat. No.
V80 MRXV™ Goggle Protection	Smoke	VISICLEAR™	Clear	33001-053
V80 MRXV™ Goggle Protection	Blue	VISICLEAR™	Clear	33001-238



# **CREWS® STRYKE® SAFETY GOGGLES, MCR SAFETY**

- Stylish, smoke-tinted plastic frame
- Clear polycarbonate lens with Duramass® scratchresistant coating
- Exclusive Duramass AF4® anti-fog coating
- Rubber strap adjusts easily



Description	Cat. No.
Goggles	89068-870
Goggles	89074-174

# **JACKSON SAFETY® V80** MONOGOGGLE<sup>™</sup> 211 PROTECTIVE **GOGGLES, KIMBERLY-CLARK PROFESSIONAL®**

- Increased airflow, minimal condensation and fogging, protects against splash
- Soft-frame design, pantascopic angle to improve workarea visibility
- Pliable plastic nosepiece for snug, comfortable seal
- Can be worn over most prescription eyeglasses

Description	Frame Color	Lens Coating	Lens Tint	Cat. No.
V80 MONOGOGGLE™ 211 Protective Goggles	Green	_	Clear	89166-272
V80 MONOGOGGLE <sup>™</sup> 211 Protective Goggles	Smoke	VISICLEAR™	Clear	89130-968



### VISORGOGS® SAFETY GOGGLES, JONES

- Unique design incorporates comfortable, impact-resistant goggles with a vented, opaque visor to shade eyes and reduce eye strain and fatigue
- Indirect ventilation screen keeps dirt and dust out and keeps lenses fog-free
- Lenses are designed strutless with a downangle vision for clear visibility
- Goggles can be worn over eyeglasses
- Available in four visor colors with clear lenses
- Replacement lens fits both indirect and direct vent goggles

Description	Visor Color	Cat. No.
Indirect Vent Goggles	Green	33012-005
Indirect Vent Goggles	Blue	33012-006
Indirect Vent Goggles	White	33012-007


# **CREWS® VERDICT® PROTECTIVE GOGGLES. MCR SAFETY**

- Transparent protective PVC body permits a comfortable fit over prescription eyewear while protecting against impact
- Supplied with an elastic headband
- Lined goggles feature a soft foam lining that cushions the face and improves seal
- Can be worn with most half-mask respirators

Description	Coating	Cat. No.
Unlined Goggles	Antifog Coating	80081-791
Foam-Lined Goggles	Antifog Coating	80800-004

# **FECTOGGLES™ SERIES SAFETY** GOGGLES. 3M™ COMPANY





- perimeter of the lens to help keep out particulates and sweat
- Fire-retardant, braided, elastic strap holds the goggles firmly in place

Description	Size	Lens Coating	Lens Tint	Cat. No.
Fectoggles <sup>™</sup> Series Safety Goggles,		Anti-Scratch		
with Strap Attachment	Medium	& Anti-Fog	Clear	55666-240
Fectoggles <sup>™</sup> Series Safety Goggles,		Anti-Scratch		
with Temple Attachment	Medium	& Anti-Fog	Clear	55666-245

# 3M<sup>™</sup> GOGGLEGEAR<sup>™</sup> 500 SERIES, 3M<sup>™</sup> COMPANY

- Long lasting Scotchgard<sup>™</sup> Anti-Fog Coating helps to increase eyewear performance in wet and steamy environments
- Workers enjoy reliable, clearer sight longer, as the coating and its active ingredient is bonded to the lens.
- Coating retains its effectiveness for at least 25 washings with water
- The coating withstands disinfection with diluted bleach soaking or alcohol wipes without losing anti-fog performance

# **UVEX FUTURA™ GOGGLES. HONEYWELL SAFETY**

- Wrap-around, sports-style goggles provide excellent panoramic vision
- Frosted brow guard reduces glares and indirect venting to increase airflow
- Flexible PVC body, textured neoprene headband
- Impact-resistant polycarbonate lens protects against dust, mist, and splashing
- Clear lenses are coated with Uvextreme® lens coating for antifog, anti-scratch, antistatic, and anti-UV protection
- Fit over most prescription eyeglasses

Description	Size	Lens Coating	Lens Tint	Cat. No.	Description	Cat. No.
GoggleGear™ 500 Series	Adjustable	Anti-Fog	Clear	10808-716	Goggles	33002-179


# **UVEX STEALTH® GOGGLES.**

**HONEYWELL SAFETY** 


- Durable polypropylene frame and soft, flexible elastomer provide comfortable seal
- Indirect ventilation reduces fogging
- Uvextreme® lenses provide antifog, antiscratch, antistatic, and ultraviolet protection
- Dura-streme® lenses feature interior Uvextreme coating and exterior Ultra-dura® coating for enhanced durability
- One-piece, impact-resistant polycarbonate lens can be replaced quickly and easily

Description	Band	Frame Color	Lens Coating	Lens Tint	Cat. No.
Goggles	Neoprene	Gray	HydroShield™ Anti-Fog	Clear	10790-630
Goggles	Neoprene	Gray/Gray	Uvextreme®	Clear	33000-751
Goggles	Neoprene	Teal/Gray	Uvextreme®	Clear	33000-755
Goggles	Fabric	Gray/Gray	Uvextreme®	Clear	33000-805
Over-the-Glass Goggles	Neoprene	Navy	Dura-streme <sup>™</sup>	Clear	89095-446
Over-the-Glass Goggles	Fabric	Navy	Dura-streme <sup>™</sup>	Clear	89095-456
Goggles	Neoprene	Gray/Gray	Dura-streme <sup>™</sup>	Clear	94023-954

### **VWR® LENS CLEANING WIPES AND** LENS CLEANING STATION







Solution coats lenses with antifog, antistatic formula





Description	Cat. No.
VWR® Pre-Moistened Lens Cleaning Wipes	89203-550
VWR® Disposable Lens Cleaning Station	89203-548

# SIGHT SAVERS® PREMOISTENED LENS CLEANING TISSUES, BAUSCH & LOMB®

- Non-silicone, antistatic tissues are individually packaged and treated with special surfactants to clean all glass and plastic lenses
- Perfect for computer screens, mirrors, safety glasses, and face shields
- Unique package design allows easy dispensing of large 12.7 x 20.3 cm  $(5 \times 8")$ folded, premoistened tissues
- Cardboard dispenser box measures 22.9 x 13.7 x 6cm (9 x 53/8 x 23/8")."



Description	Cat. No.
Premoistened Lens Cleaning Tissues	52848-078

# **SIGHT SAVERS® PREMOISTENED ANTIFOG LENS CLEANING TISSUES, BAUSCH & LOMB®**

- Tissues work in both cold-to-hot and hot-to-cold conditions
- Unique package design allows easy dispensing of large 12.7 x 20.3cm (5 x 8") folded tissues
- Cardboard dispenser box measures 25.4H x 12.4W x 5.3D cm (10 x  $4^{7/8}$  x  $2^{1/8}$ ") and contains 100 tissues

Premoistened Antifog Lens Cleaning Tissues





52848-800

Description	Cat. No.

This specific product is not available in canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

# JACKSON SAFETY™ V90 SHIELD™ PROTECTIVE GOGGLES, KIMBERLY-**CLARK PROFESSIONAL®**

- Indirect ventilation provides increased airflow, minimizing condensation and fogging
- Curved face shield conforms to the shape of the user's face, and is a splash and impact protector
- Soft, pliable material around the eyes and nose ensure a comfortable fit
- Goggles can be used over most prescription eyeglasses
- Shield is detachable
- Goggles feature a clear, anti-fog lens and blue frame

Description	Cat. No.
V90 Shield™ Protective Goggles	89130-975

# SCIENCEWARE® CLEANWARE™ANTI-FOG LENS CLEANER, BEL-ART

- Can be used on microscopes
- Supplied in a convenient 59 mL (2 oz.) bottle with reclosable dispenser cap, fits easily in pocket or purse



# **KIMBERLY-CLARK® GUARDALL** SHIELD™ FACE SHIELD, KIMBERLY-**CLARK PROFESSIONAL®**

- Protection from blood or bodily fluid splashes
- Equipped with foam band and headband
- May be worn with or without glasses or goggles
- Clear mylar provides maximum visibility
- Resistant to fogging



Quantity	Cat. No.
Pk. 2	70690-014
	* 1

Description	Color	Cat. No.
Full Length Face Shield	Clear	10869-018

# **SCIENCEWARE® LABLENS®** LIQUID, BEL-ART

- Polyethylene bottle construction
- Spray pump allows easy application



	T 1
	11
2	
- 0	TT.
	(Tcienceware')
	Lab Lens" Fluid
- 1	NOTE IN the surface and main and and a perfect of the surface and a perfec
- 11	E Second
- 1	9 ::
- 1	
- 1	NE CONTRACTOR
- 1	net-art products
- 1	Street or other Delivery Street, Square, Squar

Description	Size	Cat. No.
LabLens® Liquid Cleaning Solution	473 mL (1 pt.)	13197-193

# **NALGENE® SAFETY FACE SHIELD,** THERMO SCIENTIFIC

- Optically clear window of 1.5mm (1/16")polycarbonate for high impact protection
- Polyethylene headdress is adjustable
- Wraparound design safeguards front and sides; full height protects neck and top of head
- Can be worn comfortably over safety goggles
- Proven protection from UV light in frequency range from 200-360 nm



Description	Thickness	Cat. No.
Safety Face Shield	1.5mm (¹/16")	33007-107

# MATRIX® SERIES SAFETY FACE **SHIELDS, MCR SAFETY**

- Molded from high-strength, lightweight polycarbonate for excellent impact, heat, and chemical resistance
- Ratchet suspension allows quick adjustment to correct size
- Leatherette sweatband cushions head and absorbs sweat
- Swivel-locking window attachment simplifies window replacement
- Double Matrix<sup>™</sup> face shield includes double-crown for complete coverage of the face and neck

Description	Cat. No.
Face Shield Crowns	
Single Matrix Headgear	10769-732
Double Matrix Headgear	89011-775
Double Matrix Headgear with 494400 Clear Acetate Faceshield	14223-023
Windows for Matrix Face Shields (8" x 15.5" x .040)	
Clear Acetate	89011-771
Windows for Double Matrix Face Shields	
Clear Acetate	89011-773

### **FACE SHIELD, UNIMED-MIDWEST**

- Splash shield provides comfortable face protection



Description	Size	Cat. No.
Full Face Shield	13"W x 7.5" L	89068-863

# **FACE SHIELD WITH RATCHET HEADGEAR, SELLSTROM®**

- Crown and chin protector offers extra protection from splashes, dust, and other contaminants
- Durable ratchet headgear, turn-of-theknob adjustability
- Acetate window is 1mm (0.040") thick and measures 17.7Hx48.2Wcm (7x19")
- High-impact sparkguard for extra protection

Description	Thickness	Cat. No.
Headgear with Clear Window	1 mm (0.040")	33007-062
Replacement Clear Window	1 mm (0.040")	33007-064
Replacement Clear Fog-Free Window	1 mm (0.040")	33007-066


## **UVEX BIONIC® FACE SHIELDS. HONEYWELL SAFETY**

- Clear polycarbonate visor enhances protection from airborne debris
- Ergonomic design permits extended use with goggles and respirator
- Visor has secure attachment with dualposition choices
- Include ratcheting headgear suspension
- Meet ANSI Z87+ and CSA Z94.3 standards

Description	Cat. No.
Faceshields with Visor and Ratcheting Headgear Suspension	
Uncoated Visor	33002-535
Antifog/Hardcoat Visor	33002-536
Replacement Visors	
Uncoated	33002-538
Antifog/Hardcoat	33002-540

# **HEAD AND FACE SHIELD COMBINATIONS, 3M™**

- Combination head, face, and hearing protection solution
- Includes six-point ratchet suspension hard hat
- UVicator sensor, metal mesh visor, earmuff, rainshield, and visor seal
- Requires protective eyewear (sold separately)







# **SPECTRONICS UV ABSORBING FACE SHIELD**

 UVF-80 face shield provides maximum protection from exposure to extended or high intensity UV sources UV absorbing



### **VWR® MAXIMUM PROTECTION ANTIFOG FULL FACE SHIELDS**

- Protect front and side of face from fluid splash
- Low-glare shield provides distortion-free vision





Description	Cat. No.
UV Absorbing Face Shield	490010-798

Description	Cat. No.
Elastic Headstrap	414004-679
Velcro® Headstrap	414004-866

# **GOLD HEAT REFLECTIVE FACE SHIELD, OBERON**

- Heat Reflective Series of faceshields is manufactured using spaceage technology
- Coated with a mirror-like surface of 24K Gold to reflect the radiant energy away from the user's face
- Headgear is ratchet adjustable and comfortable
- Ideal for shop, industrial, and laboratory use



### **VWR® HOOD AND FACE COVER**

- Polypropylene
- Protection from environmental contaminations
- **Bulk** packaging





Description	Color	Cat. No.
Heat Reflective Face Shield with Ratchet	Gold	89370-940

Description	Color	Cat. No.
VWR® Hood and Face Cover	White	89187-796

# **NALGENE® SAFETY SPLASH** SHIELD; PC, ACETAL FLEXIBLE ARM, MAGNETIC BASE, THERMO SCIENTIFIC

- Protects from splashes, aerosols and flying debris
- Clear field of vision
- Attaches easily to benchtop shelving, machinery or other magnetic surfaces
- Flexible arm is easy to maneuver



,	P			
Æ	E HIN		7	
3		4		
3				

# **KIMTECH PURE® M7 FACE VEIL** WITH KNITTED HEADBANDS, KIMBERLY-CLARK PROFESSIONAL®

- Single use, hygienic alternative to reusable
- Covered nose piece conforms to nose and cheekbones
- Low-linting apertured polyethylene film, filters and minimizes contamination risks
- Exceptional breathability
- Veils with snaps fit into most reusable hoods
- Headband versions usable with reusable or disposable garment systems

Description	Dimensions	Cat. No.
Safety Splash Shield	28L x 21.5W cm (12 x 8 <sup>1</sup> / <sub>2</sub> ")	28196-342

Description	Size	Color	Cat. No.
KIMTECH PURE® M7 Veil with Snaps	33W x 38.1L cm (13 x 15")	White	15628-265
KIMTECH PURE® M7 Veil with Knitted Headband	33W x 38.1L cm (13 x 15")	White	83007-443

# **VWR® ADVANCED PROTECTION DISPOSABLE HOOD**

- VWR COLLECTION
- Nonwoven, 43gsm SMS fabric
- Reliable protection in laboratory, electrical, pharmaceutical, food, industrial, and cleanroom applications
- 27.9Wx41.9Lcm (11x16.5")

# VWR® STERILE HOOD, 10<sup>-6</sup> SAL



- Excellent breathability and water vapor transmission rate
- Lowest level of particle shedding
- Durable yet soft, cloth-like fabric
- Gamma irradiated to SAL of 10<sup>-6</sup>



Description	Size	Color	Cat. No.
VWR® Basic Protection Hood	Small	Light Blue	89523-428

Description	Size	Color	Cat. No.
Disposable Non-Woven Sterile Hood	Universal	White	89523-474

### **VWR® ADVANCED PROTECTION HOOD**

- Significant fluid and particulate barrier
- Durable, lightweight, soft cloth-like fabric
- Excellent breathability and water vapor transmission rate





# **KIMTECH PURE® A5 STERILE INTEGRATED HOOD AND MASK** WITH CLEAN-DON™ TECHNOLOGY, KIMBERLY-CLARK PROFESSIONAL®

- Sonically welded to eliminate exposure gaps
- CLEAN-DON™ technology makes donning easier and reduces the risk of contamination
- Pull-down ties are located in the back to assist in the gowning process
- Stretch fit elastic and latex free
- Type 6 PPE Category III
- Each hood/mask offers SAL 10<sup>-6</sup>



#### 414004-503 Universal White

# **VWR® IRRADIATED HOOD**

- Excellent fluid and particulate barrier
- Lowest level of particle shedding
- Superior breathability and water vapor transmission rate
- Soft, cloth-like fabric
- Gamma irradiated to SAL of 10<sup>-4</sup>





# **DUPONT™ TYVEK® ISOCLEAN®** HOODS WITH FULL FACE OPENING

- Bound seams
- Full face opening
- Bound hood opening
- Ties with loops for adjustable fit
- One size fits most



Size	Color	Cat. No.
Universal	White	414004-502

Length	Width	Color	Cat. No.
Tyvek® IsoClean®	Hoods with Full Face	Opening, Clean Processed, Steril	e
171/2"	281/2"	White	89125-650

# **DUPONT™ TYVEK® ISOCLEAN® HOODS WITH EYES ONLY OPENING**

- Bound seams
- Bound opening for eyes
- Bound bottom
- Snaps for adjustable fit



# **VWR® BASIC PROTECTION INDUSTRIAL BEARD COVERS**







Description	Dimensions	Color	Cat. No.
VWR® Basic Protection Industrial Beard Cover	43 x 22 cm	White	76008-554

# Tyvek® IsoClean® Hoods with Eyes-Only Opening, Clean Processed, Sterile 80076-866

# **ALPHATEC™ 66-674 CHEMICAL PROTECTION FIRE RESISTANT** 3-PIECE HOOD, ANSELL

- Offers HRC Level 2 arc flash protection
- Increases chance of survival from exposure to thermal hazards
- Does not sustain a flame and no melting or dripping during flammability testing
- Chemical-resistant stitching and taped seams to ensure superior performance
- Tough and durable fabric
- Anti-static properties

Size	Color	Cat. No.
One Size	Blue	80093-558

# **VWR® BASIC PROTECTION SPP BEARD COVERS**

- **Economical first-line barrier**
- Non-linting





Description	Size	Color	Cat. No.
Latex-Free	Universal	White	89107-778
Latex-Free	X-Large (18")	White	89218-950

### **VWR® BASIC PROTECTION INDUSTRIAL NYLON BEARD COVER**

- Comfortable fit and nylon construction
- Ideal for all types of beards





### **VWR® IRRADIATED BEARD COVER**

- Strong, lightweight, breathable spunbonded polypropylene
- Lowest level of particle shedding, non-linting
- First-line barrier
- Gamma irradiated to SAL of 10<sup>-4</sup>





Size	Material	Color	Cat. No.
45.7 cm (18")	Nylon	White	75829-206

Size	Diameter	Color	Cat. No.
Universal	45.7 cm (18")	White	414004-506

# **DUPONT™ PROCLEAN® 1 BEARD COVERS WITH SERGED SEAMS**

- Elastic headband
- Serged seams
- Universal fit



### **VWR® ADVANCED PROTECTION FACE MASKS**

- Guards against bacteria and particulates
- Highly breathable and fluid resistant
- Malleable noseband ensures custom, secure seal
- Soft and hypoallergenic



Color	Cat. No.
White	76290-256

Description	Color	Cat. No.
Mask with Ear Loops	Blue	414004-662
Mask with Ear Loops	Yellow	414004-665

### **VWR® BASIC PROTECTION FACE MASK**

- Highly breathable and fluid resistant
- Malleable nose-band allows custom, secure seal
- Soft and hypoallergenic





Description	Color	Cat. No.
Basic Protection Mask	White	414004-680

# KIMTECH PURE® M3 PLEAT-STYLE FACE MASKS, KIMBERLY-CLARK PROFESSIONAL®

- Outer layer of apertured polyethylene film
- Nonsterile face masks features nonirritating BICOSOF® inner facing and bendable aluminum nosepiece; filtration of 99% at 0.1µm
- Sterile face masks features polyester binding and polyester filter, filtration efficiency (BFE) of 91.9%, particle filtration efficiency (PFE) of 93.1%; SAL 10<sup>-6</sup>



Description	Size	Color	Cat. No.
Nonsterile			
With Knitted Earloops	_	White	10843-197
Sterile			
With Soft Ties	17.8 cm (7")	White	15628-258
With Knitted Earloops	17.8 cm (7")	White	15628-260

# **VWR® MAXIMUM PROTECTION FACE MASKS**

- Superior protection against bacteria and particles
- Highly breathable and fluid resistant
- Soft and hypoallergenic
- Equipped with multiple comfortenhancing features





Description	Color	Cat. No.
Mask with Ear Loops	Blue	414004-670
Mask with Ties	Blue	414004-675

# KIMTECH PURE® M6 FACE MASK, KIMBERLY-CLARK PROFESSIONAL®

- Two layer, general purpose
- Earloops
- BICOSOF® fabric inner facing
- Double bagged



Description	Cat. No.
KIMTECH PURE* M6 Face Mask	10843-001

# **VWR® MAXIMUM PROTECTION ANTIFOG FACE MASKS**

- Superior protection against bacteria and particulates
- Highly breathable and fluid-resistant
- Soft and hypoallergenic
- Equipped with multiple comfort enhancing features





### **EARPLUG TRAY, NMC**

- Economical and simple way to hold an entire box of earplugs with ease
- Tray features front lip to keep earplugs in place



Description	Color	Cat. No.
Antifog Mask	Blue	414004-676
Antifog Mask	White	414004-677

Description	Size	Cat. No.
Large Ear Plug Dispenser	27.11 x 27.11 x 27.11 cm (10 <sup>2</sup> / <sub>3</sub> x 10 <sup>2</sup> / <sub>3</sub> x 10 <sup>2</sup> / <sub>3</sub> ")	94003-630

# **VWR® MAXIMUM PROTECTION CLEANROOM FACE MASKS**

- Superior protection against bacteria and particulates
- Highly breathable and fluid-resistant
- Low particle shedding
- Soft and hypoallergenic
- Malleable noseband ensures custom, secure seal





### **EARPLUG DISPENSER, NMC**

- Draw attention with safety green front pocket and top
- Dispenser holds over 100 pairs of earplugs



Description	Color	Cat. No.
Mask with Ear Loops	Blue	414004-667
Mask with Ties	White	414004-669

Description	Size	Cat. No.
Small Ear Plug Dispenser	33.02 x 15.24 x 20.32 cm (13 x 6 x 8")	94003-626

### **BOUFFANT CAP DISPENSER, BRADY®**

- Bouffant cap dispenser is constructed of clear acrylic for a clear view of the contents
- Can be mounted to a wall for easy access or placed freestanding on a countertop



# **VWR® SAFETY GLASSES HOLDERS**

- Promote safety in the workplace
- Secure storage of safety eyewear
- Mountable





HxWxD	Cat. No.
35.6 x 30.5 x 20.3 cm (14 x 12 x 8")	82004-280

Description	LxWxH	Cat. No.
Plain Back	22.8×15.2×13.9 cm (9×6×5 <sup>1</sup> / <sub>2</sub> ")	11376-416
Magnetic Back	22.8×15.2×13.9 cm (9×6×5¹/₂")	11376-418

### **SCIENCEWARE® SAFETY EYEWEAR HOLDERS, BEL-ART**

- Designed to be wallmounted or free-standing
- Clear acrylic eyewear holders are available with or without a lid.
- Pre-drilled holes on the back panel for easy wall mounting



### **DOUBLE SAFETY GLASSES DISPENSER, NMC**

- Display 2 styles of glasses side by side
- Acrylic unit features 2 separate compartments with safety green doors
- Designed to hold approximately 40 pairs of glasses
- Table or wall mount



Description	Cat. No.
Holder with Lid	66001-116
Holder without Lid	66001-118

Description	Size	Cat. No.
Safety Glasses Dispenser		
Double Compartment	$40.64 \times 40.01 \times 10.16 \text{ cm} (16 \times 15^{3}/_{4} \times 4'')$	94003-852

# **DELUXE VISITOR SPEC DISPENSER, BRADY®**

- Each dispenser holds approximately 20-25 glasses
- Dispensers are supplied with two top holes, making them ideal for wall-mounting



# PROTECTIVE EYEWEAR RECYCLING **BOX, TERRACYCLE®**

- Reduce Landfill Waste
- Support Your Company's Sustainability Goals



Description	Material	Dimensions	Color	Cat. No.
Deluxe Visitor Spec Dispenser	Acrylic	18 x 8 x 4"	Clear	55607-392

Description	Capacity	Dimensions	Cat. No.
Safety Glasses and	818 Safety Glasses	38.1W x 38.1L x 106.7H	
Goggles Recycling Box	and Goggles	cm (15 x 15 x 42")	10820-600

# SAFETY GLASSES DELUXE VISITOR SPEC **DISPENSER WITH COVER, BRADY**

- Each dispenser holds approximately 20–25 glasses
- Dispensers are supplied with two top holes, making them ideal for wall-mounting
- Dispenser size: 18"H x 8"W x 4"D



# **BEARD COVER DISPENSER, BRADY®**

- Beard cover dispenser is constructed of clear acrylic for a clear view of the contents
- Can be mounted to a wall for easy access or placed freestanding on a countertop



Description	Cat. No.
Tough Acrylic Deluxe Visitor Spec Dispenser With Cover	55607-390

H x W x D	Cat. No.
35.6 x 30.5 x 20.3 cm (14 x 12 x 8")	82004-282

### **EYE AND FACE PROTECTION**

### **FACE MASK DISPENSER, NMC**

- Dispenser with safety green top
- Hinged lid is designed to eliminate unwanted dust particles
- Holds more than 30 masks



### **VISITOR SPEC CENTER, NMC**

- Acrylic dispenser features bottom door to keep glasses in place
- Holds approximately 4 pairs
- Table or wall mount



Description	Dimensions	Cat. No.
Dust Mask Dispenser With Cover	31.75 x 15.24 x 15.24 cm (12 <sup>1</sup> / <sub>2</sub> x 6 x 6")	94003-614

Description	Size	Cat. No.
Visitor Specs Deluxe	45.72 x 20.32 x 10.16 cm (18 x 8 x 4")	94003-854

### **ACRYLIC DISPENSERS, NMC**

- Clear acrylic units feature convenient safety green cover and door for easy access
- Table or wall mount



# **SAFETY EQUIPMENT AND PROTECTIVE GEAR, ZERO WASTE BOX, TERRACYCLE®**

- Reduce landfill waste

- Support your company's sustainability goals





Description	Dimensions	Cat. No.
Misc Dispenser With Cover	15.24 x 0.64 x 22.86 cm (6 x 11 <sup>1</sup> / <sub>4</sub> x 9")	94003-530
Ear Plugs Dispenser With Cover	15.24 x 0.64 x 22.86 cm (6 x 11 <sup>1</sup> / <sub>4</sub> x 9")	94003-628
Finger Cot Dispenser With Cover	15.24 x 0.64 x 22.86 cm (6 x 11 <sup>1</sup> / <sub>4</sub> x 9")	94003-632
Hairnet Dispenser With Cover	15.24 x 0.64 x 22.86 cm (6 x 11 <sup>1</sup> / <sub>4</sub> x 9")	94003-776
Lens Cleaner Towelette Dispenser	15.24 x 0.64 x 22.86 cm (6 x 11 <sup>1</sup> / <sub>4</sub> x 9")	94003-790

Description	Size	Box Dimensions	Cat. No.
Safety Equipment and Protective Gear Box	Small Box	11 x 11 x 20"	75996-444
Safety Equipment and Protective Gear Box	Medium Box	11 x 11 x 40"	75996-446
Safety Equipment and Protective Gear Box	Large Box	15 x 15 x 37"	75996-448

These specific products are not available in canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

### **VWR® N95 DISPOSABLE RESPIRATORS**

- Meet NIOSH requirements for minimum filter efficiency of 95% against 0.3µm particles
- Provide protection against solid and liquid particles that do not contain oil
- Lightweight construction allows for comfortable, extended use





Description	Cat. No.
N95 Respirator	89201-508
N95 Respirator with Valve	89201-510

# **8211 N95 PARTICULATE** RESPIRATOR, 3M™

- Provide comfortable reliable worker protection in grinding, sanding, and other dusty operations
- 3M Cool Flow® Exhalation Valve, adjustable "M" nose clip, conformable face seal, and durable braided headband
- Ideal for work settings that involve heat, humidity, or long periods of wear
- Provides minimum 95% filtration efficiency against certain solid and liquid particles that do not contain oil





Description	Cat. No.
8211 N95 Particulate Respirator	43100-118

This specific product is not available in Canada, Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

# KIMBERLY-CLARK® PFR95™ N95 **RESPIRATOR AND SURGICAL MASKS,** KIMBERLY-CLARK PROFESSIONAL®

- NIOSH approved, minimum of 95% filtration efficiency at 0.3µm
- Large breathing chamber with limited facial contact
- Two polyurethane bands ensure tight facial seal and prevent leakage around mask edges



10.53	No.
e:	0 : 11

8511	N95	RESP	IRAT	OR,	3M
------	-----	------	------	-----	----

- Provides comfortable protection against certain non-oil based particles
- Cool Flow<sup>™</sup> exhalation valve reduces heat and humidity buildup
- Features braided headbands, soft inner materials, adjustable "M" nose clip



Description	Cat. No.
8511 N95 Respirator	56621-936

#### Respirator and Surgical Mask with Film Seal and FLUIDSHIELD™ Protection Respirator and Surgical Mask with FLUIDSHIELD™ Protection Regular 10843-153 Respirator Mask Regular 89005-122

# 8210 N95 RESPIRATOR, 3M<sup>™</sup>

- Provides reliable worker protection against certain solid and liquid aerosols that do not contain oil
- Provides minimum filtration efficiency of 95%

8210 N95 Respirator

- Lightweight construction for greater worker comfort
- Adjustable nose clip for custom fit



und secure seur		
and secure seal		

# AURA<sup>™</sup> 9210+ N95 PARTICULATE RESPIRATORS, 3M<sup>™</sup>

- Lightweight, 3-panel, flat fold, disposable
- Protection against non-oil based particles
- Ideal for grinding, sanding, sweeping, bagging and other dusty or arid operations



Description	Color	Cat. No.
Flat Fold Particulate Respirator	White	10031-464

# **AURA**<sup>™</sup> 9211+ N95 PARTICULATE RESPIRATORS, 3M<sup>™</sup>

- Lightweight, 3-panel, flat fold, disposable
- Protection against non-oil based particles



Description	Color	Cat. No.
Flat Fold Particulate Respirator with CoolFlow™ Valve	White	10031-466

# VFLEX<sup>™</sup> N95 PARTICULATE RESPIRATORS, 3M™

- Unique embossed 'V' shapes on the front panel keep filter media away from the mouth
- Pleats expand to provide a comfortable seal while giving a spacious feel
- Pleats flex with mouth movement for easier talking
- Tabs on the side are designed as handles
- Compatible with a variety of 3M eyewear and hearing protection

Size	Cat. No.
Small	89166-432
Standard	89166-430

# 8577 P95 PARTICULATE RESPIRATOR WITH NUISANCE LEVEL ORGANIC VAPOR RELIEF, 3M™

- Designed to provide comfortable, reliable worker protection against certain oil and non-oil based aerosol particles
- Features 3M Cool Flow® Exhalation Valve for cool, dry comfort
- Adjustable "M" nose clip provides custom fit and secure seal



AIRWAVE® 4200 SERIES
N95 PARTICULATE
<b>RESPIRATORS, MOLDEX®</b>

- Unique FlexFit® design moves with the mouth for comfort all day long
- Pinch-free molded nose bridge eliminates metal nose-band readjustment and discomfort
- Dura-Mesh® shell prevents collapsing from heat and humidity so the mask lasts longer

Description	Size	Cat. No.
AirWave® 4200 Series N95 Disposable Respirator	Small	89216-293
AirWave® 4200 Series N95 Disposable Respirator	Medium/Large	89216-291

Description	Cat. No.
8577 P95 Particulate Respirator with Nuisance Level Organic Vapor Relief	56222-366

### 8233 N100 RESPIRATOR, 3M™

- NIOSH's highest rated filtration efficiency in maintenancefree respirator
- For grinding, welding, soldering, torch cutting, metal pouring, and OSHA substance-specific particle exposures including lead, cadmium, and arsenic
- Adjustable straps, Cool Flow® exhalation valve, and conformable face-seal makes this a comfortable, durable respirator
- Provides minimum filtration efficiency of 99.97% against solid and liquid particles that do not contain oil

Description	Cat. No.
8233 N100 Respirator	56621-928

# 2200 N95 PARTICULATE **RESPIRATORS, MOLDEX®**

- Facepiece is naturally contoured without pressure points
- Seal is maintained without a metal noseband
- Straps are securely attached so they do not break at the seal
- Dura-Mesh® outer shell resists collapsing in heat and humidity and stays clean-looking longer



Description	Size	Cat. No.
Respirators	Medium/Large	56219-004
Respirators	Small	56219-005
Respirators	Alternate Shape	56219-010

### 2300 N95 PARTICULATE **RESPIRATORS, MOLDEX®**

- Disposable

Respirators

- Crush-resistant Dura-Mesh® shell
- Filter efficiency level of 95% or greater against oil-free particulate aerosols
- Up to 10X OSHA Permissible Exposure Limit (PEL)



Description	Size	Cat. No.
Respirators	Small	56219-009
Respirators	Medium/Large	56219-020

Alternate Shape

# 2800 N95 PARTICULATE **RESPIRATORS, MOLDEX®**

- Feature added sorbent to filter out nuisance levels of ozone and organic vapors that are less than OSHA Permissible Exposure Limits
- Flame retardant added to shell to decrease flammability
- Contoured nose bridge with soft foam nose flange for all-day comfort
- Dura-Mesh® shell resists collapsing in heat and humidity
- Ventex® valve vents hot air for improved breathing
- NIOSH-95 approved

Size	Cat. No.
Medium/Large	46610-302
Small	46610-304

# **2400 N95 PARTICULATE RESPIRATOR, MOLDEX®**

- Provides a filter efficiency level of 95% or greater against particulate gerosols free of oil
- Suitable for most welding fumes, and fits easily under welding hoods
- Flame-retardants added to the Dura-Mesh® shell
- Workers stay cool with an exhale valve that reduces breathing resistance and hot air build-up
- Facepiece is naturally contoured without pressure points
- Dura-Mesh® shell resists collapsing, even in heat and humidity

Description	Cat. No.
2400 N95 Particulate Respirator	56219-026



56210-025

# **N100 PARTICULATE RESPIRATORS, MOLDEX®**

- Stretch-cloth HandyStrap® with buckle to hang mask around neck when not in use
- Ventex® exhale valve lets hot air escape quickly for easier breathing and extended use
- Soft foam full flange relieves pressure points
- Dura-Mesh® shell resists collapsing in heat and humidity
- Flame retardants added to shell to decrease flammability
- Softspun® lining for increased comfort and durability

Size	Cat. No.
Small	56219-274
Medium/Large	56219-276

# **2500 N95 PARTICULATE RESPIRATOR, MOLDEX®**

- Naturally contoured for a comfortable, secure fit
- Seals easily and without a metal noseband
- Durable, crush-resistant polymesh outer shell keeps the filter cleanerlooking longer
- Resists collapsing, even in heat and humidity
- Exhale valve reduces breathing resistance and hot air build up
- Disposable





- Adjustable straps assure a snug, comfortable fit
- Ventex® exhale valve lets hot air out quickly, reducing breathing resistance and hot air buildup
- Dura-Mesh® shell resists collapsing in heat and humidity, keeps filter media cleaner-looking longer
- Added flame retardant helps reduce shell flammability
- Molded nose bridge with full foam flange relieves pressure points

Description	Cat. No.
P100 Particulate Respirator	56219-264



# **EZ-ON® SERIES PARTICULATE RESPIRATORS, MOLDEX®**

- Adjustable cloth strap is cool and soft against the skin
- Soft foam nose flange for added comfort
- Twin Dura-Mesh® shells surround and protect the filter media to hold up through heavy activity
- Outer shell keeps filter media cleaner-looking longer, while inner shell resists collapsing in heat and humidity
- Disposable

Description	Size	Cat. No.
Without Valve	Small	56219-280
With Valve	Medium/Large	56219-282
With Valve	Small	56219-284



### **7000 SERIES HALF MASK RESPIRATORS, MOLDEX®**

- 100% PVC-Free®
- Suited to be worn under welding helmets, wide field of vision
- Higher resistance to heat and compression
- Enhanced comfort and durability of silicone
- Adjustable head cradle and curved neck buckles for extra comfort



Description	Size	Cat. No.
Half Facepiece	Small	10065-314
Half Facepiece	Medium	10065-316
Half Facepiece	Large	10065-318

# **SAF-T-FIT**<sup>™</sup> **PLUS** N1139 RESPIRATOR, **HONEYWELL SAFETY**

- Equipped with exhalation valve for ease of breathing and exceptional comfort during extended wear
- Full sealing flange for superior fit and protection
- Latex-free



			-	
1	-			A Park
		4		Man
		- 34		water.

# 9000 SERIES FULL FACE **RESPIRATORS, MOLDEX®**

- High-tech, streamlined design for exceptional worker acceptance
- Exclusive over-molded lens offers greater field of vision --
- Lighter weight for superior all-day comfort
- Fewer parts means less cost and easy maintenance
- Stand-away head harness for easy donning and doffing




Description	Size	Cat. No.
Full Facepiece Respirators	Small	10065-406
Full Facepiece Respirators	Medium	10065-408
Full Facepiece Respirators	Large	10065-410
Accessories		
N95 Filter/Prefilter		56219-167

Size	Cat. No.
Small	89013-618
Medium/Large	89013-620

# **SAF-T-FIT™ PLUS N1125 DISPOSABLE RESPIRATORS, HONEYWELL SAFETY**

- Offers latex-free N95 protection from particulate aerosols free of oil
- Exhalation valve improves comfort during extended wear
- Adjustable boomerang nose seal fits securely and comfortably
- Color-coded for quick size identification
- NIOSH 95 approved





- cartridge for wider field of vision, greater comfort while wearing glasses or goggles
- Color coded by size
- Respirators suitable for gas and vapor protection come with replaceable prefilters
- NIOSH approved



Description	Size	Cat. No.
Organic Vapors, Chlorine, Hydrogen Chloride, Sulfur Dioxide (TC-23C-865)	Small	56222-420
Organic Vapors, Chlorine, Hydrogen Chloride, Sulfur Dioxide (TC-23C-865)	Medium	56222-421
Organic Vapors, Chlorine, Hydrogen Chloride, Sulfur Dioxide (TC-23C-865)	Large	56222-422

#### **6000 SERIES HALF FACEPIECE** RESPIRATORS, 3M™

- Use with 3M<sup>™</sup> 6000 series cartridaes and filter
- Drop-down respirators can be used with hardhats
- P100 filters are NIOSH approved for protection against particles



Description	Size	Cat. No.
Half Facepiece Respirator with P100 Filters	Small	56222-440
Half Facepiece Respirator with P100 Filters	Medium	56222-442
Half Facepiece Respirator Only	Small	56222-901
Half Facepiece Respirator Only	Medium	56222-903
Half Facepiece Respirator Only	Large	56222-905

#### **6000 SERIES FULL FACEPIECE RESPIRATORS, 3M<sup>™</sup>**

- Reusable, lightweight
- Cool Flow® exhalation valve reduces heat and moisture buildup
- Large lens is coated for scratch-resistance
- NIOSH approved for negative pressure air purifying and positive pressure dualairline applications



Size	Cat. No.
Large	56612-880
Small	56621-876
Medium	56621-878
	Large Small

#### 6000 SERIES CARTRIDGES. 3M™

 For use with 3M<sup>™</sup> 6000 series respirator facepieces



Approved For Use Against	Cartridge Type	Cat. No.
Certain organic vapors, chlorine, chlorine dioxide, hydrogen chloride, ammonia, methylamine, sulfur dioxide, hydrogen fluoride, hydrogen sulfide, formaldehyde	Multi-Gas/Vapor	56221-046
Certain organic vapors	Organic Vapor	56222-933
Certain organic vapors, chlorine, hydrogen chloride, and sulfur dioxide or hydrogen fluoride; Hydrogen sulfide	Certain Organic Vapors/Acid Gas	56222-937

#### **6000 SERIES CARTRIDGES WITH** STACKED P100 FILTER, 3M<sup>™</sup>

- For use with 3M<sup>™</sup> 6000 series respirator facepieces
- NIOSH-approved P100 filter is permanently attached
- Manufacturer's time use restrictions of 40 hours of use or 30 days
- Certain Organic Vapors/Acid Gas/P100 approved for use against chlorine, hydrogen chloride, sulfur dioxide, hydrogen fluoride, hydrogen sulfide (escape only)
- Multi-Gas/Vapor/P100 approved for use against certain organic vapors, chlorine, chlorine dioxide, hydrogen chloride, ammonia, methylamine, sulfur dioxide, hydrogen fluoride, hydrogen sulfide (escape only)

Approved For Use Against	Cartridge Type	NIOSH Approval	Cat. No.
Certain organic vapors, chlorine, chlorine dioxide, hydrogen chloride, ammonia, methylamine, sulfur dioxide, hydrogen fluoride, hydrogen sulfide (escape only), formaldehyde*	Multi-Gas/Vapor/P100	TC-84A-0704	56621-048
Certain organic vapors	Organic Vapors/P100	TC-84A-0699	56621-892
Certain organic vapors, chlorine, hydrogen chloride, sulfur dioxide, hydrogen fluoride, hydrogen sulfide (escape only)	Certain Organic Vapors/Acid Gas/P100	TC-84A-0701	56621-894

### **7500 SERIES HALF FACEPIECE** RESPIRATORS, 3M<sup>™</sup>

- Durable, reusable
- Made from soft, resilient silicone and heatresistant plastics
- Cool Flow® exhalation valve reduces heat and moisture buildup





Size	Cat. No.
Small	43100-104
Medium	43100-106
Large	43100-108

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### **7800 SERIES FULL FACEPIECE RESPIRATORS, 3M<sup>™</sup>**

- Double flanged face seal, nose cup, and six adjustable straps for reliable fit
- Durable, scratch-resistant polycarbonate lens



Description	Size	Cat. No.
Full Facepiece Respirators	Large	56222-100
Full Facepiece Respirators	Small	56222-175
Full Facepiece Respirators	Medium	56222-177

#### RESPIRATORY PROTECTION

#### PREFILTERS, 3M™

- For use with 5000series respirators
- NIOSH 42 CFR 84 approved



Description	Usage	Cat. No.
P95 Particulate Filter	Protects against solids from processing minerals, coal, iron ore, cotton, flour, metal fumes from welding, brazing, cutting of metals; liquid/oil based particles from sprays that do not emit harmful vapors. Use with 5000 series respirators.	43100-074
Organic Vapor P95 Filter	Provides relief from nuisance level organic vapor and acid gas odors below the OSHA PELs.	43100-078
N95 Filter	For use with 3M° 5000 series respirators, 6000 series cartridges, and prefilter retainer 56222-826.	56221-054
P95 Prefilter	For oil and non-oil environments. Use with 5000 and 6000 series respirators.	56222-471
Prefilter Adapter	For use with 56222-931 filter.	56222-828
P100 Filter	Provides 99.97% efficiency in removing solid and liquid particles including those containing oil. Use with 3M™ 5000, 6000, and 7000 series respirators.	56222-931
P100 Filter	Provides relief from nuisance odors generated from chlorine, sulfur dioxide and hydrogen fluoride. 99.97% efficient at removing solid and liquid particles including those containing oil. Use with 3M* 5000, 6000, and 7000 series respirators.	56621-938
P100 Filter	Removes organic vapor odors below the OSHA PELs. 99.97% efficient at removing solid and liquid particles including those containing oil. Use with 3M" 5000, 6000, 7000 series respirators.	56621-940

#### **COMFO CLASSIC® RESPIRATORS, MSA**

- SoftFeel® facepiece material increases the comfort factor dramatically
- Unique face seal design that gives wearers an exceptional fit
- Facepiece made of silicone or Hycar<sup>™</sup> rubber



Description	Size	Cat. No.
Dual Cartridge Respirator, Silicone	Medium	300052-934
Dual Cartridge Respirator, Silicone	Large	300052-936
Dual Cartridge Respirator, Silicone	Small	300081-128

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### **COMFO® RESPIRATOR CARTRIDGES, MSA**

- N95-Particulate Filter (95% filter efficiency level) effective against particulate aerosols free of oil
- R95-Particulate Filter (95% filter efficiency level) effective against all particulate aerosols
- P100-Particulate Filter (99.97% filter efficiency level) effective against all particulate aerosols





Description	Approved For Use Against	Cat. No.
	Organic Vapors, Chlorine, Sulfur Dioxide,	
	Chlorine Dioxide, Hydrogen Chloride,	
	Hydrogen Sulfide, Ammonia, Methylamine,	
P100 Cartridge/Filter	Formaldehyde, Hydrogen Fluoride	300052-942
R95, N95 Cartridge	Organic Vapors	300081-054
R95, N95 Cartridge/Filter	Ammonia, Methylamine	300081-058
	Organic Vapors, Chlorine, Sulfur Dioxide,	
	Chlorine Dioxide, Hydrogen Chloride,	
	Hydrogen Sulfide, Ammonia, Methylamine,	
R95, N95 Cartridge	Formaldehyde, Hydrogen Fluoride	300081-092
P100 Cartridge/Filter	Organic Vapors	300081-140
	Organic Vapors, Chlorine, Sulfur Dioxide, Chlorine	
P100 Cartridge/Filter	Dioxide, Hydrogen Chloride, Hydrogen Sulfide	300081-142

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### **ADVANTAGE® 1000 FACEPIECES, MSA**

- Wraparound flexible lens that offers excellent fit and comfort with increased vision
- Weighs 40% less than conventional fullface piece respirators
- Constructed of super-soft Hycar™ rubber that provides the feel and comfort of silicone but has a better permeation resistance
- Unique inturned lip seal that provides exceptional seal against a wide range of face contours and with suspension strap
- Distinctive, flexible urethane lense that is integrally bonded to the facepiece, eliminating the need for rigid lens retainers that can cause unwanted pressure points
- Speaking diaphragm for clear, short range communication
- Nosecup reduces lense fogging in low temperatures or high-humidity conditions





Description	Size	Color	Cat. No.
Full Facepiece Air Purifying Respirator (APR)	Medium	Black	300072-640
Full Facepiece Air Purifying Respirator (APR)	Small	Black	300072-642
Full Facepiece Air Purifying Respirator (APR)	Large	Black	300081-124

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.



#### **ADVANTAGE® RESPIRATOR CARTRIDGES, MSA**

- Advantage® line of particulate, chemical, and combination cartridges are lightweight, low profile performance
- Cartridges fit both 200 LS Half Mask and 3000 Full-Facepiece Advantage respirators
- Self-adjusting crown straps
- Consists of a polyethylene shell and suspension system working together as a protection system
- Also fits 420 Half-Mask Respirators and 1000, 3000, and 4000 Full-MAsk Respirators

Description	Approved For Use Against	Cat. No.
	Organic Vapors, Chlorine, Sulfur Dioxide, Chlorine Dioxide,	
	Hydrogen Chloride, Hydrogen Sulfide, Ammonia, Methylamine,	
GME P100 Cartridge	Formaldehyde, Hydrogen Fluoride, Mercury Vapor	300009-019
Low Profile P100		
Cartridge	Particulate Cartridge	300009-020
	Organic Vapors, Chlorine, Sulfur Dioxide, Chlorine Dioxide, Hydrogen Chloride,	
GME Cartridge	Hydrogen Sulfide, Ammonia, Methylamine, Formaldehyde, Hydrogen Fluoride	300072-648
GMA P100 Cartridge	Organic Vapors, Mercury Vapor	300072-650

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.



#### X-PLORE® AIR-PURIFYING RESPIRATORS, DRAEGER

- All masks use a two-point bayonet connection for safe and easy filter attachment

Description	Size	Cat. No.
5500 Series Full-Face Mask	Universal	80082-476
3300 Series Limited-Use Half-Masks	Small	80082-478
3302 Series Limited-Use Half-Masks	Large	80082-482
3500 Series Reusable Half-Masks	Small	80082-484
3501 Series Reusable Half-Masks	Medium	80082-486
3502 Series Reusable Half-Masks	Large	80082-488

Description	Cat. No.
Gas and Vapor Cartridges	
Organic Vapors (OV)	80082-490
Organic Vapor/Acid Gases (OV/AG/FM/CD/HF)	80082-492
Acid Gases (AG)	80082-494
Ammonia/Methylamine (AM/MA)	80082-496
Combination Cartridges	
Organic Vapors (OV )/P100	80082-498
Organic Vapor/Acid Gases (OV/AG/FM/CD/HF)/P100	80082-500
Acid Gases (AG)/P100	80082-502
Ammonia/Methylamine (AM/MA)/P100	80082-504
Particle Filters	
Filter Pad Retainer	13453-580
Filter Pad Base	13453-582
P100 Filter	13453-584
N95 Filter Pads	80082-506
R95 Filter Pads	80082-508

#### **AIR PURIFYING DUAL** CARTRIDGE RESPIRATORS, **HONEYWELL SAFETY**

- Reliable and latex-free respirators offer direct cartridge-tofacepiece connection
- 7700 and 7600 series have nonallergenic silicone facepieces
- 5500 and 5400 series have thermoplastic elastomer facepieces
- NIOSH approved when used with North Safety **Products cartridges**

5401 Series Full Facepiece Respirators Media 5400 Series Full Facepiece Respirators Small 7700 Series Half-Mask Respirators Small 7701 Series Half-Mask Respirators Media	56222-944
7700 Series Half-Mask Respirators Small	56222-944
7701 Series Half-Mask Respirators Media	
	um <b>56222-946</b>
7702 Series Half-Mask Respirators Large	56222-948
7601 Series Full Facepiece Respirators Media	um/Large <b>56222-950</b>
7600 Series Full Facepiece Respirators Small	56222-952
5500 Series Half-Mask Respirators Small	56223-220
5501 Series Half-Mask Respirators Mediu	um <b>56223-222</b>
5502 Series Half-Mask Respirators Large	56223-224





#### **QUALITATIVE FIT TEST APPARATUS, 3M™**

- Qualitative fit test apparatus used to check face-torespirator seals on any particulate respirator or gas/vapor respirator with a particulate prefilter
- Meets the performance criteria for fit testing respirators under the current OSHA Standard for Respirator Protection: 29 CFR 1910.134, Appendix A



Description	Cat. No.
Qualitative Fit Test Apparatus FT-10, with 3M <sup>™</sup> Sensitivity Solution FT-11, Sweet	56221-918
Qualitative Fit Test Apparatus FT-30, Bitter	67100-854

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

# FILTERS, HONEYWELL SAFETY

- Simplify your inventory with one line of cartridges and filters
- NIOSH approved when used with Nort Safety Products 7700, 7600, 5500, and 5400 airpurifying respirators



#### **QUANTITATIVE FIT TESTING** RESPIRATOR, 3M™

- Not designed for respiratory protection



Size	Cat. No.
Small	56222-920
Medium	56222-922
Large	56222-924

# **RESPIRATOR CLEANING WIPES, 3M™**

- Ideal for cleaning elastomeric facepiece respirators
- Individually packed, formulated with alcohol-free fragrance, will not damage facepiece materials
- Packaged in dispenser box
- Dimensions: 20.3 x 25.4 cm (8 x 10")



Description	Cat. No.
Respirator Cleaning Wipes	89107-398

Description	Approved For Use Against	Cat. No
Cartridges		
Defender* Multipurpose Cartridge	Organic vapor, chlorine, hydrogen chloride, sulfur dioxide, hydrogen sulfide (escape), hydrogen fluoride, chlorine dioxide, ammonia, methylamine, formaldehyde	56223-250
Acid Gas Cartridge	Chlorine, hydrogen chloride, sulfur dioxide, chlorine dioxide, hydrogen fluoride, formaldehyde	89400-380
Acid Gas/Organic Vapors Cartridge	Organic vapor, chlorine, hydrogen chloride, sulfur dioxide, hydrogen fluoride, chlorine dioxide	89400-38
Ammonia/Methylamine Cartridge	Ammonia and methylamine	89400-384
Filters		
P100 Any Particulates Filter	Any particulates (99.97% min. filter efficiency)	56222-96
N95 Particulate Filter	Non-oil particulates (95% min. filter efficiency)	56222-96
N95 Dust Filter Assembly	Non-oil particulates (95% min. filter efficiency)	56222-97
Cartridge/Filter Combination	ons	
Organic Vapor Cartridge with P100 Filter	Organic vapor/any particulates (99.97% min. filter efficiency)	89400-39
Acid Gas Cartridge with P100 Filter	Chlorine, hydrogen chloride, sulfur dioxide, formaldehyde, hydrogen fluoride, chlorine dioxide/ any particulates (99.97% min. filter efficiency)	89400-39
Organic Vapor/Acid Gas Cartridge with P100 Filter	Organic vapor, chlorine, hydrogen chloride, sulfur dioxide, hydrogen fluoride, chlorine dioxide/any particulates (99.97% min. filter efficiency)	89400-39
Ammonia/Methylamine Cartridge with P100 Filter	Ammonia, methylamine/any particulates (99.97% min. filter efficiency)	89400-39
Defender Multipurpose Cartridge with P100 Filter	Organic vapor, chlorine, hydrogen chloride, sulfur dioxide, hydrogen sulfide (escape), hydrogen fluoride, chlorine dioxide, ammonia, methylamine, formaldehyde/any particulates (99.7% min.)	89400-39

#### **EVA PAPRS (POWERED AIR PURIFYING RESPIRATORS), COMPLETE SYSTEMS, BULLARD®**

- Versatile respirator for particulate or chemical environments
- Lightweight, compact, wellbalanced design
- Compatible with range of head tops



#### **EVAHL PAPRS (POWERED AIR PURIFYING RESPIRATORS), COMPLETE SYSTEMS, BULLARD®**

- Certified for hazardous locations (Class I Division 2, Class II Division 2, Class III)
- Versatile respirator for particulate or chemical environments
- Lightweight, compact, wellbalanced design



			Assigned	
Description	Headtop	Belt Type	Protection Factor	Cat. No.
Hood, Tychem® QC, Single Bib	20TJ	Standard Comfort	25	89097-706
Hood, Tychem® QC, Double Bib, Taped Seams	20TICS	Standard Comfort	1,000	89097-716
Hood, Tychem® SL, Double Bib	20SIC	Standard Comfort	1,000	89097-714
Hood, Tychem® QC, Double Bib	20TIC	Standard Comfort	1,000	89097-710
Loose Fiting Facepiece, Medium Narrow	20LF2M	Standard Comfort	25	89097-704
Hood, Tychem® SL, Double Bib, Hard Hat	20SICH	Standard Comfort	1,000	89097-720
Hood, Tychem® QC, Double Bib, Suspensionless	RT3	Standard Comfort	1,000	89097-722
Hood, Tychem® QC, Double Bib, PETG Lens	20TPC	Standard Comfort	1,000	89097-712
Hood, Tychem® QC, Double Bib, Hard Hat	20TICH	Standard Comfort	1,000	89097-718
Loose Fiting Facepiece, Large Narrow	20LF2L	Standard Comfort	25	89097-702
Hood, Tychem® SL, Double Bib, Suspensionless	RT4	Standard Comfort	1,000	89097-724
Accessories				
Blower Unit Only				89097-732
With Battery				89168-714
With Blower, Belt,	Battery, and HE	Filter		89168-716
Battery, Li Polyme	r			89097-736
Charger, Six Port C	Gang			89097-744
Charger, Single Po	ort			89097-740
HEPA Filter				89097-746
	-	hlorine, Chlorine Dioxide, gen Fluoride, HEPA	Sulfur	89235-852

Description	Headtop	Belt Type	Assigned Protection Factor	Cat. No.
Loose Fitting	•	•		
Facepiece, Large	20LFL	Standard Comfort	25	89402-826
Loose Fitting				
Facepiece, Medium	20LFM	Standard Comfort	25	89402-828
Loose Fitting Facepiece,				
Narrow Large	20LF2L	Standard Comfort	25	89402-830
Loose Fitting Facepiece, Narrow Medium	20LF2M	Standard Comfort	25	89402-832
Hood, Tychem® SL,				
Double Bib, Hardhat	20SICHT	Standard Comfort	1000	89402-846
Hood, Tychem® SL,				
Double Bib	20SICT	Standard Comfort	1000	89402-850
Hood, Tychem® QC,				
Double Bib, Hardhat	20TICHT	Decon Belt	1000	89402-856
Hood, Tychem® QC, Double Bib	20TICT	Standard Comfort	1000	89402-862
Accessories	201101	Standard Comfort	1000	09402-002
			25/1000	20402.004
Blower, Belt, Battery, Charger			25/1000	89402-896
Blower, Belt, Battery			25/1000	89402-898
Blower, Belt, Battery, HE Filte	r		25/1000	89402-900
Replacement HEPA Filter				89093-558
Replacement Organic Vapor,	Acid Gas/HE	PA Filter		89093-560
Shower Cap for PAPRFC3				89097-748
Clear Breathing Tube Covers				89092-920
Battery, Li Polymer				89402-902
Charger, Six Port Gang				89402-908
Charger, Single Port				89402-904

#### **EVAHL PAPRS (POWERED AIR PURIFYING RESPIRATORS), BLOWER ASSEMBLIES, BULLARD®**

- Certified for hazardous locations (Class I Division 2, Class II Division 2. Class III)
- Versatile respirator for particulate or chemical environments
- Lightweight, compact, well-balanced design

Description	Assigned Protection Factor	Cat. No.
Blower Unit Only	25/1000	89402-894
Blower, Belt, Battery, Charger	25/1000	89402-896
Blower, Belt, Battery	25/1000	89402-898
Blower, Belt, Battery, HE Filter	25/1000	89402-900

#### **ACCESSORIES FOR INTRINISICALLY SAFE** POWERED AIR-PURIFYING RESPIRATOR

Description	Cat. No.
Clear Breathing Tube Covers	89092-920
Replacement HEPA Filter	89093-558
Replacement Organic Vapor/Acid Gas/HEPA FIlter	89093-560

#### TYCHEM® HOODS, BULLARD®

- Simple, effective, and economical options for respiratory protection
- Covers entire head, face, and neck to provide splash and overspray protection
- Neck cuff design maintains positive pressure inside the hood by inflating the inner collar to provide a snug, comfortable fit and continuous airflow
- Wide-angle lens offers large field of vision while accommodating beards, prescription eyeglasses, or safety glasses
- Lighter and more comfortable than tight-fitting full facepiece respirators
- Durable enough to reuse, yet economical enough to discard after each use
- Approved for NIOSH for use in Type-C applications

Description	Cat. No.
Tychem® QC Hood, Single Bib	16005-040
Tychem® SL Hood, with Taped and Sealed Seams	16006-040
Tychem® SL Hood, with Taped and Sealed Seams, for use with Hard Hat	16006-042
Tychem® QC Hood, Double Bib without Suspension	16006-048
Tychem® QC Hood, with Taped and Sealed Seams	16006-050
Tychem® QC Hood, with Taped and Sealed Seams, without Suspension	16006-053
Tychem® QC Hood, Double Bib with Solvent-Resistant Lens	16006-058
Tychem® Hood, with Oversized Lens and Double Bib, without Suspension	16006-300
Tychem® QC Hood, Double Bib, with Chemically Resistant	
Acetate Lens, Sport Nylon Neck Cuff	89093-555
Tychem® QC Hood, Double Bib with Acetate Lens, without Suspension, Sport Cuff	89235-851

#### VERSAFLO<sup>™</sup> PAPR TR-600 SERIES KIT, 3M<sup>™</sup>

- Designed for hospital and healthcare applications
- Kit provides respiratory protection, with limited eye, head, face, and skin protection





Description	Size	Belt Type	Cat. No.
Gray Head Cover with Suspension (Magenta)	Small/Medium	Belt-Mounted	10837-168
Gray Head Cover with Suspension (Magenta)	Medium/Large	Belt-Mounted	10837-170
Accessories			
Replacement Motor/Blower Unit			10152-836
High Durability Belt, Gray			10152-850
High Capacity Lithium-ion Battery Pack, Gray/Blue, 8 - 18 Hours			10152-878
Complete 4-Station Battery Charger, Gray/Blue			10152-890
Filter Cover for use with TR-6710N Filter			10152-906
High Efficiency Filter, Black			10152-832
High Efficiency (HE) Particulate Filter and Organic Vapor (OV) Cartridge, Magenta/Black			10152-884
Cleaning and Storage Kit			10152-896
Filter Cover, for use with TR-6510N Filter			10152-892

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### **VERSAFLO**<sup>™</sup> S-SERIES ECONOMY HOODS, 3M<sup>™</sup>

- Provides head, face, neck and shoulder coverage
- For applications that require frequent replacement of entire headgear assembly
- Fully assembled
- OSHA APF 1000



Description	Size	Color	Cat. No.
Economy Hood	Small-Medium	White	89205-948
Economy Hood	Medium-Large	White	89205-950

#### **VERSAFLO™ S-SERIES HOODS WITH** INTEGRATED HEAD SUSPENSION, 3M™

- Integrated comfort suspension has a wide faceseal with soft elastic for improved comfort and reduced airflow noise
- Exhalation panel vents the headcover without the traditional vent hole pattern or exhalation valve
- Visor has an excellent field of view with reduced curvature for decreased reflections and glare



#### **VWR® BASIC PROTECTION INDUSTRIAL COVERALLS**

- Made of durable and comfortable material
- Non-woven coveralls are ideal for use in a variety of industrial, food and beverage, warehouse, or visitor applications



Description	Cat. No.
Hood, M-L	89132-116
Hood, S-M	89132-118

#### REPLACEMENT HOODS FOR **VERSAFLO™ S-SERIES PREMIUM** SUSPENSION HOODS, 3M<sup>™</sup>

- An assortment of hood styles and optional accessories



<b>Description</b>	Cat. No.
Replacement Hood with Sealed Seams and Inner Collar	89132-120
Replacement Hood (White) with Inner Collar for use with Premium Head Suspension	89132-124
Replacement Painter's Hood	89132-126
Replacement Hood (White) with Inner Shroud for use with Premium Head Suspension	89132-130

December 1 - 1	Cina	Color	C-4 N-
Description	Size		Cat. No.
VWR® Basic Protection Industrial Coverall	Small	White	75874-030
VWR® Basic Protection Industrial Coverall	Medium	White	75874-032
VWR® Basic Protection Industrial Coverall	Large	White	75874-034
VWR® Basic Protection Industrial Coverall	X-Large	White	75874-036
VWR® Basic Protection Industrial Coverall	XX-Large	White	75874-038
VWR® Basic Protection Industrial Coverall	3X-Large	White	75874-040
VWR® Basic Protection Industrial Coverall	4X-Large	White	75874-042
VWR® Basic Protection Industrial Coverall	Small	Blue	75874-044
VWR® Basic Protection Industrial Coverall	Medium	Blue	75874-254
VWR® Basic Protection Industrial Coverall	Large	Blue	75874-256
VWR® Basic Protection Industrial Coverall	X-Large	Blue	75874-258
VWR® Basic Protection Industrial Coverall	XX-Large	Blue	75874-260
VWR® Basic Protection Industrial Coverall	3X-Large	Blue	75874-262
VWR® Basic Protection Industrial Coverall	4X-Large	Blue	75874-264
VWR® Basic Protection Industrial Coverall	Small	Green	75874-266
VWR® Basic Protection Industrial Coverall	Medium	Green	75874-268
VWR® Basic Protection Industrial Coverall	Large	Green	75874-270
VWR® Basic Protection Industrial Coverall	X-Large	Green	75874-272
VWR® Basic Protection Industrial Coverall	XX-Large	Green	75874-274
VWR® Basic Protection Industrial Coverall	3X-Large	Green	75874-276
VWR® Basic Protection Industrial Coverall	4X-Large	Green	75874-278
VWR® Basic Protection Industrial Coverall	Small	Red	75874-280
VWR® Basic Protection Industrial Coverall	Medium	Red	75874-282
VWR® Basic Protection Industrial Coverall	Large	Red	75874-284
VWR® Basic Protection Industrial Coverall	X-Large	Red	75874-286
VWR® Basic Protection Industrial Coverall	XX-Large	Red	75874-288
VWR® Basic Protection Industrial Coverall	3X-Large	Red	75874-290
VWR® Basic Protection Industrial Coverall	4X-Large	Red	75874-292

#### **VERSAFLO™ HEALTHCARE** PAPR ASSEMBLY, 3M<sup>™</sup>

- Intended for use in Pharmaceutical and Healthcare industries



Description	Belt Type	Cat. No.
Versaflo™ Healthcare PAPR Assembly (Magenta)	Belt-Mounted	10837-172

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### **VWR® BASIC PROTECTION** WHITE SPP COVERALLS

- Economical, disposable first-line barrier
- Maximum breathability
- Low linting





Size	Color	Cat. No.
X-Large	White	414004-339
XX-Large	White	414004-338
3X-Large	White	414004-337

## **VWR® BASIC PROTECTION BLUE SPP COVERALLS** - Economical, disposable

- first-line barrier - Maximum breathability
- Low linting





Size	Color	Cat. No.
XX-Large	Blue	89208-742

#### **KLEENGUARD® A30 BREATHABLE SPLASH AND PARTICLE PROTECTION COVERALLS, KIMBERLY-CLARK PROFESSIONAL®**

- Provide durable chemical splash and fine particle protection
- 25 times more breathable than Tyvek® yet maintains comparable particle holdout
- Cloth-like and abrasionresistant outer layer
- Microfiber middle layer filters out many water-based liquids and dry particulates
- Feature zipper front with flap and elastic back

Color	Cat. No.
d Ankles	
White	82003-878
White	82003-882
kles, and Hood	
White	82003-890
White	82003-892
White	82003-896
	d Ankles  White  White kles, and Hood  White  White

#### **DUPONT™ PROSHIELD® 10 COVERALLS WITH** LAYDOWN COLLAR AND OPEN WRISTS

- Laydown collar
- Open wrists and ankles
- Elastic waist
- Serged seams



#### **VWR® BASIC PROTECTION SMS COVERALLS**

- Multilayer SMS material protection
- Light fluid and particulate barrier
- Excellent breathability
- No pockets
- Serged seams





Description	Size	Color	Cat. No.
Standard Coveralls	X-Large	Blue	414004-324
Standard Coveralls	XX-Large	Blue	414004-322
Standard Coveralls	3X-Large	Blue	414004-323

Clothing Size	Chest Size	Color	Inseam	Sleeve	Cat. No.
XXL	28 <sup>3</sup> / <sub>4</sub> "	Blue	28 3/4"	36 <sup>3</sup> / <sub>4</sub> "	10016-742
4XL	32 1/4"	Blue	29 1/4"	38 <sup>1</sup> / <sub>2</sub> "	10016-746
XL	27"	White	28 1/4"	35"	10016-180
XXL	28 3/4"	White	28 3/4"	36 <sup>3</sup> / <sub>4</sub> "	10016-162

#### **VWR® ADVANCED PROTECTION COVERALLS**

- Significant fluid and particulate barrier
- Durable, lightweight fabric
- Excellent breathability and water vapor transmission rate
- Soft tactile feel





Description	Size	Color	Cat. No.
Coveralls	X-Large	White	414004-293
Coveralls	XX-Large	White	414004-291
Coveralls with Attached Elastic Hood and Fluid-Impervious Boot Covers	X-Large	White	414004-299
Coveralls with Attached Elastic Hood and Fluid-Impervious Boot Covers	3X-Large	White	414004-301

#### **VWR® MAXIMUM PROTECTION COVERALLS**

- Superior fluid and particulate barrier
- Lowest level of particle shedding
- Light chemical-splash resistance
- Breathable to ensure user comfort
- Soft, cloth-like fabric with maximum tear strength
- Bonded seam option available





Size	Material	Color	Cat. No.
Coveralls			
XX-Large	PP	White	414004-310
3X-Large	PP	White	414004-312
Coveralls with Ho	ood and Fluid Imperviou	s Boots	
X-Large	PP	White	414004-305
3X-Large	PP	White	414004-683
Coveralls with At	tached Non-Skid Boot C	Covers with PVC Sole	
X-Large	PP	White	414004-317
3X-Large	PP	White	414004-319

#### **KLEENGUARD® A10 LIGHT DUTY COVERALLS.** KIMBERLY-CLARK PROFESSIONAL®

- Light duty, disposable; protects against dirt, grime, and dry particulates in nonhazardous environments
- Lightweight, spunbond polypropylene fabric is breathable, cool, and comfortable
- For use in food processing, manufacturing, and general maintenance
- Coveralls adhere to ANSI/ISEA 101 sizing standards



Description	Size	Color	Cat. No.
Coveralls with Zipper Front Closure, Elastic			
Wrists, and Attached Hood	XX-Large	White	89413-172
Coveralls with Zipper Front Closure, Elastic			
Wrists, and Attached Hood	Large	White	89413-178

#### **DUPONT™ TYVEK® 400 COVERALLS WITH RESPIRATOR HOOD AND ATTACHED SKID RESISTANT BOOTS, COMFORT FIT DESIGN**

- Comfort fit design
- Respirator fit hood
- Zipper front
- Elastic wrists
- Attached skid-resistant boots
- Elastic waist
- Serged seams



Clothing Size	Chest Size	Color	Inseam	Sleeve	Cat. No.
Tyvek® 400 Cove					
XL	28"	White	30"	37"	12000-572
XXL	291/4"	White	31"	381/2"	12000-574

#### **DUPONT™ TYVEK® 400 COVERALLS WITH RESPIRATOR HOOD AND ELASTIC WRISTS** AND ANKLES, COMFORT FIT DESIGN

- Comfort fit design
- Respirator fit hood
- Zipper front
- Elastic wrists and ankles
- Elastic waist
- Serged seams




Clothing Size	Chest Size	Color	Inseam	Sleeve	Cat. No.
Tyvek® 400 Coveralls with Respirator Hood and Elastic Wrists and Ankles					
XL	28"	White	30"	37"	12000-584

#### HAZARD-GARD® II LEVEL B/C **COVERALLS, KIMBERLY-CLARK®**

- For hazardous material handling and chemical barrier protection
- Durable, lightweight fabric laminated with SARANEX® 23-P film exterior
- Comfortable cloth-like interior
- No-seams front design for splash protection
- Available with bound or taped seams (Taped seams use SARANEX® 23-P film)

Elastic Wrists and Hood, Open Ankles, Attached Boots



3X-Large

White

Taped Seams

82004-018

#### **VWR SIGNATURE** COVERALLS MADE WITH DUPONT™ TYVEK® **ISOCLEAN® MATERIAL**

- Protective, durable, and comfortable
- Excellent barrier against dry particulates, nonhazardous liquids, and microorganisms
- Chemically and biologically inert, low linting, and static free until laundered
- Serged seams, laydown collar, front zipper closure, and elastic wrists
- Available with elastic ankles, with attached Gripper<sup>™</sup> boots, or with attached boots and hood
- Boot attachments combine embossed PVC exterior sole with textured interior to ensure secure, nonslip fit and feel



Description	Size	Color	Cat. No.
Coveralls with Elastic Ankles	X-Large	White	89012-828
Coveralls with Elastic Ankles	XX-Large	White	89012-830
Coveralls with Attached Boots	Large	White	80200-622
Coveralls with Attached Boots	X-Large	White	80200-624
Coveralls with Attached Boots	XX-Large	White	80200-626
Coveralls with Attached Boots and Hood	Large	White	89128-782
Coveralls with Attached Boots and Hood	X-Large	White	89128-784

#### VWR SIGNATURE<sup>™</sup> HOODED **COVERALLS MADE WITH DUPONT™** TYVEK® ISOCLEAN® MATERIAL



- Excellent barrier against dry particulates, nonhazardous liquids, and microorganisms
- Chemically and biologically inert, low linting, and static free until laundered
- Serged seams, front zipper closure, elastic wrists, and attached hood
- Available with elastic ankles, or with attached boots that feature polyethylene anti-skid soles

Description	Size	Color	Cat. No.
Hooded Coveralls with Flastic Ankles	Medium	White	89012-812

#### **VWR® IRRADIATED COVERALLS**

- Excellent fluid and particulate barrier
- Extremely low level of particle shedding
- Superior breathability and water vapor transmission rate
- Soft, cloth-like fabric









Size	Color	Cat. No.
<b>Coveralls with Attack</b>	ned Hood and Fluid-Impervious Boot Cove	ers
Medium	White	414004-450
X-Large	White	414004-452
Standard Coveralls		
X-Large	White	414004-446
XX-Large	White	414004-447

#### **VWR® STERILE COVERALLS, 10-6 SAL**

- Gamma irradiated to SAL 10<sup>-6</sup>
- Durable fabric
- **Excellent breathability**
- Suitable for ISO Class 5 or higher cleanrooms
- Individually bagged



Description	Size	Length	Color	Cat. No.
Disposable Non-Woven Sterile Coverall	X-Large	178 cm (70.1")	White	89523-464
Disposable Non-Woven Sterile Coverall	XX-Large	183 cm (72.1")	White	89523-466
Disposable Non-Woven Sterile Coverall	3X-Large	186 cm (73.2")	White	89523-468

#### **DUPONT™ TYVEK® ISOCLEAN® COVERALLS WITH DOLMAN SLEEVES**

- Bound neck allows for lower particle shedding
- Front zipper closure allows for easy donning and doffing



Size	Chest Size	Color	Inseam	Sterility	Sleeve	Cat. No.
Tyvek®	IsoClean® Coverall	s, Sterile				
XL	261/2"	White	331/2"	Sterile	381/4"	89127-244
2X	281/2"	White	34"	Sterile	393/4"	89127-210
Tyvek®	IsoClean® Coverall	s, Clean Pro	cessed, Ster	ile		
XL	261/2"	White	331/2"	Sterile	381/4"	89127-246
2X	281/2"	White	34"	Sterile	393/4"	89127-212
3X	301/2"	White	35"	Sterile	403/4"	89127-218

#### **DUPONT™ TYCHEM® 4000 COVERALLS** WITH STANDARD HOOD AND ATTACHED SOCKS, BOUND SEAMS

- Standard fit hood
- Elastic wrists
- Attached socks
- Storm flap with adhesive closure
- Bound seams



Clothing Size	Chest Size	Color	Inseam	Sleeve	Cat. No.
Tychem® 4000 Cove	eralls				
XL	271/4"	White	291/2"	361/2"	10010-158
XXL	283/4"	White	301/2"	381/4"	10010-160

#### **DUPONT™ PROSHIELD® 60 COVERALLS** WITH RESPIRATOR HOOD

- Respirator fit hood
- Elastic wrists and ankles
- Storm flap
- Serged seams



Clothing Size	Chest Size	Color	Inseam	Sleeve	Cat. No.
L	25 1/4"	White	27"	32 3/4"	10016-118
XXL	28 <sup>3</sup> / <sub>4</sub> "	White	28 1/4"	36 <sup>1</sup> / <sub>4</sub> "	10016-108

#### **DUPONT™ TYCHEM® 4000 COVERALLS** WITH STANDARD HOOD AND ATTACHED SOCKS, TAPED SEAMS

- Standard fit hood
- Elastic wrists
- Attached socks
- Storm flap with adhesive closure
- Taped seams



Clothing Size	Chest Size	Color	Inseam	Sleeve	Cat. No.
Tychem® 4000 Cov	eralls				
XXL	28 <sup>3</sup> / <sub>4</sub> "	White	301/2"	381/4"	13451-040
3XL	30 <sup>1</sup> / <sub>4</sub> "	White	311/2"	381/2"	13451-042

#### **KIMTECH PURE® A5 STERILE CLEANROOM** APPAREL, KIMBERLY-CLARK PROFESSIONAL®

- High standard of protection and comfort
- Cloth-like SMS material, contains no natural rubber or latex
- Manufactured in ISO-certified facility, individually bagged under cleanroom conditions
- use with coveralls



# - Optional hoods and boot covers designed for

Description	Size	Color	Sterility	Cat. No.
Coveralls	Medium	White	Sterile	89092-900
Coveralls	X-Large	White	Sterile	89092-904
Coveralls	XX-Large	White	Sterile	89092-906

#### **DUPONT™ TYCHEM® 4000 COVERALLS** WITH STANDARD HOOD, TAPED SEAMS

- Standard fit hood
- Elastic wrists and ankles
- Storm flap with adhesive closure
- Taped seams



Clothing Size	Chest Size	Color	Inseam	Sleeve	Cat. No.
XL	271/4"	White	291/2"	361/2"	13451-626
XXL	283/4"	White	301/2"	381/4"	13451-628

#### **DUPONT™ TYCHEM® 4000 COVERALLS** WITH STANDARD HOOD, BOUND SEAMS

- Standard fit hood
- Elastic wrists and ankles
- Storm flap with adhesive closure
- Bound seams



#### **DUPONT™ TYCHEM® 2000 COVERALLS** WITH STANDARD HOOD AND ELASTIC WRISTS AND ANKLES, TAPED SEAMS

- Standard fit hood
- Elastic wrists and ankles
- Serged seams
- Available NAFTA sourced



Clothing Size	Chest Size	Color	Inseam	Sleeve	Cat. No.
L	253/4"	White	29"	35"	10010-170
XL	271/4"	White	291/2"	361/2"	10010-172

Clothing Size	Chest Size	Color	Inseam	Sleeve	Cat. No.
XL	271/4"	Yellow	29"	361/2"	10010-436
3XL	301/4"	Yellow	31"	381/2"	10010-440

#### **DUPONT™ TYCHEM® 4000 COVERALLS** WITH LAYDOWN COLLAR AND ELASTIC WRISTS AND ANKLES, TAPED SEAMS

- Laydown collar
- Elastic wrists and ankles
- Storm flap with adhesive closure
- Taped seams



#### **DUPONT™ TYCHEM® 2000 COVERALLS** WITH STANDARD HOOD AND ELASTIC WRISTS AND ANKLES, BOUND SEAMS

- Standard fit hood
- Elastic wrists and ankles
- Storm flap with adhesive closure
- Bound seams



Clothing Size	Chest Size	Color	Inseam	Sleeve	Cat. No.
L	253/4"	White	281/2"	35"	13451-596
XXL	283/4"	White	30"	381/4"	13451-604

Clothing Size	Chest Size	Color	Inseam	Sleeve	Cat. No.
L	25 <sup>3</sup> / <sub>4</sub> "	Yellow	281/2"	35"	10010-254
XL	271/4"	Yellow	29"	361/2"	10010-256

## **DUPONT™ TYCHEM® 4000 COVERALLS** WITH LAYDOWN COLLAR AND ELASTIC WRISTS AND ANKLES, BOUND SEAMS

- Laydown collar
- Elastic wrists and ankles
- Storm flap with adhesive closure
- Bound seams



#### **DUPONT™ TYCHEM® 2000 COVERALLS** WITH LAYDOWN COLLAR AND ELASTIC WRISTS AND ANKLES, TAPED SEAMS

- Laydown collar
- Elastic wrists and ankles
- Storm flap with adhesive closure
- Taped seams



Clothing Size	Chest Size	Color	Inseam	Sleeve	Cat. No.
L	25 <sup>3</sup> / <sub>4</sub> "	White	28 <sup>1</sup> / <sub>2</sub> "	35"	13451-068
XL	271/4"	White	29"	361/2"	13451-070

Clothing Size	Chest Size	Color	Inseam	Sleeve	Cat. No.
XL	271/4"	Yellow	291/2"	361/2"	10010-422
XXL	283/4"	Yellow	301/2"	381/4"	10010-424

#### **DUPONT™ TYCHEM® 2000 COVERALLS** WITH LAYDOWN COLLAR AND ELASTIC WRISTS AND ANKLES, BOUND SEAMS

- Laydown collar
- Elastic wrists and ankles
- Storm flap with adhesive closure
- Bound seams



#### **DUPONT™ TYCHEM® 9000 COVERALLS** WITH RESPIRATOR HOOD

- Respirator fit hood
- Elastic wrists and ankles
- Storm flap with adhesive closure
- Taped seams



Clothing Size	Chest Size	Color	Inseam	Sleeve	Cat. No.
XXL	283/4"	Yellow	301/2"	381/4"	13452-642
3XL	301/4"	Yellow	311/2"	381/2"	13452-644

Chest Size	Color	Inseam	Sleeve	Cat. No.
° 9000 Coveralls				
27 <sup>7</sup> /8"	Yellow	29 <sup>7</sup> /8"	363/4"	10010-286
29"	Yellow	30 <sup>7</sup> /8"	37 <sup>7</sup> /8"	10010-288
	© 9000 Coveralls 27 <sup>7</sup> /8"	∘ <b>9000 Coveralls</b> 27 <sup>7</sup> /ε" Yellow	• 9000 Coveralls 277/s" Yellow 297/s"	® <b>9000 Coveralls</b> 27 <sup>7</sup> /s" Yellow 29 <sup>7</sup> /s" 36 <sup>3</sup> /₄"

#### **DUPONT™ TYCHEM® 2000 COVERALLS** WITH STANDARD HOOD AND ATTACHED SOCKS, TAPED SEAMS

- Standard fit hood
- Elastic wrists
- Attached socks
- Storm flap with adhesive closure
- Taped seams



#### **KLEENGUARD® A60 BLOODBORNE** PATHOGEN AND CHEMICAL SPLASH PROTECTION COVERALLS, KIMBERLY-**CLARK PROFESSIONAL®**





- Provides 12% more chest room and 6% longer body length for a more comfortable fit
- Zipper front



Clothing Size	Chest Size	Color	Inseam	Sleeve	Cat. No.
XXL	28 <sup>3</sup> / <sub>4</sub> "	Yellow	30"	381/4"	89138-056
3XL	301/4"	Yellow	31"	381/2"	89138-058

Clothing Size	Cilest Size	COIOI	Iliseulli	Sieeve	Cut. No.
XXL	283/4"	Yellow	30"	381/4"	89138-056
3XL	301/4"	Yellow	31"	381/2"	89138-058

#### **DUPONT™ TYCHEM® 2000 COVERALLS** WITH STANDARD HOOD AND ATTACHED SOCKS, BOUND SEAMS

- Standard fit hood
- Elastic wrists
- Attached socks
- Storm flap with adhesive closure
- Bound seams



Clothing Size	Chest Size	Color	Inseam	Sleeve	Cat. No.
Tychem <sup>®</sup> 2000 Co	overalls				
XL	271/4"	Yellow	29"	361/2"	10010-242
XXL	283/4"	Yellow	30"	381/4"	10010-244
Tychem® 2000 Co	overalls, Berry Ame	endment Com	pliant		
L	25³/₄"	Yellow	281/2"	35"	10016-382
XL	271/4"	Yellow	29"	361/2"	10016-386

	Color	Cat. No.
Coveralls with Zippe	r Front and No Elastic	
3X-Large	Denim Blue	82004-856
4X-Large	Denim Blue	82004-858
Coveralls with Zippe	r Front, Storm Flap, and Elastic Back, Wrists,	and Ankles
3X-Large	Denim Blue	37001-138
4X-Large	Denim Blue	82004-870
Coveralls with Zippe	r Front, Storm Flap, Attached Hood, and Elas	tic Back, Wrists, and Ankles
X-Large	Denim Blue	82003-916
XX-Large	Denim Blue	82003-918
Coveralls with Zippe	r Front, Attached Hood and Boots, and Elasti	c Back, Wrists, and Ankles
XX-Large	Denim Blue	82003-930
3X-Large	Denim Blue	82003-932

#### **KLEENGUARD® A70 CHEMICAL** SPRAY PROTECTION COVERALLS, KIMBERLY-CLARK PROFESSIONAL®

- For use in hazardous waste remediation, environmental cleanup, petrochemical/ oil refining, acid/caustic handling, biohazard cleanup, and pharmaceutical manufacturing applications
- Features bound seams for increased protection
- Durable, breathable, and comfortable
- Manufactured from NFPA 99 compliant antistatic material
- Wick-away lining provides enhanced comfort during extended use

-3

Cat. No.

#### **ALPHATEC**<sup>™</sup> 66-670 CHEMICAL PROTECTION FLAME RESISTANT JACKETS, ANSELL

- Offers HRC Level 2 arc flash protection
- Increases chance of survival from exposure to thermal hazards
- Does not sustain a flame and no melting or dripping during flammability testing
- Chemical-resistant stitching and taped seams ensure superior performance

MICROCHEM® BY ALPHATEC<sup>™</sup> 68-1500

WITH SERGED SEAMS, ANSELL

the risk of heat stress

Index 2 or above)

Flame retardant

PLUS FR FLAME RETARDANT COVERALLS

- Air and water vapor permeable to help reduce

Optimized body fit when worn over heat and flame protective clothing (EN ISO 14116

Antistatic tested according to EN1149-5

- Tough and durable fabric
- Anti-static properties



Size	Color	Cat. No.
Large	Blue	80093-543
X-Large	Blue	80093-545

#### Elastic Wrists, Ankles, and Hood Medium Yellow Bound 89030-822 Elastic Wrists, Ankles, and Hood Yellow Bound 89030-826 X-Larae Elastic Wrists, Hood, and Boots Large Yellow Bound 89030-836 Elastic Wrists, Hood, and Boots 89030-840 XX-Large Yellow Bound

#### **ALPHATEC**<sup>™</sup> 66-677 CHEMICAL PROTECTION FLAME RESISTANT COVERALLS, ANSELL

- Offers HRC Level 2 arc flash protection
- Increases chance of survival from exposure to thermal hazards
- Does not sustain a flame and no melting or



dripping during flammability testing	X-Large	SMMS	Navy	Serged	10836-288
Chemical-resistant stitching and taped seams	2X-Large	SMMS	Navy	Serged	10836-484
ensure superior performance	Model 111 Cove	eralls with 3-Piece	Hood		
Tough and durable fabric	X-Large	SMMS	Navy	Serged	10836-296
Anti-static properties	2X-Large	SMMS	Navy	Serged	10836-298
Title state properties					

#### Cat. No 80093-567 X-Larae Blue 80093-569 XX-Large

# **Model 103 Coveralls with Collar**

### **CHEMMAX® 4 PLUS CHEMICAL PROTECTIVE DISPOSABLE COVERALL WITH RESPIRATOR-FIT** HOOD, DOUBLE STORM FLAP, ATTACHED BOOTS AND BOOT FLAPS, LAKELAND INDUSTRIES

- Advanced chemical barrier
- Respirator fit hood
- Heat sealed seams
- PermaSURE chemical database

Clothing Size	Description	Color	Cat. No.
М	ChemMax® 4 Plus Coverall	Yellow	76299-530
L	ChemMax® 4 Plus Coverall	Yellow	76299-532
XL	ChemMax® 4 Plus Coverall	Yellow	76299-534
XXL	ChemMax® 4 Plus Coverall	Yellow	76299-536
3XL	ChemMax® 4 Plus Coverall	Yellow	76299-538
4XL	ChemMax® 4 Plus Coverall	Yellow	76299-540
5XL	ChemMax® 4 Plus Coverall	Yellow	76299-542

#### **CHEMMAX® 2 CHEMICAL PROTECTIVE DISPOSABLE COVERALL** WITH RESPIRATOR-FIT HOOD, STORM FLAP, ELASTIC WRISTS AND ATTACHED BOOTS, LAKELAND INDUSTRIES

- Saranex® 23P chemical barrier
- Respirator fit hood
- Heat sealed seams

Clothing Size	Description	Color	Cat. No.
М	ChemMax® 2 Coverall	White	76299-544
L	ChemMax® 2 Coverall	White	76299-546
XL	ChemMax® 2 Coverall	White	76299-548
XXL	ChemMax® 2 Coverall	White	76299-550
3XL	ChemMax® 2 Coverall	White	76299-552
4XL	ChemMax® 2 Coverall	White	76299-554
5XL	ChemMax® 2 Coverall	White	76299-556

#### **DUPONT™ PROSHIELD® 6 SFR COVERALLS WITH STANDARD HOOD AND ATTACHED SOCKS**

- Standard fit hood
- Elastic wrists
- Attached socks
- Front zipper closure
- Serged seams



Clothing Size	Chest Size	Color	Inseam	Sleeve	Cat. No.
XXL	283/4"	Blue	301/2"	381/4"	13453-006
3XL	301/4"	Blue	32"	381/2"	13453-008

#### **PYROLON® PLUS 2 COVERALLS, LAKELAND**

- Coveralls feature a zipper front, attached hood, and elastic wrists and ankles
- Quality standards meet ANSI/ISEA 101-1996



DUPONT™ PROSHIELD® 6 SFR
<b>COVERALLS WITH STANDARD HOOD</b>

- Standard fit hood
- Elastic wrists and ankles
- Front zipper closure
- Serged seams



Size	Color	Cat. No.	Clothing Size	Chest Size	Color	Inseam	Sleeve	Cat. No.
XX-Large	Blue	33500-674	XXL	283/4"	Blue	301/2"	381/4"	13452-978
3X-Large	Blue	33500-676	3XL	301/4"	Blue	32"	381/2"	13452-980

#### RIGHTCYCLE® RECYCLING **PROGRAM FOR GARMENTS** OR GLOVES, KIMBERLY-**CLARK PROFESSIONAL®**

- Diverts waste from landfill
- Easy and affordable
- Achieve or exceed sustainability goals





#### **DUPONT™ PROSHIELD® 6 SFR COVERALLS** WITH LAYDOWN COLLAR

- Laydown collar
- Open wrists and ankles
- Front zipper closure
- Serged seams



Description	Cat. No.
Rightcycle® Garment Recycling Program; You Pay Shipping Only!	89429-354

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Clothing Size	Chest Size	Color	Inseam	Sleeve	Cat. No.
XXL	283/4"	Blue	301/2"	381/4"	13452-964
3XL	301/4"	Blue	32"	381/2"	13452-966

#### PREVAIL<sup>™</sup> FLAME-RESISTANT **COVERALLS, KIMBERLY-CLARK®**

- Comfortable, breathable, and durable fabric resists tearing
- Design meets the ANSI/ISEA 101-1996 sizing standard
- Blue fabric



#### **FLAME RESISTANT WORK** SHIRT WITH MAX COMFORT™ MATERIAL, GRAY, MCR SAFETY

- Comfortable 88% cotton/12% nylon blend
- Two chest pockets

Max Comfort™ S1 Work Shirt

- NFPA 2112, NFPA 70E, UL Certified



Thickness Color

	Color	Cat. No.
Zipper Front		
Medium	Blue	82006-112
Large	Blue	82006-114
Zipper Front; Elastic	Wrists, Ankles, and Hood	
XX-Large	Blue	82006-130
3X-Large	Blue	82006-132
Zipper Front; Elastic	Wrists, Ankles, and Hood; Attached Boots	
3X-Large	Blue	82006-144
4X-Large	Blue	82006-146

Medium 88% cotton 12% nylon 6.5 oz.

#### FLAME RESISTANT WORK SHIRT WITH MAX COMFORT™ MATERIAL, **NAVY BLUE, MCR SAFETY**

- Comfortable 88% cotton/12% nylon blend
- Two chest pockets
- NFPA 2112, NFPA 70E, UL Certified



Description	Size	Material	Thickness	Color	Cat. No.
Max Comfort™ S1 Work Shirt	Large	88% cotton 12% nylon	6.5 oz.	Navy Blue	10813-406

#### FLAME RESISTANT DENIM WORK JEANS WITH MAX COMFORT™ MATERIAL, MCR SAFETY

- Enzyme wash for softness, comfort, and look
- 8" single needle topstitch at top of outseam for durability
- 100% cotton
- NFPA 2112, NFPA 70E, UL certified



Description	Size	Material	Thickness	Color	Cat. No.
Max Comfort™ P1 Work Jeans	32-34	100% Cotton	14.75 oz.	Denim	10813-322
Max Comfort™ P1 Work Jeans	34-30	100% Cotton	14.75 oz.	Denim	10813-326

# **FLAME RESISTANT WORK** SHIRT WITH MAX COMFORT™

**MATERIAL, TAN, MCR SAFETY** 

- Comfortable 88% cotton/12% nylon blend
- Two chest pockets
- NFPA 2112, NFPA 70E, UL Certified



Description	Size	Material	Thickness	Color	Cat. No.
Max Comfort™ S1 Work Shirt	X-Large	88% cotton 12% nylon	6.5 oz.	Tan	10813-450

#### FLAME RESISTANT LONG SLEEVE HENLEY SHIRT WITH MAX COMFORT" MATERIAL, NAVY BLUE, MCR SAFETY

- 100% FR Cotton
- Left chest pocket
- Moisture wicking and breathable
- Rib-knit collar and cuff
- NFPA 2112, NFPA 70E, UL Certified



Description	Size	Material	Thickness	Color	Cat. No.
Max Comfort™ H1 Long					
Sleeve Henley Shirt	X-Large	100% Cotton	7 oz.	Navy Blue	10813-484

#### FLAME RESISTANT LONG SLEEVE HENLEY SHIRT WITH MAX COMFORT™ **MATERIAL, GRAY, MCR SAFETY**

- 100% FR Cotton
- Left chest pocket
- Moisture wicking and breathable
- Rib-knit collar and cuff
- NFPA 2112, NFPA 70E, UL Certified



Description	Size	Material	Thickness	Color	Cat. No.
Max Comfort™ H1 Long					
Sleeve Henley Shirt	Large	100% Cotton	7 oz.	Gray	10813-454

#### FLAME RESISTANT LONG SLEEVE HENLEY SHIRT WITH MAX COMFORT™ **MATERIAL, TAN, MCR SAFETY**

- 100% FR Cotton
- Left chest pocket
- Moisture wicking and breathable
- Rib-knit collar and cuff
- NFPA 2112, NFPA 70E, UL Certified



Description	Size	Material	Thickness	Color	Cat. No.
Max Comfort™ H1 Long					
Sleeve Henley Shirt	Medium	100% Cotton	7 oz.	Tan	10813-488

#### FLAME RESISTANT CC1 CONTRACTOR **COVERALLS WITH MAX COMFORT™** MATERIAL, GRAY, MCR SAFETY

- 100% cotton material, lifetime FR guarantee
- Two needle reinforced stitching on major seams for durability
- Heavy-duty two-way YKK® brass break-away zipper with Neomex® tape
- Multiple pockets on chest, hips, back and leg
- NFPA 2112, NFPA 70E, UL Certified



Description	Size	Material	Length	Thickness	Color	Cat. No.
Max Comfort™ CC1						
Contractor Coverall	34	100% Cotton	Regular	7 oz.	Gray	10812-488

#### FLAME RESISTANT CC1 CONTRACTOR COVERALLS WITH MAX COMFORT MATERIAL, NAVY BLUE, MCR SAFETY

- Two needle reinforced stitching on major seams for durability
- Heavy duty two-way YKK® brass break-away zipper with Neomex® tape
- Protective storm flap with snap closure to cover front zipper
- Two chest pockets, left pocket with pen tunnel
- Two front hip pockets on coverall pants
- Side pass through with snap closure
- Two back patch pockets
- Bi-swing action back gussets for ease of movement and comfort
- Tool pocket on right leg
- Adjustable snap closure on cuff of sleeves and legs
- All snaps have reinforcement strips

Description	Size	Material	Length	Thickness	Color	Cat. No.
Max Comfort <sup>™</sup> CC1						
Contractor Coverall	36	100% Cotton	Regular	7 oz.	Navy Blue	10812-542

#### FLAME RESISTANT CC1 CONTRACTOR COVERALLS WITH MAX COMFORT™ MATERIAL, RED, MCR SAFETY

- 100% cotton material, lifetime FR guarantee
- Two needle reinforced stitching on major seams for durability
- Heavy-duty two-way YKK® brass break-away zipper with Neomex® tape
- Multiple pockets on chest, hips, back and lea
- NFPA 2112, NFPA 70E, UL Certified



#### FLAME RESISTANT CC1 CONTRACTOR COVERALLS WITH MAX COMFORT™ MATERIAL, ROYAL BLUE, MCR SAFETY

- 100% cotton material, lifetime FR guarantee
- Two needle reinforced stitching on major seams for durability
- Heavy-duty two-way YKK® brass break-away zipper with Neomex® tape
- Multiple pockets on chest, hips, back and lea
- NFPA 2112, NFPA 70E, UL Certified

Description	Size	Material	Length	Thickness	Color	Cat. No.
Max Comfort™						
Contractor Coverall	40	100% Cotton	Regular	7 oz.	Royal Blue	10812-438



#### **BODY PROTECTION**

#### FLAME RESISTANT CC1 CONTRACTOR COVERALLS WITH MAX COMFORT" **MATERIAL, TAN, MCR SAFETY**

- Two needle reinforced stitching on major seams for durability
- Heavy duty two-way YKK® brass break-away zipper with Neomex® tape
- Protective storm flap with snap closure to cover front zipper
- Two chest pockets, left pocket with pen tunnel
- Two front hip pockets on coverall pants
- Side pass through with snap closure
- Two back patch pockets
- Bi-swing action back gussets for ease of movement and comfort
- Tool pocket on right leg
- Adjustable snap closure on cuff of sleeves and legs
- All snaps have reinforcement strips



# FLAME RESISTANT DC1 CONTRACTOR COVERALLS WITH MAX COMFORT" MATERIAL, NAVY BLUE, MCR SAFETY


- Three needle reinforced stitching on major seams for durability
- Heavy duty two-way YKK® brass break-away zipper with Nomex® tape
- Protective storm flap with snap closure to cover front zipper
- Two chest pockets with mitered flaps, snap closure, plus pen pocket
- Two front hip pockets on coverall pants
- Side pass through with snap closure
- Two back patch pockets left pocket with flap and snap closure
- Bi-swing action back gussets for ease of movement and comfort
- Pen pocket on left arm
- Tool pocket on right leg
- Adjustable snap closure on cuffs of sleeves and legs
- All snaps have reinforcement strips

Description	Size	Material	Length	Thickness	Color	Cat. No.
Max Comfort™ DC1		88% Cotton/12%				
Contractor Coverall	36	Nylon	Regular	7 oz.	Navy Blue	10812-914

#### Cat. No. Max Comfort™ CC1 Contractor Coverall 100% Cotton Regular 7 oz. 10812-762

#### FLAME RESISTANT DC1 CONTRACTOR **COVERALLS WITH MAX COMFORT™ MATERIAL, GRAY, MCR SAFETY**

- Comfortable 88% cotton 12% Nylon blend
- Two needle reinforced stitching on major seams for durability
- Heavy-duty two-way YKK® brass breakaway zipper with Neomex® tape
- Multiple pockets on chest, back, hips, arm and lea
- NFPA 2112, NFPA 70E, UL Certified
- Lifetime FR guarantee



#### FLAME RESISTANT DC1 CONTRACTOR COVERALLS WITH MAX COMFORT" MATERIAL, RED, MCR SAFETY





- Protective storm flap with snap closure to cover front zipper
- Two chest pockets with mitered flaps, snap closure, plus pen pocket
- Two front hip pockets on coverall pants
- Side pass through with snap closure
- Two back patch pockets left pocket with flap and snap closure
- Bi-swing action back gussets for ease of movement and comfort
- Pen pocket on left arm
- Tool pocket on right leg
- Adjustable snap closure on cuffs of sleeves and legs
- All snaps have reinforcement strips

Description	Size	Material	Length	Thickness	Color	Cat. No.
Max Comfort™ DC1		88% Cotton/12%				
Contractor Coverall	38	Nylon	Regular	7 oz.	Red	10813-548



#### FLAME RESISTANT DC1 CONTRACTOR COVERALLS WITH MAX COMFORT MATERIAL, ROYAL BLUE, MCR SAFETY

- Comfortable 88% cotton 12% Nylon blend
- Two needle reinforced stitching on major seams for durability
- Heavy-duty two-way YKK® brass break-away zipper with Neomex® tape
- Multiple pockets on chest, back, hips, arm and leg
- NFPA 2112, NFPA 70E, UL Certified
- Lifetime FR guarantee



#### FLAME RESISTANT DELUXE REFLECTIVE COVERALL WITH MAX COMFORT™ MATERIAL, RED, MCR SAFETY

- Silver reflective tape on legs, sleeves, and shoulders
- Comfortable 88% cotton 12% Nylon blend
- Two needle reinforced stitching on major seams for durability
- Heavy-duty two-way YKK® brass break-away zipper with Neomex® tape
- Multiple pockets on chest, back, hips, arm and lea
- NFPA 2112, NFPA 70E, UL Certified
- Lifetime FR guarantee

Description	Size	Material	Length	Thickness	Color	Cat. No.
Max Comfort™ Deluxe		88% Cotton/12%				
Reflective Coverall	44	Nylon	Regular	7 oz.	Red	10813-062

Description	Size	Material	Length	Thickness	Color	Cat. No.
Max Comfort™ DC1		88% Cotton/12%	5	_	B 181	
Contractor Coverall	40	Nylon	Regular	7 oz.	Royal Blue	10812-818

#### FLAME RESISTANT DC1 CONTRACTOR COVERALLS WITH MAX COMFORT" **MATERIAL, TAN, MCR SAFETY**

- Three needle reinforced stitching on major seams for durability
- Heavy duty two-way YKK® brass break-away zipper with Nomex® tape
- Protective storm flap with snap closure to cover front zipper
- Two chest pockets with mitered flaps, snap closure, plus pen pocket
- Two front hip pockets on coverall pants
- Side pass through with snap closure
- Two back patch pockets left pocket with flap and snap closure
- Bi-swing action back gussets for ease of movement and comfort
- Pen pocket on left arm
- Tool pocket on right leg
- Adjustable snap closure on cuffs of sleeves and legs
- All snaps have reinforcement strips

Description	Size	Material	Length	Thickness	Color	Cat. No.
Max Comfort™ DC1		88% Cotton/12%				
Contractor Coverall	42	Nylon	Regular	7 oz.	Tan	10813-118

#### FLAME RESISTANT CLASSIC **VEST, ML KISHIGO**





- 2" wide Flame Resistant reflective material
- 3 inside pockets
- Available in Lime and Orange



Description	Size	Color	Cat. No.
Flame Resistant Classic Vest	Large	Lime	75998-234
Flame Resistant Classic Vest	X-Large	Lime	75998-236
Flame Resistant Classic Vest	XX-Large	Orange	75998-252

#### FLAME RESISTANT ECONOMY **VEST, ML KISHIGO**

- Modacrylic blend Flame Resistant solid material
- Flame Resistant hook and loop front closure
- 2" wide laminated reflective material
- 3 inside pockets



Description	Size	Color	Cat. No.
Flame Resistant Economy Vest	Large	Lime	75998-286
Flame Resistant Economy Vest	X-Large	Lime	75998-288
Flame Resistant Economy Vest	XX-Large	Lime	75998-290

#### **FLAME RESISTANT BREATHABLE MESH VEST, ML KISHIGO**

- Modacrylic blend Flame Resistant GlenGuard mesh material
- 2" wide breathable reflective material
- Flame Resistant hook and loop front closure
- 3 inside pockets



#### **CLASS II SOLID FRONT WITH MESH BACK SAFETY VEST, ML KISHIGO**

- Zipper front closure
- Left and right chest mic tabs
- Two lower outside patch pockets with flaps
- Right chest two-tier, fourdivision pocket
- Left chest radio pocket with flap
- Two lower inside patch pockets



Description	Size	Color	Cat. No.
Flame Resistant Breathable Mesh Vest	Large	Lime	75998-220
Flame Resistant Breathable Mesh Vest	X-Large	Lime	75998-222
Flame Resistant Breathable Mesh Vest	XX-Large	Lime	75998-224

## FLAME RESISTANT PREMIUM BLACK **SERIES MESH VEST, ML KISHIGO**

- Modacrylic blend Flame Resistant GlenGuard mesh material
- 2" wide breathable reflective material
- Indura Flame Resistant black bottom and trim
- Nomex high temp Flame Resistant zipper
- 3 inside pockets
- Optional D-Ring access also available



Size	Color	Cat. No.
Small	Lime	76203-586
Medium	Lime	76203-588
Large	Lime	76203-590
X-Large	Lime	76203-594
XX-Large	Lime	76203-596
3X-Large	Lime	76203-598
4X-Large	Lime	76203-648
5X-Large	Lime	76203-650
Small	Orange	76203-652
Medium	Orange	76203-654
Large	Orange	76203-656
X-Large	Orange	76203-658
XX-Large	Orange	76203-660
3X-Large	Orange	76203-662
4X-Large	Orange	76203-664
5X-Large	Orange	76203-666

Description	Size	Color	Cat. No.
Premium Black Series Flame Resistant Mesh Vest	Large	Lime	75998-206
Premium Black Series Flame Resistant Mesh Vest	X-Large	Lime	75998-208
Premium Black Series Flame Resistant Mesh Vest	XX-Large	Lime	75998-210

#### **CREWS® SAFETY VESTS, MCR SAFETY**

- Bright orange, polyester mesh vests feature a Velcro® front closure and elastic side straps for secure fitting
- Vests are packaged 12 per poly bag
- Size: universal



Description	Cat. No.
Safety Vest with No Striping	80082-416
Safety Vest with Yellow Striping	80082-419

#### **CREWS® CLASS II TRAFFIC SAFETY VESTS, MCR SAFETY**

- 100% polyester tear-away mesh vests are available in two fluorescent colors
- One horizontal 5cm (2") silver reflective strip and two vertical 5cm (2") silver reflective strips
- Velcro® closures on the front, both shoulders, and garment sides allow for quick and easy donning and removal
- Packaged individually in poly bags



#### **PVC/POLYESTER GARMENT, DETACHABLE HOOD, SNAP** FRONT, MCR SAFETY

- Jacket features a snap front, take-up snaps at the wrists, detachable hood with drawstring, and two front patch pockets
- Bib pants feature a fly front with snap and take-up snaps at the waist and ankles



Description	Size	LxW	Cat. No.
Fluorescent Lime Vests	X-Large	64.5 x 142.2 cm (25 <sup>13</sup> / <sub>32</sub> x 56")	80082-404
Fluorescent Orange Vests	Large	62 x 132 cm (24 <sup>13</sup> / <sub>32</sub> x 52")	80082-406

Size	Material	Thickness	Color	Cat. No.
Large	PVC / Polyester	.35 mm	Yellow	80082-254
2X-Large	PVC / Polyester	.35 mm	Yellow	80082-260

#### **LUMINATOR**<sup>™</sup> **REFLECTIVE SAFETY VEST, MCR SAFETY**

- VCL2SL is an ANSI/ISEA Class 2 value safety vest made of fluorescent lime polyester solid material
- Vest features a hook and loop front closure, 2" silver reflective stripes, two outer pockets, and one inner pocket



<b>DOMINATOR PANTS, BII</b>	В
STYLE, MCR SAFETY	

- 388BF bib style pant has a plain front (no fly opening), full elastic suspenders for comfort and ease of movement, and take-up snaps at the ankles and waist
- Addditional 10" x 10" reinforced crotch area adds extra durablilty
- Material is treated to be limited flammability



Size	Material	Thickness	Color	Cat. No.
Medium	PVC / Nylon / PVC	.42 mm	Green	80082-332
Large	PVC / Nylon / PVC	.42 mm	Green	80082-330

#### Cat. No. Fluorescent Lime 89236-750 Large Polyester 89236-754 2X-Large Polvester Fluorescent Lime

## **OCCUNOMIX TWO-TONE** SURVEYOR STYLE NON-**COMPLIANT VEST, OCCUNOMIX**

- 100% Polvester woven twill
- 3/4" white gloss tape backed by contrasting trim
- 10 pockets; 2 inner lower, 2 outer lower flapped, 4 pen, and 1 divided
- Zipper style closure
- Available in Orange and Yellow



Description	Size	Color	Cat. No.
Two-Tone Surveyor Style Vest, with Zipper Closure and 10 Pockets	Large	Orange	75841-086
Two-Tone Surveyor Style Vest, with Zipper Closure and 10 Pockets	X-Large	Yellow	75841-076

These specific products are not available in Canada, Please contact your VWR Sales Representative to learn about easy access to similar options available in your region

#### DOMINATOR TWO PIECE SUIT, ATTACHED HOOD, MCR SAFETY

- Jacket features a zipper front, oversized storm flap, attached hood and inner sleeves to prevent splash back
- Bib pants have full elastic suspenders, plain front, take-up snaps at the ankles, and an additional 10" x 10" reinforced crotch for durability

PVC / Polyester

PVC / Polyester

X-Large

2X-Large

Material is treated to be limited flammability



Green

.42 mm

.42 mm

80082-316

#### **SCHOONER PONCHO,** ATTACHED HOOD, MCR SAFETY

- Ponchos are easy to put on and take off, and especially easy to store
- One size fits all



#### **VWR® BASIC PROTECTION INDUSTRIAL PE APRONS**

- VWR® provides two size options for these easy to don garments
- Ideally suited for use in industrial, food and beverage, warehouse, non-controlled environments, and visitor applications





Color	Cat. No.
Yellow	80082-386
Orange	80082-388
Clear	80082-390

Description	Color	Cat. No.
VWR® Basic Protection Industrial PE Apron	White	76008-556
VWR® Basic Protection Industrial PE Apron	Blue	76008-558

#### **FALCON BASE 35<sup>™</sup> PREMIUM 3-PIECE RAINSUIT, PIP**

- Detachable hood with drawstring
- Storm flap front, two flaped pockets and underarm vents
- Adjustable snaps at wrists and ankles for better fit
- Bib overalls for full moisture protection
- Corduroy collar for comfort
- Under-arm Vents and cape vented back



#### **VWR® DISPOSABLE POLYETHYLENE APRON**

- One-piece bib design
- Protects against splashes





Size	Material	Thickness	Chest Size	Color	Cat. No.
Large	Polyester/PVC	35 mm	54"	Yellow	89179-552

Size	Thickness	Color	Cat. No.
71.1W x 116.8L cm (28 x 46")	2 mil	White	10826-007

#### STANDARD COOLING VEST WITH INSERTS, ALLEGRO

- Outer and inner layers of 100% cotton
- Four pockets
- Zipper front closure
- Hook and loop shoulder and side closure for snug fit
- V-shaped neck
- Hook and loop tabs keep inserts secure
- Royal blue fabric



Description	Size	Cat. No.
Feather Ice Inserts	_	76057-664
Phase Change Inserts	<u> </u>	76057-690
Cooling Vest with Inserts	Large	76057-692
Cooling Vest with Inserts	X-Large	76057-694

#### **DUPONT™ TYVEK® 400 BIB APRONS**

- Neck loop
- Waist ties
- Bound seams
- One size fits most



Color	Cat. No.
Tyvek® 400 Bib Aprons, Bulk Packaged	
White	80080-916

#### **VWR® TRANSPARENT PLASTIC LABORATORY APRONS**

- Protect against water, oil, grease, and most chemicals
- Will not peel, curl, or crack
- Soft, pliable Plastipron® design





#### **KLEENGUARD® A20 BREATHABLE PARTICLE PROTECTION** APRON. KIMBERLY-CLARK®

- For use in maintenance, manufacturing, laboratory, and pharmaceutical applications
- MICROFORCE™ Barrier SMS fabric, tear-resistant outer layers
- Seamless and breathable protection from submicron sized particles (0.26µm), dry particulates, and light liquid sprays



Description	Size	Thickness	Cat. No.
Utility-Weight Aprons	68.6W x 91.4L cm (27 x 36")	4 mil	10824-045
Mediumweight Apron	68.6W x 91.4L cm (27 x 36")	6 mil	10825-048
Heavyweight Aprons	76.2W x 111.8L cm (30 x 44")	8 mil	10825-061
Heavyweight Aprons	91.4W x 116.8L cm (36 x 46")	8 mil	10824-125

Size	Color	Cat. No.
71.1W x 116.8L cm (28 x 46")	White	10837-375

#### **DUPONT™ TYCHEM® 6000 FR SLEEVED APRONS**

- Sleeved
- Elastic wrists
- Two buckle closure system
- Taped seams



#### **DUPONT™ TYCHEM® 4000 SLEEVED APRONS**

- Sleeved
- Elastic wrists
- Neck loop with snaps and waist ties
- Taped seams



Size	Length	Chest Size	Color	Sleeve	Cat. No.
XL	45"	26 <sup>3</sup> / <sub>4</sub> "	Gray	23 1/2"	10016-690
XXL	46 1/4"	28 ³/₄"	Gray	24"	10016-678

Size	Length	Chest Size	Color	Sleeve	Cat. No.
L	44 1/4"	27 1/2"	White	31 1/2"	10170-164
XL	45"	28"	White	32 1/4"	10170-170

#### **KLEENGUARD® A20 BREATHABLE** PARTICLE PROTECTION APRON. KIMBERLY-CLARK PROFESSIONAL®

- Lightweight, disposable, stain-resistant bonded polypropylene layers
- Triple layer construction, breathable and pliable, extra-long ties
- For lab use, light assembly, and food processing areas



#### **DUPONT™ PROSHIELD® 60 BIB APRONS**

- Neck loop
- Waist ties
- **Bound seams**
- One size fit most



Description	Cat. No.
KLEENGUARD Apron 28 x 40" CS 100	10815-827

Length	Width	Color	Cat. No.
353/4"	27"	White	13451-080

#### **VWR® CRYOGENIC PROTECTIVE APRONS**

- Provides durable protection when handling liquid nitrogen and servicing cryogenic equipment
- Ideal when filling liquid nitrogen supply cylinders and bulk tanks





Size	Cat. No.
61W x 91.4L cm (24 x 36")	97008-290
61W x 106.7L cm (24 x 42")	97008-292
61W x 122L cm (24 x 48")	97008-294

#### **VINYL COAT ACID APRONS, ANSELL**

- sType 56-903, medium- to heavy-duty splash protection
- Constructed of virgin vinyl (PVC), excellent resistance to punctures and abrasion, chemicals, fats, oils, and grease
- For food processing and handling, laboratory, electronics, medical, pharmaceutical, and chemical processing applications
- No exposed elastic or metal parts to cause static or corrosion, no sewn seams, edges are dielectrically sealed
- Eliminates contamination traps and permits cleaning to ISO Class 5 (FED-STD-209E Class 100/ M3.5) standards

Size	Thickness	Cat. No.
Small	6 mil	47751-932
Medium	6 mil	47751-934
Large	6 mil	47751-936

#### **KLEENGUARD® A70 CHEMICAL SPRAY** PROTECTION SMOCKS, KIMBERLY-**CLARK PROFESSIONAL®**

- Chemical spray protection smocks are constructed of a 1.5mil polyethylene filmcoated, spunbond polypropylene fabric
- Seamless design, soft and durable fabric, and a wick-away lining for increased comfort
- NFPA 99 compliant for antistatic material



#### **ALPHATEC**<sup>™</sup> 56-210 DISPOSABLE POLYETHYLENE APRONS, ANSELL

- Effectively protects workers
- **Excellent chemical resistance**
- Economical, flexible, and durable



Length	Color	Cat. No.	Length	Color	Cat. No.
111.8 cm (44")	Yellow	89065-962	116.8 cm (46")	White	32891-303
132 cm (52")	Yellow	89065-964	140 cm (55")	White	80093-292

#### **VINYL COAT APRONS, ANSELL**

- SType 56-910, provide excellent protection when handling acids and caustic solutions
- Made of virgin vinyl, heat-sealed binding at the neck and bottom eliminates leaks caused by exposed elastic and thread
- Back closure consists of two plastic snaps and nylon ties, with no metal parts to cause static or corrosion
- Full-length sleeves provide additional coverage



#### **ALPHATEC**<sup>™</sup> 56-009 PVC APRONS, ANSELL

- Effectively protects workers
- Excellent chemical resistance
- Superior flexibility



Size	Length	Thickness	Color	Cat. No.
Medium	127 cm (50")	8 mil	Blue	32890-884
X-Large	137 cm (54")	8 mil	Blue	32890-888
Largo	120 5 cm (51")	9 mil	Pluo	22901_296

Size	Thickness	Color	Cat. No.
88.9W x 114.3L cm (35 x 45")	6 mils	Blue	32891-268
84W x 124L cm (33 x 49")	6 mils	Blue	80093-236

#### **ALPHATEC™ 66-672 CHEMICAL PROTECTION** FLAME RESISTANT BIB OVERALLS, ANSELL

- Offers HRC Level 2 arc flash protection
- Increases chance of survival from exposure to thermal hazards
- Does not sustain a flame and no melting or dripping during flammability testing
- Chemical-resistant stitching and taped seams ensure superior performance
- Tough and durable fabric
- Anti-static properties



#### **VWR® BASIC PROTECTION INDUSTRIAL LAB COATS**

- Garments provide an excellent basic barrier
- Made from a durable and comfortable non-woven fabric
- Ideally suited for use in industrial, food and beverage, warehouse, non-controlled environment, and visitor appllications



Color	Cat. No.
Blue	80093-552
Blue	80093-554
	Blue

#### SILVER SHIELD®/4H® COAT APRONS. HONEYWELL SAFETY

- Compacted five-layer fabric is 2.7mil thick
- Each layer acts as a barrier against various epoxies and industrial chemicals
- Impervious to at least 90% of all organic chemicals for 4 hours at 35°C (95°F)
- Cut from a single piece of film to prevent penetration of liquid chemicals
- Sleeves with flexible wrist openings, buckle closure attached to neckband, tw waistbands that tie in the back
- Weight: 198g (7oz.)



wo	
	Cat. No.

Size	WxL	Cat. No.
X-Large	147W x 158L cm (58 x 62")	11000-632
Large	137W x 142L cm (54 x 56")	11000-634

Clothing Size	Color	Cat. No.
VWR® Basic Protection Ir	dustrial Lab Coats	
S	White	76008-420
М	White	76008-422
L	White	76008-426
XL	White	76008-428
XXL	White	76008-430
3XL	White	76008-432
4XL	White	76008-434
S	Dark Blue	76008-436
М	Dark Blue	76008-438
L	Dark Blue	76008-440
XL	Dark Blue	76008-442
XXL	Dark Blue	76008-480
3XL	Dark Blue	76008-482
4XL	Dark Blue	76008-484
S	Green	76008-486
М	Green	76008-488
L	Green	76008-490
XL	Green	76008-492
XXL	Green	76008-494
3XL	Green	76008-496
4XL	Green	76008-498
S	Red	76008-500
М	Red	76008-502
L	Red	76008-504
XL	Red	76008-506
XXL	Red	76008-508
4XL	Red	76008-512

#### CRYO-APRON® APRONS, TEMPSHIELD

- Protects against cryogenic atmospheres and splashes
- Light and comfortable, reversible with two (2) 100% water proof liners



Description	WxL	Cat. No.
Cryogenic Apron, Waterproof	24 x 42"	89511-881
Cryogenic Apron, Waterproof	24 x 48"	89511-882

#### **VWR® UNISEX TECHNOLOGY** LAB COAT, REUSABLE

- Plain front with no embroidery
- Industrial and washable
- Durable
- Comfortable
- Poly/Cotton fabric (80/20 blend)



Chest Size	Color	Cat. No.
		10141-374
38-40"	White	10141-342
42-44"	White	10141-344
26-28"	Navy Blue	75819-574
30-32"	Navy Blue	75819-554
34-36"	Navy Blue	75819-556
38-40"	Navy Blue	75819-558
42-44"	Navy Blue	75819-560
46-48"	Navy Blue	75819-562
50-52"	Navy Blue	75819-564
54-56"	Navy Blue	75819-566
	26-28" 30-32" 34-36" 38-40" 42-44" 46-48" 50-52"	34-36" White 38-40" White 42-44" White 26-28" Navy Blue 30-32" Navy Blue 34-36" Navy Blue 38-40" Navy Blue 42-44" Navy Blue 40-44" Navy Blue 45-45" Navy Blue

#### **VWR® BASIC PROTECTION SPP LAB COATS**

- Economical, disposable first-line barrier
- Maximum breathability
- Low linting



Clothing Size	Description	Color	Cat. No.
L	Knit Cuffs, Three Pockets	White	414004-344
L	Elastic Cuffs, No Pockets	White	414004-351
XL	Knit Cuffs, Three Pockets	White	414004-342
XL	Elastic Cuffs, No Pockets	White	414004-350
XL	Elastic Cuffs, Three Pockets	Blue	89208-752
XXL	Knit Cuffs, Three Pockets	White	414004-343
XXL	Elastic Cuffs, No Pockets	White	414004-349

#### **VWR® BASIC PROTECTION SMS LAB COATS**

- Multilayer SMS material protection
- Light fluid and particulate barrier
- Excellent breathability
- One breast pocket and two hip pockets
- Serged seams



Clothing Size	Color	Cat. No.
М	White	414004-362
L	Blue	414004-355
L	White	414004-363
XL	Blue	414004-356
XL	White	414004-361

#### **BASIC PLUS LAB COATS, KIMBERLY-CLARK®**

- Three-layer SMS fabric for protection against light fluid contact
- Five-snap front closure, one breast pocket, two hip pockets, knit collar and cuffs



Clothing Size	Color	Cat. No.
L	White	37000-924
М	Blue	89033-026

#### **DUPONT™ PROSHIELD® 10 LAB COATS** WITH KNIT COLLAR AND CUFFS

- Knit collar
- Knit cuffs
- Set sleeve design
- Length extends below hips
- Front snap closure
- Serged seams



M 36 3/4" 23 1/4" Blue L 38" 24 3/4" Blue XI 39 1/4" 26 1/4" Blue	Cat. No.	Color	Chest Size	Length	Clothing Size
	10016-298	Blue	23 1/4"	36 <sup>3</sup> / <sub>4</sub> "	М
XI 39 1/2" 26 1/2" Blue	10016-296	Blue	24 3/4"	38"	L
7.2 20 /2 20 /2	10016-302	Blue	26 1/2"	39 1/2"	XL
XXL 40" 28 ³/4" White	10016-304	White	28 3/4"	40"	XXL

#### **VWR® ADVANCED PROTECTION LAB COATS**

- Significant fluid and particulate barrier
- Durable lightweight fabric
- Excellent breathability and water vapor transmission rate
- Soft tactile feel



Color	Cat. No.
White	414004-378
White	414004-376
White	414004-375
	White White

#### UNIVERSAL PRECAUTIONS LAB **COATS, KIMBERLY-CLARK®**

- Disposable, fluid-resistant, threelayer SMS fabric
- Six-snap front closure, three reinforced pockets, back vent, traditional collar, and knit cuffs
- Tailored styling and fit enhances worker comfort
- Nonsterile, Latex free



Clothing Size	Color	Cat. No.
Lab Coat Blue		
М	Blue	10815-740
Lab Coat White		
L	White	10815-734

#### **DUPONT™ PROSHIELD® 60 LAB COATS**

- Laydown collar
- Open wrists
- Length extends below hips
- Front snap closure
- Two pockets
- Serged seams



Clothing Size	Length	Chest Size	Color	Cat. No.
XL	391/2"	261/2"	White	13452-318
XXL	40"	283/4"	White	13452-320

#### **VWR® MAXIMUM PROTECTION LAB COATS**

- Superior fluid and particulate barrier
- Lowest level of particle shedding
- Light chemical-splash resistance
- Breathable to ensure user comfort
- Soft, cloth-like fabric with maximum tear strength



Clothing Size	Color	Cat. No.
М	White	414004-371
L	White	414004-369
XL	White	414004-368

#### **KLEENGUARD® A10 LIGHT DUTY LAB COAT,** KIMBERLY-CLARK PROFESSIONAL®

- Lightweight, breathable polypropylene fabric
- Combination of price and protection for nonhazardous environments



Clothing Size	Description	Color	Cat. No.
XL	Snap front, elastic wrists, no pocket	White	10837-438
XXL	Snap front, elastic wrists, no pocket	White	10837-440

#### **VWR SIGNATURE**<sup>™</sup> **LAB COATS** MADE WITH DUPONT™ TYVEK® **ISOCLEAN® MATERIAL**

- Premium level of protection and durability while remaining comfortable
- Excellent barrier against dry particles, nonhazardous liquids, and microorganisms, designed for use in cleanroom environments
- Limited-use lab coats are antistatic treated, low linting, chemically and biologically inert



#### **VWR® WOMEN'S LAB COAT, REUSABLE**

- Tapered back panel with half belt
- Plain front, no embroidery
- Industrial launderable
- Durable and comfortable
- Poly/cotton fabric (80/20 blend)



Clothing Size	Color	Cat. No.
L	White	89128-786
XL	White	89127-198
XXL	White	89127-192

Clothing Size	Chest Size	Color	Cat. No.
S	34-36"	White	10141-316
М	38-40"	White	10141-318

#### **DUPONT™ TYVEK® 400 FROCKS WITH** LAYDOWN COLLAR AND POCKETS

- Laydown collar
- Open wrists
- Extends below hips
- Front snap closure
- Two front pockets
- Serged seams



#### **VWR® MEN'S LAB COAT, REUSABLE**

- Durable, comfortable poly/cotton (80/20 blend) fabric
- Plain front, no embroidery
- Industrial launderable



Clothing Size	Length	Chest Size	Color	Cat. No.
Tyvek® 400 Lab Coa	ts			
L	361/2"	253/4"	White	10010-086
XXL	413/4"	28³/₄"	White	10010-090

Clothing Size	Chest Size	Color	Cat. No.
М	38-40"	White	10141-302
L	42-44"	White	10141-304

#### DUPONT™ TYVEK® ISOCLEAN® LAB COATS

- Serged seams
- Laydown collar
- Open wrists
- Raglan sleeve design
- Front snap closure
- Two front pockets
- Chest pocket



## **VWR® UNISEX 100% COTTON LAB COAT**

- Quick-release five-snap front and snap cuffs
- Plain front with no embroidery
- Overall length is 99 cm (39")



Clothing Size	Length	Chest Size	Color	Cat. No.
L	43 1/2"	23"	White	89127-194
XXL	51"	27 1/2"	White	89127-190

Clothing Size	Chest Size	Color	Cat. No.
М	34-36"	White	10753-934
L	38-40"	White	10753-936

#### **VWR® PROTECTION ESD LAB COATS**

- Provides anti-static protection
- Knit cuffs
- 2% carbon fiber



#### WORKRITE® FR NOMEX® WOMEN'S FLAME RESISTANT LAB COAT

- Protective thigh length design, waistband for tailored fit
- Concealed snap-front closures
- Side pass-through access to inner clothing
- Three pockets
- UL Certified to NFPA 2112



Clothing Size	Color	Cat. No.
S	Royal Blue	10748-006
М	Royal Blue	10748-004

Clothing Size	Color	Cat. No.
Blue Lab Coats		
L	Blue	10769-340
XL	Blue	10769-342


#### **WORKRITE® FR NOMEX® MEN'S KNIT CUFF FLAME RESISTANT LAB COAT**

- Protective thigh length design
- Concealed snap-front closures
- Side pass-through access to inner clothing
- Four pockets
- UL Certified to NFPA 2112



Clothing Size	Color	Cat. No.
М	Royal Blue	10748-098
L	Royal Blue	10748-094

#### **WORKRITE® FR NOMEX® MEN'S** KNIT CUFF FLAME RESISTANT LAB COAT WITH WESTEX® SHIELDCXP™ **CHEMICAL SPLASH PROTECTION WORKRITE UNIFORM CO**





- Concealed snap front closure
- Splash resistant side pass-through for easy inner pocket access
- One double-stitched chest pocket and two large double-stitched lower front pockets with snap flaps

Clothing Size	Length	Color	Cat. No.
М	Long	Royal Blue	75795-930
XL	Regular	Royal Blue	75795-924
XL	Long	Royal Blue	75795-922

#### **DUPONT™ TYVEK® 400 FROCKS** WITH LAYDOWN COLLAR AND **ELASTIC WRISTS, EXTRA LONG**

- Laydown collar
- Elastic wrists
- Extends to knee
- Front snap closure
- Serged seams



Clothing Size	Length	Chest Size	Color	Cat. No.
L	36 <sup>1</sup> / <sub>2</sub> "	25 <sup>3</sup> / <sub>4</sub> "	White	13450-504
XL	39"	271/2"	White	13450-510

#### **DUPONT™ TYVEK® 400 FROCKS** WITH LAYDOWN COLLAR

- Laydown collar
- Open wrists
- Extends below hips
- Front snap closure
- Serged seams



#### **VWR® BASIC PROTECTION SMS FROCKS**

- Multilayer SMS material protection
- Light fluid and particulate barrier
- Excellent breathability
- No pockets
- Serged seams



Clothing Size	Length	Chest Size	Color	Cat. No.
Tyvek® 400 Frock	s with Open Wrists	5		
L	361/2"	253/4"	White	10010-072
XL	39"	271/2"	White	10010-074

Clothing Size	Color	Cat. No.
L	Blue	414004-402
XL	White	414004-386
XL	Blue	414004-403
XXL	White	414004-385

#### **CONTROLLED ENVIRONMENT** FROCK, ESD GRID, WHITE KNIGHT

- Zippered, durable, and reusable
- For micro-electronics and semi-conductor manufacturing
- All seams are laser cut or pre-serged, silicon-free thread



#### **DUPONT** PROSHIELD® 10 FROCKS WITH MANDARIN COLLAR, ELASTIC WRISTS, AND ZIPPER CLOSURE

- Mandarin collar
- Elastic wrists
- Front zipper closure
- Length extends to knees
- Serged seams



Clothing Size	Description	Chest Size	Color	Cat. No.
S	99 % Polyester, 1% Carbon	34-36"	Navy	89495-854
М	99 % Polyester, 1% Carbon	38-40"	Navy	89495-856
L	99 % Polyester, 1% Carbon	42-44"	Navy	89495-858

Clothing Size	Length	Chest Size	Color	Cat. No.
XL	41 3/4"	27 1/2"	Blue	10016-342
4XL	44 1/2"	32"	Blue	10016-336

#### **VWR® BASIC PROTECTION SPP FROCKS**

- Economical, disposable first-line barrier
- Maximum breathability
- Low linting



#### **DUPONT** PROCLEAN® FROCKS, FRONT ZIPPER CLOSURE

- Serged seams
- Bound neck
- Set sleeve design
- Covered elastic wrists
- Front zipper closure



Clothing Size	Color	Cat. No.
XL	White	414004-381
XXL	White	414004-400

Clothing Size	Length	Chest Size	Color	Quantity	Cat. No.
XL	413/4"	271/2"	White	Cs. 30	13452-548
XXL	421/2"	281/2"	White	Cs. 30	13452-550

#### **DUPONT™ PROCLEAN® FROCKS, FRONT SNAP CLOSURE**

- Serged seams
- Bound neck
- Set sleeve design
- Covered elastic wrists
- Front snap closure



Clothing Size	Length	Chest Size	Color	Cat. No.
М	40"	241/2"	White	13452-504
L	40 3/4"	253/4"	White	13452-506

#### **DUPONT™ TYVEK® ISOCLEAN® FROCKS WITH RAGLAN SLEEVES**

- Serged seams
- Bound neck
- Raglan sleeve design
- Elastic wrists
- Zipper closure



Clothing Size	Length	Chest Size	Color	Cat. No.	
Tyvek® IsoClean® Froc	Tyvek® IsoClean® Frocks, Clean Processed, Sterile				
L	45"	25"	White	10016-080	
3XL	55"	31 3/4"	White	10016-076	
Tyvek® IsoClean® Froc	ks, Bulk Packaged				
XL	47"	26"	White	89125-626	
XXL	53"	30 <sup>3</sup> / <sub>4</sub> "	White	89127-306	

#### **VWR® MAXIMUM PROTECTION FROCKS**

- Superior fluid and particulate barrier
- Lowest level of particle shedding
- Light chemical-splash resistance
- Breathable to ensure user comfort
- Soft, cloth-like fabric with maximum tear strength



Clothing Size	Color	Cat. No.
cks with Snap Closure		
XL	White	414004-395
XXL	White	414004-394
cks with Zipper Closure		
XL	White	414004-698
XXL	White	414004-699

#### **VWR® IRRADIATED FROCKS**

- Excellent fluid and particulate barrier
- Extremely low level of particle shedding
- Superior breathability and water vapor transmission rate
- Soft, cloth-like fabric
- Gamma irradiated to SAL of 10<sup>-4</sup>



Clothing Size	Cat. No.
XL	414004-464
XXL	414004-465

#### DUPONT™ TYVEK® ISOCLEAN® **FROCKS WITH HIGH MANDARIN COLLAR AND SET SLEEVES**

- Serged seams
- High mandarin collar with adjustable snaps
- Set sleeve design
- Elastic wrists
- Front snap closure
- Generous sizing and cut



Clothing Size	Length	Chest Size	Color	Cat. No.
L	391/2"	241/4"	White	89127-302
XL	401/2"	251/4"	White	89125-622
XXL	411/2"	261/4"	White	89127-296

#### **KLEENGUARD® A20 BREATHABLE** PARTICLE PROTECTION FROCKS, KIMBERLY-CLARK PROFESSIONAL®

- Superior particle holdout coupled with unmatched comfort attributes
- 5 layers of stacked barrier protection (SMMMS) against hazardous particles



#### VWR SIGNATURE™ FROCKS MADE WITH **DUPONT™ TYVEK® ISOCLEAN® MATERIAL**

- High level of protection in cleanroom environments
- Chemically and biologically inert
- Low linting
- Static-free until laundered



Clothing Size	Color	Cat. No.
М	White	89493-018
L	White	89493-020
XL	White	89493-022

Clothing Size	Color	Cat. No.
Frocks with Five-Snap Fr	ont and Bound Neck	
L	White	80200-604
XL	White	80200-606
XXL	White	80200-608
Frocks with Zipper Front	and Bound Neck	
L	White	89125-608
XL	White	89127-316
XXL	White	89127-308

#### **VWR® ADVANCED PROTECTION FROCKS**

- Significant fluid and particulate barrier
- Durable, lightweight fabric
- Excellent breathability and water vapor transmission rate
- Soft tactile feel
- Appropriate for ISO 6 and higher



#### **VWR® MAXIMUM PROTECTION GOWNS** MADE WITH IMPERVIOUS FABRIC

- Full protection from fluids and light chemical splash
- Manufactured from fluidimpervious material
- Lowest level of particle shedding
- Clean, low-linting fabric



Clothing Size	Cat. No.
XL	414004-404
XXL	414004-405
3XL	414004-408

	Color	Cat. No.
Large	Blue	414004-469
Large	White	414004-470
X-Large	White	414004-471

### **DUPONT™ PROCLEAN® 3 STERILE** PROCEDURE GOWNS WITH WELDED SEAMS

- Sterile
- Anti-static
- Welded seams
- Repels alcohol
- Low lint generation
- Set in sleeves
- Extra-long hook and loop closure at neck



Size	Length	Color	Cat. No.
М	106"	Blue	76290-270
L	115"	Blue	76290-272
XL	122"	Blue	76290-274

#### **DUPONT™ PROCLEAN® 2 PROCEDURE GOWNS**

- Hook and loop neck closure
- Knit cuff
- Serged seam
- Non sterile



Clothing Size	Length	Color	Cat. No.
U*	46"	Blue	76290-258
XL	48"	Blue	76290-260

#### **DUPONT™ TYVEK® ISOCLEAN® GOWNS, KNIT CUFFS**

- Serged seams
- Bound neck with ties
- Knit cuffs
- Bound ties at center front
- One size fits most



Length	Width	Color	Cat. No.
39"	271/2"	White	80076-996

#### **PROCLEAN® 1 SPUNBOUND PP ISOLATION GOWN, DUPONT**™

- Tie neck
- Elastic wrist
- Serged seams
- Universal fit



Size	Material	Length	Color	Seam Type	Cat. No.
Universal	Spunbound PP	46"	Yellow	Serged	76289-768

#### KIMBERLY-CLARK® THREE-LAYER PROCEDURE GOWNS. KIMBERLY-**CLARK PROFESSIONAL®**

- Three-layer SMS fabric for lightweight and breathable protection
- Resistant to blood strikethrough, protects against light-to-moderate fluid contact
- Velcro® neck closure, knit cuffs, full back, and tie waist for secure and comfortable fit
- Nonsterile and latex free



Size	Color	Cat. No.
Universal	Blue	89025-980
X-Large	Blue	89025-982

#### **PROCLEAN® 2SMS ISOLATION GOWN, DUPONT**™

- Tie neck
- Tie waist
- Knit cuff
- Serged seams
- Universal fit



Size	Material	Length	Color	Cat. No.
Universal	Tri-Layer SMS	46"	Yellow	76289-824

## **DUPONT™ ISOLATION GOWNS**

- Unisex
- Elastic wrist
- Neck and waist ties



Description	Size	Material	Color	Cat. No.
Tri-Layer Gown	X-Large	SMS Fabric	Yellow	CV2101PG

#### KIMBERLY-CLARK® ULTRA SURGICAL GOWN, STERILE, KIMBERLY-**CLARK PROFESSIONAL®**



- Raglan Sleeves and Adjustable Neckline with Hook-and-Loop Closure Provides Comfortable Fit
- Color-Coded Neck Binding
- Book Fold
- Latex Free and Sterile





# VWR disposable glove guide

The VWR Collection line of disposable gloves offers a variety of choices depending on your application. Whether your needs are production, laboratory or industrial focused, we have you covered. With varying material, thickness and length options available it can be difficult to choose the right level of protection. Use the guide below to understand the features of our VWR Disposable Gloves.

Cleanroor	m gloves, po	owder-fre	ee								
	Product Line	Packed	Static Dissipative	Thickness, Finger	Length	Texture	Cuff	Color	Ambidextrous	Packaging	Cat. No. Series
Nitrile glo	ves										
	VWR® CERTICLEAN® Class 10 Nitrile Gloves	ISO Class 4 (FED-STD- 209E Class 10/M2.5)	Yes	6.3 mil	12 in.	Fingertips	Beaded	White	Yes	100/Bag, 10 Bags/ Case	40101-352
	VWR° CERTICLEAN° Class 100 Nitrile Gloves	ISO Class 5 (FED-STD- 209E Class 100/M3.5)	Yes	6.3 mil	10 in.	Fingertips	Beaded	White	Yes	100/Bag, 10 Bags/ Case	40101-222
	VWR® Maximum Protection Class 10 Nitrile Gloves	ISO Class 4 (FED-STD- 209E Class 10/M2.5)	Yes	5.9 mil	12 in.	Fingers	Tapered, Beaded	White	Yes	100/Bag, 10 Bags/ Case	89130-846
	VWR® Advanced Protection Class 100 Nitrile Gloves	ISO Class 5 (FED-STD- 209E Class 100/M3.5)	Yes	5.9 mil	12 in.	Fingers	Tapered, Beaded	White	Yes	100/Bag, 10 Bags/ Case	89130-836
Latex Glov	ves										
	VWR° CERTICLEAN°		No	8.7 mil	12 in.	Fully Textured	Tapered, Beaded	Natural	Yes	100/Bag, 10 Bags/ Case	40101-146
	Class 10 Latex	209E Class 10/M2.5)	No	8.7 mil	12 in.	Fully Textured	Tapered, Beaded	Natural	Hand-Specific	50 Pair/ Bag, 4 Bags/ Case	40101-044
1	VWR® CERTICLEAN®	ISO Class 5 (FED-STD-	No	8.7 mil	10 in.	Fully Textured	Beaded	Natural	Yes	100/Bag, 10 Bags/ Case	40101-142
	Class 100 Latex Gloves	209E Class 100/M3.5)	No	8.7 mil	12 in.	Fully Textured	Beaded	Natural	Yes	100/Bag, 10 Bags/ Case	40101-158





# Visit vwr.com/vwrgloves to search online!

# General use gloves, powder-free

	Product Line	Feature	Material	Chemo Rated	Thickness, Finger	Length	Texture	Cuff	Color	Packaging	Cat. No. Series
	VWR® MICROGRIP® PURPLE NITRILE® Poly-Coated Powder-Free Gloves	Polymer Coating for Easy Donning	Nitrile	No	5.5 mil	10 in.	Fully Textured	Beaded	Purple	100/Pack, 10 Packs/ Case	40101-346
	VWR® Powder-Free Nitrile Examination Gloves	Everyday Glove, Ideal for Many Applications	Nitrile	Yes	4.7 mil	9 in.	Fully Textured	Rolled, Beaded	Light Blue	100/Pack, 10 Packs/ Case"	82026-424
	VWR® Soft Nitrile Examination Gloves	Exceptional Tactile Sensitivity and Comfort	Nitrile	Yes	3.9 mil	9 in.	Fingers	Beaded	Blue	100/Pack, 10 Packs/ Case	89038-268
	VWR® Nitrile 200 Examination Gloves	Space-saving and Waste- reducing Packaging	Nitrile	Yes	3.1 mil	9 in.	Fingers	Rolled, Beaded	Blue	200/Pack, 10 Packs/ Case	89428-748
	VWR® Nitrile Extended Cuff Exam Gloves	Extended Cuff and Thicker High Risk Protection	Nitrile	Yes	6.1 mil	12 in.	None	Rolled, Beaded	Blue	50/Pack, 10 Packs/ Case	89521-896
VWR® Polyethylen. Disposable Gloves	VWD® Polyethylene	Durable Food				12 in.	Fully			100/Pack, 10 Packs/ Case	32915-224
	Disposable Gloves		No	1.2 mil	21.5 in. (Elbow Length)	Textured 5 in.	N/A	Transparent	100/Pack, 5 Packs/ Case	32915-272	

#### HAND AND ARM PROTECTION

#### **VWR® GRIP EXAMINATION GLOVES**

- Ambidextrous
- Powder-free and latex-free
- Fully textured with wavy grip design
- Extended length beaded cuffs (10.5")
- Gloves protect hands from a broad range of chemicals



## STERLING<sup>™</sup> NITRILE AND STERLING<sup>™</sup> NITRILE-XTRA<sup>™</sup> EXAM **GLOVES. KIMBERLY-CLARK**

- Excellent tactile sensitivity allows easy handling of delicate instruments
- Ambidextrous, textured fingertips, beaded cuff
- Powder-free
- Thickness: 3.5mil (finger), 3.1mil (palm), 2.8mil (cuff)



Glove Size	Length	Thickness	Glove Color	Packaging	Cat. No.
X-Small	267 mm (10.5")	5.5 mil (0.14 mm)	Blue	50/Box, 500/Case	76209-772
Small	267 mm (10.5")	5.5 mil (0.14 mm)	Blue	50/Box, 500/Case	76209-774
Medium	267 mm (10.5")	5.5 mil (0.14 mm)	Blue	50/Box, 500/Case	76209-776
Large	267 mm (10.5")	5.5 mil (0.14 mm)	Blue	50/Box, 500/Case	76209-778
X-Large	267 mm (10.5")	5.5 mil (0.14 mm)	Blue	50/Box, 500/Case	76209-780
2X-Large	267 mm (10.5")	5.5 mil (0.14 mm)	Blue	50/Box, 500/Case	76209-782

Glove Size	Length	Glove Color	Cat. No.
STERLING <sup>™</sup> Nitril	e		
Small	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	Gray	89140-818
Medium	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	Gray	89140-820
Large	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	Gray	89140-822
STERLING <sup>™</sup> Nitril	le-XTRA™		
Small	30.5 cm (12")	Gray	94023-908
Medium	30.5 cm (12")	Gray	94023-910
Large	30.5 cm (12")	Gray	94023-912

#### PURPLE NITRILE™ AND PURPLE NITRILE-XTRA™ **EXAMINATION GLOVES, KIMBERLY-CLARK**

- Offer excellent tactile sensitivity and dexterity
- Textured fingertips and beaded cuff
- Ambidextrous and powder-free
- Length: 24.1cm (9.5") or 30.5cm (12")
- Thickness: 5.9mil (finger), 4.7mil (palm), 3.5mil (cuff)



#### **LAVENDER™ NITRILE EXAM GLOVES, KIMBERLY-CLARK**

- Latex-free, powder-free, nonsterile, static dissipative
- Ambidextrous, beaded cuffs, textured fingertips
- Thickness: 2.8 mil (finger), 2 mil (palm), 1.6 mil (cuff)



Description	Glove Size	Length	Glove Color	Cat. No.
PURPLE NITRILE® Gloves				
	Small	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	Purple	32934-078
	Medium	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	Purple	32934-080
	Large	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	Purple	32934-082
PURPLE NITRILE-XTRA® Glove	s			
Natural Rubber, Latex-Free	Small	30.5 cm (12")	Purple	32933-970
Natural Rubber, Latex-Free	Medium	30.5 cm (12")	Purple	32933-972
Natural Rubber, Latex-Free	Large	30.5 cm (12")	Purple	32933-974

Glove Size	Length	Glove Color	Cat. No.
Small	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	Purple	89166-207
Medium	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	Purple	89166-209
Large	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	Purple	89166-211

#### SPRING GREEN NITRILE EXAM GLOVES. KIMBERLY CLARK PROFESSIONAL

- Strong wet and dry grip reduces potential for slips
- Textured fingertips enhance grip
- Beaded cuffs for added strength and donning ease
- Free of natural rubber latex
- Reduced potential for glove-associated allergic reactions
- Superior quality
- AQL exceeds the ASTM 2.5 standard for critical defects (pinholes)
- Recyclable through the RightCycle® by Kimberly-Clark Professional®

Glove Size	Length	Thickness	Glove Color	Cat. No.
Small	22.8 cm (9")	4.7 mil	Green	10204-808
Medium	22.8 cm (9")	4.7 mil	Green	10204-810
Large	22.8 cm (9")	4.7 mil	Green	10204-812

#### MICROFLEX® 93-243 **GLOVES, ANSELL**

- **Ambidextrous**
- Textured grip
- Powder-free
- For single use only



Glove Size	Length	Thickness	Glove Color	Cat. No.
6.5 - 7	40.6 cm (15 <sup>7</sup> / <sub>8</sub> ")	4.7 mil	Blue	75795-896
7.5 - 8	40.6 cm (15 <sup>7</sup> / <sub>8</sub> ")	4.7 mil	Blue	75795-898
8.5 - 9	40.6 cm (15 <sup>7</sup> / <sub>8</sub> ")	4.7 mil	Blue	75795-900



- First ergonomic-certified exam glove in the industry
- Beaded cuffs
- Superior barrier protection
- Scientifically designed to reduce muscle effort
- Thickness: 3.5 mil (finger)



Glove Size	Length	Glove Color	Cat. No.
Small	23.5 cm (9 <sup>3</sup> / <sub>16</sub> ")	Blue	89174-540
Medium	23.5 cm (9 <sup>3</sup> / <sub>16</sub> ")	Blue	89174-542
Large	23.5 cm (9 <sup>3</sup> / <sub>16</sub> ")	Blue	89174-544

#### **ALOE SENSE NITRILE EXAM GLOVES. POWDER-**FREE, MICROFLEX®

- Exceptional tactile sensitivity and comfort
- Extra sensitivity with soothing aloe
- Thickness: 3.5 mil (finger)





Glove Size	Length	Glove Color	Cat. No.
Small	24 cm (9 <sup>3</sup> / <sub>8</sub> ")	Blue	89427-560
Medium	24 cm (9 <sup>3</sup> / <sub>8</sub> ")	Blue	89427-562
Large	24 cm (9 <sup>3</sup> / <sub>8</sub> ")	Blue	89427-564

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region

#### MIDKNIGHT<sup>™</sup> NITRILE **EXAMINATION GLOVES, MICROFLEX®**

- Powder free, fully textured for firm grip
- Exceptional tactile sensitivity, comfort, and durability
- Distinct color masks stains
- Thickness: 5.5 mil (finger)



Glove Size	Length	Glove Color	Cat. No.
Small	24.5 cm (9 <sup>5</sup> / <sub>8</sub> ")	Black	94001-366
Medium	24.5 cm (9 <sup>5</sup> / <sub>8</sub> ")	Black	94001-368
Large	24.5 cm (9 <sup>5</sup> / <sub>8</sub> ")	Black	94001-370

#### **TOUCHNTUFF® 92-675 NITRILE GLOVES. DISPOSABLE, ANSELL**

- Rolled cuffs
- **Ambidextrous**
- Durable, yet soft for improved comfort
- Powder-free
- Static-dissipative



Glove Size	Length	Thickness	Glove Color	Cat. No.
Small	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	5 mil	Blue	32889-884
Medium	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	5 mil	Blue	32889-886
Large	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	5 mil	Blue	32889-888

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

# MICROFLEX® Supreno™ SE durable, heavy-duty coverage nitrile exam gloves



Ideal for longer wear times and demanding applications.

The MICROFLEX Supreno SE offers an advanced barrier protection against contaminants due to its low acceptable pinhole rates. Its 0.65 Acceptance Quality Limit for pinholes help set a new standard for protection. Non-stick properties are built into the glove formulation to create a barrier against tape or adhesives, helping workers with improved efficiency and speed. Textured fingers ensure tenacious grip increasing worker protection and safety. Polymer coating allows for effortless donning and doffing. The gloves are constructed without any natural rubber latex materials or powder, to protect from type 1 allergies, skin irritation and dryness

#### Features & benefits:

- Durable nitrile formulation for demanding jobs
- Non-stick properties resist tapes and adhesives
- Polymer coating ensures easier & faster donning
- Examination grade & food contact compliant
- Thickness: 4.3 mil palm, 7.1 mil finger:
- Automotive, Chemical, Healthcare, Laboratory, Law Enforcement and Manufacturing in following

#### **Applications:**

- Laboratory analysis and testing
- Assembly and inspection
- Electronics
- Food processing
- Maintaining equipment & instruments
- Patient examinations
- Pharmaceutical manufacturing
- Protection from blood and other bodily fluids

Glove Size	Length	Glove Color	Supplier Number	Packaging	Cat. No.
				Case of 1000	
X-Small	24.5 cm (95/8")	Blue	SU-690-XS	Pack of 100	32916-668
				Case of 1000	
Small	24.5 cm (95/8")	Blue	SU-690-S	Pack of 100	32916-660
				Case of 1000	
Medium	24.5 cm (95/8")	Blue	SU-690-M	Pack of 100	32916-662
				Case of 1000	
Large	24.5 cm (95/8")	Blue	SU-690-L	Pack of 100	32916-664
				Case of 1000	
X-Large	24.5 cm (95/8")	Blue	SU-690-XL	Pack of 100	32916-666







#### TOUCHNTUFF® 93-300 NITRILE GLOVES WITH LONG CUFF, POWDER-FREE, ANSELL

- High degree of dexterity for precision work
- Silicone-free
- High level of comfort and increased forearm protection

Glove Size	Length	Thickness	Glove Color	Cat. No.
Small	27.7 cm (10 <sup>7</sup> / <sub>8</sub> ")	5 mil	Green	10049-908
Medium	28.7 cm (11 <sup>5</sup> / <sub>16</sub> ")	5 mil	Green	10049-910
Large	30 cm (11 <sup>13</sup> / <sub>16</sub> ")	5 mil	Green	10049-913

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.



#### ESTEEM™ COMFORT NITRILE EXAM GLOVES, CARDINAL HEALTH®

- 30% higher minimum elongation than the minimum ASTM standard for a nitrile exam glove
- Reduce cuff tears during donning Reduces the risk of developing a Type IV hypersensitivity to chemical accelerants
- Tested against chemotherapy drugs per ASTM D6978

Glove Size	Glove Color	Cat. No.
X-Small	Blue	76311-742
Small	Blue	76311-744
Medium	Blue	76311-746
Large	Blue	76311-752
X-Large	Blue	76311-754
2X-Large	Blue	76311-756



#### **EVOLUTION ONE™ LATEX GLOVES, MICROFLEX®**

- Ambidextrous
- Interior polymer coating for superior antisticking properties in all conditions
- Fully textured, beaded cuff, powder free
- Thickness: 8.7 mil (finger)

Glove Size	Length	Glove Color	Cat. No.
Small	25.4 cm (10")	Natural	32916-532
Medium	25.4 cm (10")	Natural	32916-534
Large	25.4 cm (10")	Natural	32916-536



#### DIAMOND GRIP™ LATEX GLOVES, MICROFLEX®

- Thick textured fingers for gripping in wet and dry conditions
- Powder free
- Fully chlorinated
- Beaded cuff
- Thickness: 9.1 mil (finger)

Glove Size	Length	Glove Color	Cat. No.
Small	24.5 cm (9 <sup>5</sup> / <sub>8</sub> ")	Natural	32916-506
Medium	24.5 cm (9 <sup>5</sup> / <sub>8</sub> ")	Natural	32916-500
Large	24.5 cm (9 <sup>5</sup> / <sub>8</sub> ")	Natural	32916-502

#### **AMBITEX® HIGH VISIBILITY NITRILE POWDER-FREE GLOVES. N6201T SERIES. CARDINAL HEALTH®**

- Highly visibile orange color for clear distinction
- Heavyweight to withstand the toughest tasks
- Extended cuff for added forearm protection
- Textured surface for improved grip
- Thickness: 6 mil (finger)





Glove Size	Glove Color	Cat. No.
Small	Orange	10860-882
Medium	Orange	10860-864
Large	Orange	10860-846

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### N-DEX<sup>™</sup> AMBIDEXTROUS **POWDER-FREE NITRILE GLOVES, BEST® MANUFACTURING**

- **Ambidextrous**
- Powder-free
- Rolled cuffs
- Smooth finish
- Green gloves offer high visibility



Glove Size	Length	Thickness	Glove Color	Packaging	Cat. No.
N-DEX <sup>™</sup> Origi	inal Gloves				
Small	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	4 mil	Blue	Dispenser Box	47746-956
Large	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	4 mil	Blue	Dispenser Box	47746-952
X-Large	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	4 mil	Blue	Dispenser Box	47746-950
N-DEX <sup>™</sup> Free	Gloves				
Small	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	4 mil	Green	Dispenser Box	47742-970
Medium	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	4 mil	Green	Dispenser Box	47742-972
Large	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	4 mil	Green	Dispenser Box	47742-974

#### SHOWA 6110PF POWDER-FREE NITRILE **GLOVES, SHOWA BEST GLOVE**

- Powder Free
- Ambidextrous
- 100% Nitrile



Description	Glove Size	Length	Thickness	Glove Color	Cat. No.
Nitrile Gloves with					
Textured Fingertips	Small	24 cm (9 <sup>3</sup> / <sub>8</sub> ")	4.0 mil	Green	10842-382
Nitrile Gloves with					
Textured Fingertips	Medium	24 cm (9 <sup>3</sup> / <sub>8</sub> ")	4.0 mil	Green	10842-384
Nitrile Gloves with					
Textured Fingertips	Large	24 cm (9 <sup>3</sup> / <sub>8</sub> ")	4.0 mil	Green	10842-386

#### N-DEX® NITRILE, 4 MIL, BLACK, **POWDER-FREE, INDUSTRIAL GLOVE, SHOWA BEST GLOVE**

- Static dissipative
- Textured finger tips
- Silicone-free
- Black color finish for industrial applications



Glove Size	Length	Glove Color	Cat. No.
Small	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	Black	75934-314
Medium	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	Black	75927-838
Large	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	Black	75927-840

#### **BEST® NITRILE DISPOSABLE GLOVES, SHOWA BEST GLOVE**

- Gloves feature a rolled cuff and a textured grip
- Economy grade



Glove Size	Length	Thickness	Glove Color	Cat. No.
Small	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	4 mil	Blue	12000-148
Medium	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	4 mil	Blue	12000-150
Large	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	4 mil	Blue	12000-152

#### N-DEX® NITRILE, 4 MIL, **POWDER-FREE, 9.5", MEDICAL EXAM GLOVE. BAGGED. SHOWA BEST GLOVE**

- Bagged packaging to keep product safe
- Low modulus formulation for comfort
- Textured finger tips for added grip



Glove Size	Length	Glove Color	Cat. No.
Small	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	Blue	76012-926
Medium	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	Blue	76012-928
Large	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	Blue	76012-930

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region

#### N-DEX® NITRILE, 5 MIL, POWDER-FREE, 12", MEDICAL EXAM GLOVE, **BAGGED, SHOWA BEST GLOVE**

- Bagged version for added product protection
- 12" length for additional protection of the wrist
- Low modulus formulation for added comfort



N-DEX® NITRILE, 8 MIL, POWDER-
FREE, 9.5" MEDICAL EXAM
GLOVE, SHOWA BEST GLOVE

- 8 mil thickness for added protection
- Powder-free
- Medical exam gloves



Length	Glove Color	Cat. No.
30.5 cm (12")	Blue	76013-050
30.5 cm (12")	Blue	76013-052
30.5 cm (12")	Blue	76013-054
	30.5 cm (12") 30.5 cm (12")	30.5 cm (12") Blue 30.5 cm (12") Blue

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Glove Size	Length	Glove Color	Cat. No.
Small	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	Blue	76013-286
Medium	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	Blue	76013-288
Large	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	Blue	76013-290

## **Aurelia Gloves**

### Industrial strength barrier protection

#### **IGNITE® HIGH-RISK NITRILE**

- 7.0 mil, patented MAX Grip™ texture
- High visibility orange color
- Excellent puncture resistance
- Superior chemical resistance and tensile strength
- Tested and approved for fentanyl resistance per ASTM D6978-05 Standards

Glove Size	Unit (Each,	Pack, or Case)	Cat. No.
Medium	Box 100	Cases 1000	76302-756
Large	Box 100	Cases 1000	76302-758
X-Large	Box 100	Cases 1000	76302-760
2X-Large	Box 100	Cases 1000	76302-762





**AURELIA® GLOVES** 

#### **BOLD® DURABLE BLACK NITRILE**

- 5.0 mil, formulated for puncture & abrasion protection
- Black, fully textured for enhanced gripping
- Superior chemical resistance and tensile strength
- Tested and approved for fentanyl Resistance per ASTM D6978-05 Standards

Glove Size	Unit (Each	, Pack, or Case)	Cat. No.
X-Small	Box 100	Cases 1000	75997-460
Small	Box 100	Cases 1000	75997-462
Medium	Box 100	Cases 1000	75997-464
Large	Box 100	Cases 1000	75997-466
X-Large	Box 100	Cases 1000	75997-468

#### **ROBUST PLUS® EXTENDED CUFF NITRILE**

- 4.5 mil, fully textured
- 12" extended cuff for extra protection
- Blue color
- Puncture & abrasion resistant
- Tested and approved for fentanyl & chemo drug resistance per ASTM D6978-05 Standards

Glove Size	Unit (Each, I	Pack, or Case)	Cat. No.
Small	Box 100	Cases 1000	75999-296
Medium	Box 100	Cases 1000	75999-298
Large	Box 100	Cases 1000	75999-300
X-Large	Box 100	Cases 1000	75999-302
2X-Large	Box 100	Cases 1000	75999-304

#### SUPERMAX PERFORM™ NITRILE **POWDER-FREE GLOVES**

- Thinnest nitrile glove for ultimate comfort (2.5 mil)
- Greater tactile sensitivity
- Designed for optimal performance
- Textured fingers, Beaded cuff
- Ambidextrous/Nonsterile
- Eco friendly packing



#### **BLUSH® NITRILE GLOVES**

- Optimal stretchability
- Textured fingers for improved gripping action
- Powder-free
- Latex-free
- Pink color



Quest

Glove Size	Length	Glove Color	Cat. No.
Small	24 cm (9 <sup>3</sup> / <sub>8</sub> ")	Green	75997-480
Medium	24 cm (9 <sup>3</sup> / <sub>8</sub> ")	Green	75997-482
Large	24 cm (9 <sup>3</sup> / <sub>8</sub> ")	Green	75997-408

Medium         24 cm (9 ³/s")         2.5 mil         Pink         75997-654           Large         24 cm (9 ³/s")         2.5 mil         Pink         75997-656           Small         24 cm (9 ³/s")         2.5 mil         Pink         75997-772	Glove Size	Length	Thickness	Glove Color	Cat. No.
	Medium	24 cm (9 <sup>3</sup> / <sub>8</sub> ")	2.5 mil	Pink	75997-654
Small 24 cm (9 ³/8") 2.5 mil Pink <b>75997-772</b>	Large	24 cm (9 <sup>3</sup> / <sub>8</sub> ")	2.5 mil	Pink	75997-656
	Small	24 cm (9 ³/ <sub>8</sub> ")	2.5 mil	Pink	75997-772

#### SUPERMAX PROTEGE<sup>™</sup> **STRETCH NITRILE GLOVES**

- 4.0mil palm thickness
- 100% latex free, rivals latex comfort and ergonomics
- Fingertip-textured finish even grips extra-thin objects
- Greater chemical resistance compared to the other materials
- Ambidextrous, nonsterile, single use



#### **SUPERMAX AURELIA® QUEST™ WHITE NITRILE POWDER FREE GLOVES**

- New Generation of Nitrile Glove for superior comfort
- Lightweight with superior durability, 3.0mil palm thickness
- Nitrile Gloves which fit & feel like Latex Gloves but non-allergenic
- Fingertip-textured finish grips even extra-thin objects
- Greater chemical resistance compared to other materials
- Ambidextrous, nonsterile, single use

Glove Size	Length	Glove Color	Cat. No.
Small	24 cm (9 <sup>3</sup> / <sub>8</sub> ")	Blue	75997-442
Medium	24 cm (9 <sup>3</sup> / <sub>8</sub> ")	Blue	75997-444
Large	24 cm (9 <sup>3</sup> / <sub>8</sub> ")	Blue	75997-446

Glove Size	Length	Glove Color	Cat. No.
Small	24 cm (9 <sup>3</sup> / <sub>8</sub> ")	White	75997-424
Medium	24 cm (9 <sup>3</sup> / <sub>8</sub> ")	White	75997-426
Large	24 cm (9 <sup>3</sup> / <sub>8</sub> ")	White	75997-428

#### **SUPERMAX ROBUST™ BLUE NITRILE GLOVES**

- 100% Latex free
- 5 mil thickness for improved puncture resistance
- Micro-textured finished delivers improved grip
- Powder free
- Ambidextrous
- Non-sterile, Single-use



#### RIVAL™ 200 PACK ACCELERATOR FREE, SOFT MODULUS, EXAM GRADE **NITRILE GLOVES, TECHNIGLOVE**

- Accelerator-free
- Powder-free
- Soft modulus
- Low extractable
- 100% Nitrile



Glove Size	Length	Glove Color	Cat. No.
Small	24 cm (9 <sup>3</sup> / <sub>8</sub> ")	Blue	75997-432
Medium	24 cm (9 <sup>3</sup> / <sub>8</sub> ")	Blue	75997-434
Large	24 cm (9 <sup>3</sup> / <sub>8</sub> ")	Blue	75997-436

Glove Size	Length	Thickness	Glove Color	Cat. No.
Small	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	4 mil	Blue	10791-604
Medium	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	4 mil	Blue	10791-606
Large	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	4 mil	Blue	10791-608
X-Large	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	4 mil	Blue	10791-610
2X-Large	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	4 mil	Blue	10791-612

#### **NITRILE EXAMINATION GLOVES, CHEMO RATED, TRONEX®**

- Fingertip textured for improved grip
- Outstanding comfort, durability, and elasticity
- Excellent barrier protection from bloodborne pathogens
- Thickness: 3.9 mil (finger)





#### **XTRA-PFE™ LATEX EXAMINATION GLOVES, KIMBERLY-CLARK**

- **Ambidextrous**
- Beaded cuff
- For single use only
- **AQL 1.5**
- Thickness: 10.2 mil (finger)



Length	Glove Color	Cat. No.
24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	Blue	10153-076
24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	Blue	10153-078
24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	Blue	10153-080
	24.1 cm (9 ½") 24.1 cm (9 ½")	24.1 cm (9 ½") Blue 24.1 cm (9 ½") Blue

US ONIY

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Glove Size	Length	Glove Color	Cat. No.
Small	30.5 cm (12")	Natural	32934-122
Medium	30.5 cm (12")	Natural	32934-124
Large	30.5 cm (12")	Natural	32934-126

#### **EXAMINATION GLOVES, NITRILE, EXTRA-THICK, TRONEX®**

- Fully textured for sustained grip during use
- Maximum durability and performance
- Barrier protection from bloodborne pathogens
- Thickness: 9.6 mil (finger)



PFE LATEX EXAMINATION	
GLOVES, KIMBERLY-CLAR	<

- Ambidextrous
- Beaded cuff
- For single use only
- **AQL 1.5**
- Thickness: 6.7 mil (finger)



Glove Size	Length	Glove Color	Cat. No.
Small	30.5 cm (12")	Blue	10153-100
Medium	30.5 cm (12")	Blue	10153-102
Large	30.5 cm (12")	Blue	10153-104

Glove Size	Length	Glove Color	Cat. No.
Small	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	Natural	32934-007
Medium	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	Natural	32934-011
Large	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	Natural	32934-015

#### NITRISHIELD™, **PREMIUM NITRILE GLOVES, POWDER-**FREE, MCR SAFETY

- Reversible
- Nitrile contain no latex proteins and offer excellent resistance to punctures and tears



Glove Size	Length	Thickness	Glove Color	Cat. No.
Small	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	4.5 mil	Blue	80081-527
Medium	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	4.5 mil	Blue	80081-525
Large	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	4.5 mil	Blue	80081-523

#### **ESTEEM® STRETCHY NITRILE GLOVES WITH NEU-**THERA® FORMULATION, **CARDINAL HEALTH®**

- Lined with same ingredients found in physicianrecommended hand lotions
- Powder-free, latex-free
- Fully textured
- Thickness: 4.9 mil (finger)
- Meet or exceed ASTM D3578, pass ASTM F1671 bacteriophage penetration test

Glove Size	Length	Glove Color	Cat. No.
Small	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	Blue	89021-876
Medium	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	Blue	89021-878
Large	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	Blue	89021-880





#### FLEXAL<sup>™</sup> NITRILE **EXAMINATION GLOVES, CARDINAL HEALTH®**

- An alternative to latex
- Textured fingertips improve grip even when wet
- Larger box counts
- Powder-free
- Thickness: 3.9 mil (finger)



Description	Glove Size	Glove Color	Quantity	Cat. No.
Flexal™ Nitrile Exam Gloves Ambi	Small	Purple	Pk. 200	89194-776
Flexal™ Nitrile Exam Gloves Ambi	Medium	Purple	Pk. 200	89194-778
Flexal™ Nitrile Exam Gloves Ambi	Large	Purple	Pk. 200	89194-780

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### **BLACK DRAGON® POWDER-FREE BLACK LATEX EXAMINATION GLOVES, MICROFLEX®**

- Offer comfort and strength in a distinctive black gloves that provides better framing effect
- Meet maximum powder and maximum water extractable protein requirements
- Fully textured finish and beaded cuffs
- Thickness: 5.1 mil (finger)

Small 24.5 cm (9 5/8") Black	
Sindii 24.5 Ciri (9 /8 ) Bluck	89173-088
Medium 24.5 cm (9 5/8") Black	89173-090
Large 24.5 cm (9 <sup>5</sup> / <sub>8</sub> ") Black	89173-092

#### **SAFEGRIP® POWDER-FREE** LATEX GLOVES, MICROFLEX®

- 4X thicker than standard exam gloves, offering added durability in the palm and fingers
- Ambidextrous, fully textured to provide superior grip in wet and dry conditions
- Thickness: 16.5 mil (finger)



olorTouch Pink

AMBITEX® LATEX POWDER-
FREE EXAM GLOVES, L200
SERIES, CARDINAL HEALTH®

- Lasting protection against biological contaminants
- Made from natural rubber for comfort and dexterity
- Textured surface for improved grip
- Thickness: 5.0 mil (finger)



No.	Glove Size	Glove Color	Cat. No.
600	Small	Natural	10860-812
602	Medium	Natural	10860-802
604	Large	Natural	10860-672

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### Small 30 cm (11 <sup>13</sup>/<sub>16</sub>") Blue 32916-Medium 30 cm (11 <sup>13</sup>/<sub>16</sub>") Blue 32916-30 cm (11 <sup>13</sup>/<sub>16</sub>") 32916-Large Blue

#### **COLORTOUCH® PINK POWDER-FREE LATEX EXAMINATION GLOVES, MICROFLEX®**

- Ambidextrous, beaded cuff
- Fully textured for a secure grip
- For single use only
- High-quality, polymer-coated latex is easy to don and reduces hand fatigue
- Thickness: 6.7 mil (finger)
- Donation of \$1 for each case purchased is made to The Breast Cancer Research Foundation®

Glove Size	Length	Glove Color	Cat. No.
Small	24.5 cm (9 <sup>5</sup> / <sub>8</sub> ")	Pink	89107-528
Medium	24.5 cm (9 <sup>5</sup> / <sub>8</sub> ")	Pink	89107-530
Large	24.5 cm (9 5/8")	Pink	89107-532

#### **AMBITEX® DURASILK® LATEX** POWDER-FREE EXAM GLOVES. L800 SERIES, CARDINAL HEALTH®

- Hard-working comfort and grip
- Long lasting protection against biological contaminants
- Textured surface for improved grip
- Made from natural rubber for comfort and dexterity
- Thickness: 8.0 mil (finger)



Glove Size	Glove Color	Cat. No.
Small	Natural	10860-820
Medium	Natural	10860-810
Large	Natural	10860-800

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Distinct

#### SUPERMAX VIBRANT™ **LATEX GLOVES**

- Ambidextrous, 5.0 mil palm thickness
- Micro-textured finish delivers improved grip
- Advanced rinsing process improves quality and purity
- Powder-free, nonsterile, single-use gloves



#### SUPERMAX DISTINCT<sup>™</sup> HONEYCOMB<sup>™</sup> TEXTURED **LATEX GLOVES**

- Extraordinary grip, 5.0 mil palm thickness, creamy white color
- Patented Honeycomb texture for extraordinary gripping
- Polymer coating enhances donning, keeps hands smooth, and reduces latex reactions
- Beaded cuffs fit snug on wrists, eliminate roll-up, and minimize liquid entry
- **Ambidextrous**
- Powder-free, nonsterile, single-use gloves

Glove Size	Length	Glove Color	Cat. No.
Small	24 cm (9 <sup>3</sup> / <sub>8</sub> ")	Natural	75997-488
Medium	24 cm (9 <sup>3</sup> / <sub>8</sub> ")	Natural	75997-490
Large	24 cm (9 <sup>3</sup> / <sub>8</sub> ")	Natural	75997-492

Glove Size	Length	Glove Color	Cat. No.
Small	24 cm (9 <sup>3</sup> / <sub>8</sub> ")	Natural	75997-400
Medium	24 cm (9 <sup>3</sup> / <sub>8</sub> ")	Natural	75997-402
Large	24 cm (9 <sup>3</sup> / <sub>8</sub> ")	Natural	75997-404

## Finally. Biodegradability without performance loss.



PowerForm S6 is a core 6 mil industrial blue nitrile glove that provides the perfect blend of control, toughness and consistent quality in a standard 9.5" length. Ergonomically optomized and 1.5 AQL for high-performing, comfortable protection. It features industryleading Touchtek® and Miltek® technologies and is also dermatologically approved by the Skin Health Alliance.

Supercede S6 is 6 mil industrial teal nitrile glove that provides the perfect blend of control, toughness and consistent quality in a standard 9.5" length. Ergonomically optimized with a soft nitrile formulation and 1.5 AQL for high-performing, comfortable protection. It offers a touch screen compatibility while featuring industry-leading Touchtek® and Miltek® technologies. Also, dermatologically approved by the Skin Health Alliance.

Stellar S6 is a core 6 mil industrial nitrile glove that provides the perfect blend of control, toughness and industry-leading quality in a standard 9" length. Ergonomically optimized with a soft nitrile formulation and 1.5 AQL for high-performing, comfortable protection. It offers a touch screen compatibility while featuring industry-leading Touchtek® and Miltek® technologies. Also, dermatologically approved by the Skin Health Alliance.

- Ecotek® biodegrades nitrile gloves up to 92.6% in 945 days, compared to standard nitrile which degrades only 1.1%
- Reduces your environmental impact without compromising your safety
- Available now in PowerForm S6, Supercede S6, and Stellar S6 styles





#### **POWERFORM® S6**

Glove Size	Unit	Cat. No.
Small	Box 100	76051-116
Medium	Box 100	76051-118
Large	Box 100	76051-120
X-Large	Box 100	76051-122
2X-Large	Box 100	76051-124

#### **SUPERCEDE® S6**

Glove Size	Unit	Cat. No.
Small	Box 100	76205-196
Medium	Box 100	76205-198
Large	Box 100	76205-200
X-Large	Box 100	76205-166
2X-Large	Box 100	76205-168

#### **STELLAR® S6**

Glove Size	Unit	Cat. No.
Small	Box 100	76051-106
Medium	Box 100	76051-108
Large	Box 100	76051-110
X-Large	Box 100	76051-112
2X-Large	Box 100	76051-114

#### SENSATOUCH<sup>™</sup> GLOVES, **DISPOSABLE, INDUSTRIAL GRADE, MCR SAFETY**

- Reversible
- Rubber latex is, by its very nature, a natural substance



#### **DISPOSABLE GLOVES RECYCLING BOX, ZERO WASTE BOX, TERRACYCLE®**

- Reduce landfill waste
- Support your company's sustainability goals



Glove Size	Length	Thickness	Glove Color	Cat. No.
Small	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	5 mil	Natural	80081-415
Medium	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	5 mil	Natural	80081-413
Large	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	5 mil	Natural	80081-411

Description	Size	Box Dimensions	Cat. No.
Disposable Glove Box	Medium Box	11 x 11 x 40"	75993-594
Disposable Glove Box	Large Box	15 x 15 x 37"	75993-592

#### **VWR® GLOVE BOX HOLDERS, EPOXY-COATED**

- Steel wire racks hold most major glove box brands



#### **NEOPRO® POWDER-**FREE CHLOROPRENE **GLOVES, MICROFLEX®**

- Synthetic material with comfort close to latex, provides unique protection against variety of chemicals
- Exceptional film consistency, manual dexterity, tactile sensitivity, reduced hand fatigue
- Extended beaded cuff, ideal for high-risk environments
- Textured fingertips for secure grip
- Thickness: 6.7 mil (finger)

Capacity	WxHxD	Cat. No.
1 Box	14 x 10.2 x 20.8 cm (5 <sup>1</sup> / <sub>2</sub> x 4 x 8 <sup>3</sup> / <sub>16</sub> ")	89011-726
3 Boxes	9.6 x 25 x 43.2 cm (3 <sup>3</sup> / <sub>4 x</sub> 9 <sup>13</sup> / <sub>16</sub> x 17")	89011-728

Glove Size	Length	Glove Color	Cat. No.
Small	24.5 cm (9 <sup>5</sup> / <sub>8</sub> ")	Green	32916-790
Medium	24.5 cm (9 <sup>5</sup> / <sub>8</sub> ")	Green	32916-792
Large	24.5 cm (9 <sup>5</sup> / <sub>8</sub> ")	Green	32916-794

#### **VWR® GLOVE BOX HOLDERS, ACRYLIC**

- Constructed of tough, clear acrylic
- Polyester foam insert securely holds glove boxes



Capacity	WxHxD	Cat. No.
1 Box	$26 \times 14.1 \times 11 \text{ cm} (10^{1}/_{4} \times 5^{1}/_{2} \times 4^{5}/_{16}")$	89011-720
2 Boxes	26 x 29.5 x 11 cm (10 <sup>1</sup> / <sub>4</sub> x 11 <sup>5</sup> / <sub>8</sub> x 4 <sup>5</sup> / <sub>16</sub> ")	89011-722
3 Boxes	38.5 x 29.5 x 11 cm (15 <sup>3</sup> / <sub>16</sub> x 11 <sup>5</sup> / <sub>8</sub> x 4 <sup>5</sup> / <sub>16</sub> ")	89011-724

#### **NEOPRO® EC POWDER-FREE CHLOROPRENE GLOVES. MICROFLEX®**

- Synthetic material with comfort close to latex, provides unique protection against variety of chemicals
- Exceptional film consistency, manual dexterity, tactile sensitivity, reduced hand fatigue
- Extended beaded cuff, ideal for high-risk environments
- Textured fingertips for secure grip
- Thickness: 8.3 mil (finger)

Glove Size	Length	Glove Color	Cat. No.
Small	30 cm (11 <sup>13</sup> / <sub>16</sub> ")	Green	32916-690
Medium	30 cm (11 <sup>13</sup> / <sub>16</sub> ")	Green	32916-692
Large	30 cm (11 <sup>13</sup> / <sub>16</sub> ")	Green	32916-694



- **Exceptionally stretchy** gloves offer a great fit
- Powder-free





Glove Size	Length	Thickness	Glove Color	Cat. No.
Small	24 cm (9 <sup>3</sup> / <sub>8</sub> ")	4 mil	Blue	89427-534
Medium	24 cm (9 <sup>3</sup> / <sub>8</sub> ")	4 mil	Blue	89427-536
Large	24 cm (9 <sup>3</sup> / <sub>8</sub> ")	4 mil	Blue	89427-538

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### MICRO-TOUCH® AFFINITY® **3770 POLYCHLOROPRENE EXAMINATION GLOVES, ANSELL**

- A polymer coating provides excellent donnability for this polychloroprene glove
- Thickness: 6.3 mil (finger)



#### **ESTEEM® STRETCHY VINYL EXAMINATION GLOVES WITH NEU-**THERA®, CARDINAL HEALTH®

- Beaded cuff
- Ambidextrous
- Smooth finish
- Thickness: 4.1 mil (finger)



89042-010 89042-012 89042-014

Glove Size	Length	Glove Color	Cat. No.	Glove Size	Length	Glove Color	
Small	23.9 cm (9 <sup>3</sup> / <sub>8</sub> ")	Green	10146-674	Small	26.7 cm (10 ½")	Blue	
Medium	23.9 cm (9 <sup>3</sup> / <sub>8</sub> ")	Green	10146-676	Medium	26.7 cm (10 ½")	Blue	
Large	23.9 cm (9 <sup>3</sup> / <sub>8</sub> ")	Green	10146-678	Large	26.7 cm (10 <sup>1</sup> / <sub>2</sub> ")	Blue	

#### **DERMA FREE® VINYL GLOVES, MICROFLEX®**

- Powder-free
- Beaded cuffs
- **Ambidextrous**
- Nonsterile
- Synthetic vinyl construction
- Thickness: 3.9 mil (finger)



#### **MEMPHIS GLOVE®** SENSATOUCH™ POWDER-FREE DISPOSABLE VINYL **GLOVES, MCR SAFETY**

- Medical grade PS
- Ideal for electronics assembly, food processing, laboratory work, and general pharmaceutical use
- Component materials comply with FDA regulations for food contact



Glove Size	Length	Glove Color	Cat. No.
Small	22.9 cm (9")	Translucent	32916-802
Medium	22.9 cm (9")	Translucent	32916-804
Large	22.9 cm (9")	Translucent	32916-806

Glove Size	Length	Thickness	Glove Color	Cat. No.
Small	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	5 mil	Translucent	80081-297
Medium	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	5 mil	Translucent	80081-295
Large	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	5 mil	Translucent	80081-293

#### **JACKSON SAFETY® G80 NITRILE CHEMICAL RESISTANT GLOVES, KIMBERLY-CLARK**

- Manufactured from a modified nitrile formulation for increased durability and enhanced chemical resistance
- All gloves feature a textured palm and fingertips for an enhanced grip
- Consistent cotton flock lining ensures added comfort
- Improved AQL of 0.65 (versus the previous rating of 1.5) results in fewer pinholes



#### **NEOTOUCH® 25-201. CHEMICAL-RESISTANT GLOVES, NEOPRENE, ANSELL**

- Powder-free
- Excellent chemical resistance
- Superior comfort
- Roll-beaded cuffs



Glove Size	Length	Thickness	Glove Color	Cat. No.	Description	Glove Size	Length	Thickness	Glove Color	Cat. No.
Small	33 cm (13")	15 mil	Green	89135-402	NeoTouch 25-201	Small	28 cm (11")	5 mil	Green	89412-170
Medium	33 cm (13")	15 mil	Green	89135-404	NeoTouch 25-201	Medium	28 cm (11")	5 mil	Green	89501-596
Large	33 cm (13")	15 mil	Green	89135-406	NeoTouch 25-201	Large	28 cm (11")	5 mil	Green	89412-172

#### MICROFLEX® 93-260 GLOVES, ANSELL

- Three layer design for superior protection against harsh chemicals including acids, solvents, and bases
- Thin mil construction provides enhanced tactility and dexterity
- Extra-soft material and ergonomic design provide outstanding fit, feel, and flexibility for longer wear time
- Lower acceptable pinhole rate (0.65 AQL) and extended cuff for reliable protection against hazardous substances
- Silicone-free formulation and processing ensure better product protection
- For single use only



SOLVEX®	<sup>®</sup> 37-145 NITRILE	
GLOVES,	ANSELL	

- Curved finger design and contoured palm to reduce fatigue
- Embossed texture improves grip for easier handling of wet objects
- Hand-specific
- Powder-free
- Straight cuffs



		Description	Glove Size	Length	Thickness	Glove Color	Cat. No.
Glove Color	Cat. No.	Unlined					
Green, Blue	75832-936	Style 37-145	8 - 8,5	33 cm (13")	11 mil	Green	32890-090
Green, Blue	75832-938	Style 37-145	9 - 9.5	33 cm (13")	11 mil	Green	32890-092
Green, Blue	75832-940	Style 37-145	10	33 cm (13")	11 mil	Green	32890-094

Glove Size	Length	Thickness	Glove Color	Cat. No.
6.5 - 7	30 cm (11 <sup>13</sup> / <sub>16</sub> ")	0.198 mm (7.8 mil)	Green, Blue	75832-936
7.5 - 8	30 cm (11 <sup>13</sup> / <sub>16</sub> ")	0.198 mm (7.8 mil)	Green, Blue	75832-938
8.5 - 9	30 cm (11 <sup>13</sup> / <sub>16</sub> ")	0.198 mm (7.8 mil)	Green, Blue	75832-940

#### **NEOTOUCH® 25-101, CHEMICAL-RESISTANT GLOVES, NEOPRENE, ANSELL**

- Alternative to natural rubber latex, protects against Type I allergies
- Resistant to acids, bases and alcohols
- Exam- and food-grade, complies with FDA food-handling requirements
- Roll-beaded cuff, powder free



### **NEOPRENE® 29-865 UNSUPPORTED GLOVES, ANSELL**

- Hand-specific
- Straight cuffs
- Sand patch finish
- Case-hardened for increased resistance



Glove Size	Length	Thickness	Glove Color	Cat. No.
Small	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	5 mil	Green	89011-904
Medium	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	5 mil	Green	89011-906
Large	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	5 mil	Green	89011-908

Glove Size	Length	Thickness	Glove Color	Cat. No.
7 - 7.5	16.5 cm (6 ½")	18 mil	Black	32890-052
8 - 8,5	17.8 cm (7")	18 mil	Black	32890-054
9 - 9.5	17.8 cm (7")	18 mil	Black	32890-056

#### **TOUCHNTUFF® 92-600, NITRILE GLOVES, POWDER-FREE, ANSELL**

- Superior puncture resistance
- Exceptional durability and fingertip sensitivity
- Silicone-free



#### STANSOLV® NITRILE GLOVES, MAPA® ADVANTECH

- Case-hardened finish for added chemical resistance
- Easy on/off



Glove Size	Length	Thickness	Glove Color	Cat. No.
Small	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	4.72 mil	Blue	34800-500
Medium	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	4.72 mil	Blue	34800-502
Large	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	4.72 mil	Blue	34800-504

Glove Size	Length	Thickness	Glove Color	Cat. No.
8	33 cm (13")	11 mil	Green	32917-857
9	33 cm (13")	11 mil	Green	32917-858
10	33 cm (13")	11 mil	Green	32917-859

#### TRIONIC® CONTROLLED **ENVIRONMENT ACID GLOVES, TRIPLE-**POLYMER, MAPA® ADVANTECH

- Tri-polymer blend gloves offer excellent alternative performance to natural rubber gloves
- Superior resistance to many aggressive chemicals
- Chlorination process used allows for easy donning, doffing, and double-gloving
- Precise fit for comfort and reduced hand fatigue
- Meet or exceed ASTM D3577 requirements for AQL, F739 for permeation, and D471 for degradation
- ISO Class 4 (FED-STD-209E Class 10/M2.5)
- In compliance with FDA CFR 21 170-199
- CE marked
- Superior resistance to many aggressive chemicals
- Chlorination process allows for easy donning, doffing, and double gloving
- Precise fit for comfort and reduced hand fatigue
- Meet or exceed ASTM D3577 requirements for AQL, F739 for permeation, and D471 for degradation
- ISO Class 4 (FED-STD-209E Class 10/M2.5)
- In compliance with FDA CFR 21 170-199
- CE marked

Description	Glove Size	Model	Length	Thickness	Glove Color	Packaging	Cat. No.
Diamond					_		
Grip Texture	7	O-240	35.6 cm (14")	20 mil	Orange	Pair Packed	32916-229
Z-Pattern							
Grip Texture	7	E-194	35.6 cm (14")	20 mil	Natural	Pair Packed	32916-250
Z-Pattern							
Grip Texture	8	E-194	35.6 cm (14")	20 mil	Natural	Pair Packed	32916-271
Diamond							
Grip Texture	8	O-240	35.6 cm (14")	20 mil	Orange	Pair Packed	32916-235
Diamond							
Grip Texture	9	O-240	35.6 cm (14")	20 mil	Orange	Pair Packed	32916-234
Z-Pattern							
<b>Grip Texture</b>	9	E-194	35.6 cm (14")	20 mil	Natural	Pair Packed	32916-293

#### **JACKSON SAFETY® G40 POLYURETHANE COATED GLOVES, KIMBERLY-CLARK**

- An affordable choice for light assembly and other applications where dexterity and extra protection are key
- Excellent dexterity and grip with a thin-mil feel for tactical sensitivity
- Abrasion and tear resistant



Description	Glove Size	Glove Color	Cat. No.
G40 Polyurethane Coated Gloves	Medium	Black	94001-408
G40 Polyurethane Coated Gloves	Large	Black	94001-410
G40 Polyurethane Coated Gloves	X-Large	Black	94001-412

#### PROCOAT™ PVC-COATED **GLOVES. PROTECTIVE INDUSTRIAL PRODUCTS**

- Foam-insulated lining provides protection from moisture and cold temperatures
- Rubberized safety cuffs protect wrist area, and help gloves slide on and off with ease
- Rubber material is laminated between two layers of fabric
- Smooth finish and highvisibility orange color



Length	Glove Color	Cat. No.
30.5 cm (12")	Orange	20001-780

#### **CHEMTEK**<sup>™</sup> 38-514 BUTYL GLOVES, ANSELL

- Hand specific
- Beaded cuffs
- Superior resistance to chemicals

Glove Size	Model	Length	Thickness	Glove Color	Cat. No.
7	38-514	35.6 cm (14")	14 mil	Black, Gray	89011-854
8	38-514	35.6 cm (14")	14 mil	Black, Gray	89011-856
9	38-514	35.6 cm (14")	14 mil	Black, Gray	89011-858

#### **BUTYL GLOVES, HONEYWELL SAFETY**

- High permeation resistance to gas and water vapors
- Resistant to oxygenated solvents and most oxidizing chemicals
- Remain flexible and sensitive, even at lower temperatures
- Hand specific, curved design improves fit and comfort
- Rolled cuff

Glove Size	Length	Thickness	Glove Color	Cat. No.
Smooth Finish				
8	28 cm (11")	13 mil	Black	32887-920
9	28 cm (11")	13 mil	Black	32887-922
8	35.6 cm (14")	32 mil	Black	32887-970
9	35.6 cm (14")	32 mil	Black	32887-972
Rough Finish				
8	28 cm (11")	13 mil	Black	32887-910
9	28 cm (11")	13 mil	Black	32887-912
10	35.6 cm (14")	32 mil	Black	32887-952
11	35.6 cm (14")	32 mil	Black	32887-954

#### **CHEMTEK™ 38-612 CHEMICAL-RESISTANT** VITON AND BUTYL GLOVES, ANSELL

- Extra protection against chemical splashes
- Low-cost protection againts aggressive chemicals
- Ergonomically designed for comfort
- High tactile sensitivity



Glove Size	Length	Thickness	Glove Color	Cat. No.
8	19.1 cm (7 <sup>1</sup> / <sub>2</sub> ")	12 mil	Black	10119-106
9	18.5 cm (7 <sup>5</sup> / <sub>16</sub> ")	12 mil	Black	10119-108
10	19.6 cm (7 <sup>11</sup> / <sub>16</sub> ")	12 mil	Black	10119-110

#### **SHOWA 874 BUTYL II, CHEMICAL RESISTANT GLOVES, BEST GLOVE**

- Butyl 14 mil
- Unlined butyl rubber
- Hazmat glove
- TAA compliant



Glove Size	Length	Thickness	Glove Color	Cat. No.
Smooth Finish				
Large	35.6 cm (14")	14 mil	Black	28888-342
X-Large	35.6 cm (14")	14 mil	Black	28888-344
Rough Finish				
8	35 cm (13 <sup>11</sup> / <sub>16</sub> ")	14 mil	Black	28888-402
9	35 cm (13 <sup>11</sup> / <sub>16</sub> ")	14 mil	Black	28888-322

#### NITRI-KNIT™ SUPPORTED NITRILE **GLOVES, HONEYWELL SAFETY**

- High nitrile content offers superior resistance to cuts, snags, and punctures
- Interlock knit liner adds strength and comfort
- Treated with permanent antibacterial and anti-mildew agent
- Color-coded stitching makes size identification fast and easy
- Compliant with USDA and FDA CFR 21 food processing regulations
- Length: 30cm (12")
- Superior resistance to cuts, snags, and punctures
- Interlock knit liner adds strength and comfort
- Treated with permanent antibacterial and anti-mildew agent
- Color-coded stitching makes size identification fast and easy
- Compliant with USDA and FDA CFR 21 foodprocessing regulations

Description	Glove Size	Length	Glove Color	Cat. No.
Not Insulated	7	61 cm (24")	Blue, Pink	89092-984
Not Insulated	8	61 cm (24")	Blue	89092-986
Not Insulated	9	61 cm (24")	Blue, Green	89092-988



#### SILVER SHIELD®/4H® GLOVES, **HONEYWELL SAFETY**

- Resist permeation of more than 280 chemicals
- Compacted, flexible five-layer film is 2.7mil thick
- Protect hands in chemical and petrochemical laboratories, spill cleanups, and other hazardous applications
- Ambidextrous, disposable, usable as secondary inner layer for maximum protection



GLOVE	ROX	GLOVES,
HONEY	WELL	SAFETY

Wide variety of styles and sizes to meet diverse glove box applications



Description	Glove Size	Length	Thickness	Glove Color	Cat. No.
Ambidextrous	10.5	81.3 cm (31 <sup>7</sup> / <sub>8</sub> ")	15 mil	Black	11000-566
Hand-Specific	9.75	81.3 cm (31 <sup>7</sup> / <sub>8</sub> ")	15 mil	Black	32940-073
Ambidextrous, Butyl	9.75	81.3 cm (31 <sup>7</sup> / <sub>8</sub> ")	15 mil	Black	82031-254
Ambidextrous, Hypalon®/Neoprene	9.75	81.3 cm (31 <sup>7</sup> / <sub>8</sub> ")	30 mil	Black	82031-274
Ambidextrous, Butyl	9.75	81.3 cm (31 <sup>7</sup> / <sub>8</sub> ")	30 mil	Black	82031-296
Ambidextrous, Butyl	10.5	81.3 cm (31 <sup>7</sup> / <sub>8</sub> ")	30 mil	Black	82031-298
Ambidextrous, Butyl	9.75	81.3 cm (31 <sup>7</sup> / <sub>8</sub> ")	15 mil	Black	94002-638

#### Glove Col PE/EVOH 11000-648 36.8 cm (14 <sup>3</sup>/<sub>8</sub>") 2.7 mil Silver PE/EVOH 11000-646 40.6 cm (15 <sup>7</sup>/<sub>8</sub>") 2.7 mil Silver 9 PE/EVOH 10 40.6 cm (15 <sup>7</sup>/<sub>8</sub>") 2.7 mil Silver 11000-644

#### **TWO-TONE® NEOPRENE** NATURAL RUBBER GLOVES, **MAPA® PROFESSIONAL**

- Recessed diamond-grip pattern provides a nonslip grip, even on hard-to-grasp materials
- Two-color construction ensures visual indicator of glove wear-through
- Yellow, soft, natural rubber provides flexibility and comfort
- Cotton flock lining absorbs perspiration and enables easy on/off
- Flat cuff
- Hand-specific

Glove Size	Length	Thickness	Glove Color	Cat. No.
8 - 8,5	33 cm (13")	28 mil	Blue, Yellow	32917-206
9 - 9.5	33 cm (13")	28 mil	Blue, Yellow	32917-209
10 - 10.5	33 cm (13")	28 mil	Blue, Yellow	32917-212

#### **NEOPRENE GLOVE BOX GLOVES. HONEYWELL SAFETY**

- Seamless, one-piece construction provides maximum strength and integrity
- Ideal for applications requiring good sensitivity and dexterity
- Lead-loaded gloves contain 0.1 mm lead equivalent for attenuation of soft gamma radiation



Description	Glove Size	Length	Thickness	Glove Color	Cat. No.
Hand-Specific	9.75	81.3 cm (31 <sup>7</sup> / <sub>8</sub> ")	15 mil	Black	32888-350
Ambidextrous	9.75	81.3 cm (31 <sup>7</sup> / <sub>8</sub> ")	30 mil	Black	56223-143
Ambidextrous	10.5	81.3 cm (31 <sup>7</sup> / <sub>8</sub> ")	30 mil	Black	56223-145
Hand-Specific	9.75	81.3 cm (31 <sup>7</sup> / <sub>8</sub> ")	30 mil	Black	56223-149
Ambidextrous	9.75	81.3 cm (31 <sup>7</sup> / <sub>8</sub> ")	30 mil	Black	82031-196
Hand-Specific	9.75	81.3 cm (31 <sup>7</sup> / <sub>8</sub> ")	30 mil	Black	82031-310

#### **TEMP-TEC NL-56, KNITTED NEOPRENE GLOVES,** MAPA® PROFESSIONAL

- Insulated neoprene gloves
- Positive non-slip roughed grip
- Two-color construction for a visual indicator of glove wear-through



Glove Size	Model	Length	Glove Color	Cat. No.
8	Temp-Tec NL-56	35.6 cm (14")	Blue, Black	32920-012
9	Temp-Tec NL-56	35.6 cm (14")	Blue, Black	13450-196
10	Temp-Tec NL-56	35.6 cm (14")	Blue, Black	32920-017

#### **VWR® CRYOGUARD CRYOGENIC GLOVES**

- Multi-layer and insulated
- Lightweight, flexible, and durable
- Moisture-wicking liner
- Waterproof
- Various lengths available



Glove Size	Length	Glove Color	Cat. No.
Water-Resistant Glove			
Medium	Wrist	Blue	97008-198
Large	Wrist	Blue	97008-200
Medium	Mid-Arm	Blue	97008-206
Large	Mid-Arm	Blue	97008-208
Medium	Elbow	Blue	97008-214
Large	Elbow	Blue	97008-216
Waterproof Glove			
Large	Mid-Arm	Blue	97008-240
Medium	Elbow	Blue	97008-246
Large	Shoulder	Blue	97008-256

#### **CRYO-GLOVES® LOW-TEMPERATURE GLOVES, TEMPSHIELD**

- Lightweight, breathable, comfortable
- Provide warmth while retaining flexibility, even after prolonged exposure to cryogenic atmospheres
- Offer superior thermal protection when working with ultra-low temperature freezers, blast freezers, dry ice, and in coldrooms
- Also for use with LNG (liquefied natural gas), liquid helium, and liquid oxygen in enclosed systems

Description	Glove Size	Length	Glove Color	Cat. No.	
Low-Temperature Glove					
Wrist Length	Medium	29 to 32.5 cm (11 <sup>3</sup> / <sub>8</sub> to 12 1 <sup>3</sup> / <sub>16</sub> ")	Pink	89166-343	
Mid-Arm Length	Large	34.5 to 39 cm (13 <sup>5</sup> / <sub>8</sub> to 15 <sup>5</sup> / <sub>16</sub> ")	Pink	89166-363	
Waterproof Glove					
Elbow Length	Medium	44 to 48.3 cm (17 <sup>5</sup> / <sub>16</sub> to 19")	Pink	89166-377	
Shoulder Length	Small	62.5 to 68.5 cm (24 <sup>5</sup> / <sub>8</sub> to 26 <sup>7</sup> / <sub>8</sub> ")	Pink	89166-389	
Low-Temperature	Glove				
Wrist Length	Medium	29 to 32.5 cm (11 <sup>3</sup> / <sub>8</sub> to 12 1 <sup>3</sup> / <sub>16</sub> ")	Blue	32884-187	
Mid-Arm Length	Large	34.5 to 39 cm (13 <sup>5</sup> / <sub>8</sub> to 15 <sup>5</sup> / <sub>16</sub> ")	Blue	32885-758	
Elbow Length	Large	44 to 48.3 cm (17 <sup>5</sup> / <sub>16</sub> to 19")	Blue	32884-085	
Shoulder Length	Medium	62.5 to 68.5 cm (24 <sup>5</sup> / <sub>8</sub> to 26 <sup>7</sup> / <sub>8</sub> ")	Blue	32884-122	
Waterproof Glove					
Wrist Length	Medium	29 to 32.5 cm (11 <sup>3</sup> / <sub>8</sub> to 12 1 <sup>3</sup> / <sub>16</sub> ")	Blue	32884-023	
Mid-Arm Length	Large	34.5 to 39 cm (13 <sup>5</sup> / <sub>8</sub> to 15 <sup>5</sup> / <sub>16</sub> ")	Blue	32884-031	
Elbow Length	Large	44 to 48.3 cm (17 <sup>5</sup> / <sub>16</sub> to 19")	Blue	32884-048	
Shoulder Length	Large	62.5 to 68.5 cm (24 <sup>5</sup> / <sub>8</sub> to 26 <sup>7</sup> / <sub>8</sub> ")	Blue	32884-057	

#### **KEVLAR® NOMEX® 2610 SEAMLESS HEAT RESISTANT GLOVES, WELLS LAMONT**

- Protects up to 500°F
- Excellent thermal properties
- Fully lined
- Continuous cuff



Glove Size	Glove Color	Cat. No.
Small	Yellow	75836-504
Medium	Yellow	75836-506
Large	Yellow	75836-508

#### **KELKLAVE AUTOCLAVE GLOVES, WELLS LAMONT®**

- White Terry Cloth Construction
- Gloves Protect Against to 121°C (250°F)
- Clute Cut and Gauntlet Cuff



Glove Size	Length	Glove Color	Cat. No.
Large	28 cm (11")	Natural	80091-458
Large	12.7 cm (5")	Natural	80091-460

#### SCIENCEWARE® CLAVIES™ **BIOHAZARD AUTOCLAVE GLOVES, BEL-ART**

- Heat-resistant
- Machine wash, air dry



Length	Glove Color	Cat. No.
33 cm (13")	Orange	32885-805
45.7 cm (17 <sup>7</sup> / <sub>8</sub> ")	Orange	32885-826

#### **SCIENCEWARE® HOT HAND® PROTECTOR MITT, BEL-ART**

- Safely grip hot or cold objects
- End pockets for thumb and fingers fit any hand size
- Gripping surfaces are studded for positive grip



#### **QUALATEX® HIPROXC 612HC QUALATEX HIPRO XC LATEX** 12" AMBI GLOVES, QRP

- Lowest extractables and particulates
- Free from plasticizers, silicone, and powders



Size	Material	Color	Cat. No.
Universal	Silicone Rubber	Red	56614-528
Universal	Silicone Rubber	Blue	89094-596
Universal	Silicone Rubber	Green	89094-598

Glove Size	Length	Thickness	Glove Color	Cat. No.
Small	30.5 cm (12")	6 mil	White	14003-594
Medium	30.5 cm (12")	6 mil	White	14003-592
Large	30.5 cm (12")	6 mil	White	14003-590

#### **QUALATHERM® 75G 23" QUALATHERM 450 WET/DRY** THERMAL PROTECTION, QRP

- Packaged for ISO 5 (Class 100)
- Wet or dry contact temperatures from -78 to 450°F (-61.4 to 232°C)
- PolyTuff silicone elastomer is sulfur-free
- Excellent resistance to chemicals, solder, and fluxes

Length

58.4 cm (23")

Large



Claus Calan	C-t N-

32885-785

White

#### **ACTIVARMR® 80-813 FOAM NEOPRENE FLAME RESISTANT GLOVES, ANSELL**

- Gloves provide EN407 Level 4 flammability resistance
- HRC 2 rating for arc flash protection
- ANSI Level 4 cut protection (EN388 Level 5)



Glove Size	Length	Glove Color	Cat. No.
8	22.9 cm (9")	Black, Green, Yellow	89413-046
9	27.2 cm (10 <sup>11</sup> / <sub>16</sub> ")	Black, Green, Yellow	89413-048
10	25.9 cm (10 <sup>3</sup> / <sub>16</sub> ")	Black, Green, Yellow	89413-050

#### **QUALATHERM® 70G 12" QUALATHERM 450 WET/DRY** THERMAL PROTECTION, QRP

- Packaged for ISO 5 (Class 100)
- Wet or dry contact temperatures from -78 to 450°F (-61.4 to 232°C)
- PolyTuff silicone elastomer is sulfur-free
- Excellent resistance to chemicals, solder, and fluxes



Glove Size	Length	Thickness	Glove Color	Cat. No.
Medium	30.5 cm (12")	116 mil	White	32889-013
Large	30.5 cm (12")	116 mil	White	32885-780

#### FLEXTECH™ Y9236 HI-VIS CUT **RESISTANT GLOVES WITH NITRILE PALM, WELLS LAMONT**

- 15-gauge seamless knit
- Hi-vis shell
- Reinforced thumb crotch
- Knit wrist construction
- Blend of high performance and cooling fibers
- Sandy nitrile palm coating
- Outstanding fit, comfort and flexibility



Glove Size	Glove Color	Cat. No.
Small	Black, Yellow	75875-670
Medium	Black, Yellow	75875-672
Large	Black, Yellow	75875-674

#### WHIZARD® POLYESTER/ **WIRE CUT-RESISTANT GLOVE** LINERS, WELLS LAMONT®

- Lightweight Alternative to Steel Mesh Gloves
- Ergonomically Designed for Comfort
- Reusable and Ambidextrous
- **Cuff Color Denotes Sizes**

21.6 cm (8 <sup>1</sup>/<sub>2</sub>")

,	Fiber and Stainles aut Resistance		
Glove Size	Length	Glove Color	Cat. No.
Small	21.6 cm (8 <sup>1</sup> / <sub>2</sub> ")	Black	32935-392
Medium	21.6 cm (8 <sup>1</sup> / <sub>2</sub> ")	Black	32935-394

Black



32935-396

#### **JACKSON SAFETY® G60 LEVEL 2 POLYURETHANE KNUCKLE COATED CUT RESISTANT GLOVES, KIMBERLY-CLARK**

- Stretch KEVLAR® liner provides cut resistance and a comfortable fit
- Excellent dexterity and oil grip for improved productivity
- Polyurethane provides a barrier against oil penetration on the palm and up to the knuckles
- Suitable for intermittent heat contact up to 212°F (patent pending)
- Meets ANSI/EN 388 Level 2 cut resistance



Glove Size	Glove Color	Cat. No.
Medium	Gray, Yellow	89427-006
Large	Gray, Yellow	89427-008
X-Large	Grav. Yellow	89427-010

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### SPECTRA® FIBER CUT-RESISTANT **GLOVE LINERS, WELLS LAMONT®**

- Ultrahigh Molecular Weight Polyethylene Fiber Provides Moderate Cut Resistance with **High Reusability**
- Lightweight, Low Coefficient of Friction Allows Sharp Objects to Slide Across the Surface
- Gloves Can Be Used Outside

Glove Size	Length	Glove Color	Cat. No.	
Small	21.6 cm (8 <sup>1</sup> / <sub>2</sub> ")	Green	32935-481	
Medium	21.6 cm (8 <sup>1</sup> / <sub>2</sub> ")	Orange	32935-483	
Laura	21 ( (0.1/ !!)	DI	22025 405	

#### **JACKSON SAFETY® G60 LEVEL 3 CUT RESISTANT GLOVES WITH** DYNEEMA® FIBER, KIMBERLY-CLARK

- ANSI Level 2/EN388 Level 3 cut resistance
- Dyneema® yarn with nylon, Lycra® fiber, and glass liner provides cut resistance and a comfortable fit
- Excellent dexterity and dry and oil grip for improved productivity
- Gray polyurethane coating enhances grip
- Meets EN 420 including length
- Gray and salt and pepper color
- Color coded hem for sizing



#### **JACKSON SAFETY** G60 PURPLE **NITRILE® CUT RESISTANT GLOVES, KIMBERLY-CLARK**

- Ambidextrous
- Ideal for metal fabrication. glass/sharp part handling, and automotive assembly
- Flexible, nitrile-dotted palm for enhanced grip
- Dyneema® fabric enhances breathability



Glove Size	Glove Color	Cat. No.
Small	White, Black	89011-804
Medium	White, Black	89011-806
Large	Purple	89011-808

Description	Glove Size	Glove Color	Cat. No.
G60 Level 3 Cut Resistant Gloves with Dyneema® Fiber	Medium	Blue	89230-478
G60 Level 3 Cut Resistant Gloves with Dyneema® Fiber	Large	Purple	89230-480
G60 Level 3 Cut Resistant Gloves with Dyneema® Fiber	X-Large	Gray	89230-482

#### **LIGHTWEIGHT KEVLARKLEEN® GLOVES, ANSELL**

- SType 70-400 cut-resistant
- Knit from 100% Kevlar® continuous filament fiber



#### **HYFLEX® 11-518 ULTRALIGHT-DUTY CUT PROTECTION GLOVES, ANSELL**

- Enhanced flexibility
- Superior tactile sensitivity
- Breathable and lightweight material
- Excellent resistance to abrasions



Glove Size	Length	Glove Color	Cuff Color	Cat. No.
Large	22.9 cm (9")	Yellow	Red	56614-204
Small	28 cm (11")	Yellow	Blue	56614-200
Medium	28 cm (11")	Yellow	Green	56614-202

7 21.9 cm (8 <sup>5</sup> /s") Blue <b>10062</b>	Glove Size	Length	Glove Color	Cat. No.
	6	20.9 cm (8 <sup>3</sup> / <sub>16</sub> ")	Blue	10062-916
	7	21.9 cm (8 <sup>5</sup> / <sub>8</sub> ")	Blue	10062-918
8 23.4 cm (9 ³/16") Blue <b>10062</b>	8	23.4 cm (9 <sup>3</sup> / <sub>16</sub> ")	Blue	10062-920

#### **HYFLEX® CR+ CUT-RESISTANT GLOVES, ANSELL**

- Great cut protection
- Elasticized wrist
- Slightly coarse finish



#### HYFLEX® 11-627 CR2 CUT **PROTECTION GLOVES, ANSELL**

- Palm coating for good grip
- Comfortable wear with great dexterity
- High level of abrasion and cut resistance



Glove Size	Length	Glove Color	Cat. No.
8	20.4 cm (8")	Blue	80090-004
9	20.4 cm (8")	Blue	80090-006
10	20.4 cm (8")	Blue	80090-008

Glove Size	Length	Glove Color	Cat. No.
7	22.1 cm (8 <sup>11</sup> / <sub>16</sub> ")	Gray	89008-970
9	24.4 cm (9 <sup>5</sup> / <sub>8</sub> ")	Gray	89008-974
10	25.4 cm (10")	Gray	89008-976

#### **HYFLEX® 11-644 HIGH PERFORMANCE INDUSTRIAL CUT PROTECTION GLOVES, ANSELL**

- Naturally molding gloves
- Excellent resistance to tears and cuts
- Tough coating provides a sure grip



Glove Size	Length	Glove Color	Cat. No.
8	23.2 cm (9 <sup>1</sup> / <sub>8</sub> ")	Gray	10063-044
9	24.3 cm (9 <sup>1</sup> / <sub>2</sub> ")	Gray	10063-046
10	25.3 cm (10 <sup>7</sup> / <sub>8</sub> ")	Gray	10063-048

#### HAND AND ARM PROTECTION

#### **CHROME SERIES® 4027 GLOVES, HEXARMOR**

- SuperFabric®\* brand material palm provides ANSI/ISEA level A8 cut resistance for some of the highest cut-resistance available in the industry
- Superior back-of-hand impact protection system utilizes an advanced design to dissipate forceful blows over a large area
- Durable TP-X® palm utilizes the highest-level abrasion resistance while maintaining an oil-resistant grip
- Hi-vis color and reflective tape on back-of-hand
- Elastic cuff with Velcro® closure for a secure fit
- Launderable

Glove Size	Model	Length	Glove Color	Cat. No.
Small	Chrome Series® 4027	10"	Blue	76207-930
Medium	Chrome Series® 4027	10"	Blue	76207-932
Large	Chrome Series® 4027	10"	Blue	76207-934
X-Large	Chrome Series® 4027	10"	Blue	76207-936
2X-Large	Chrome Series® 4027	10"	Blue	76207-938
3X-Large	Chrome Series® 4027	10"	Blue	76207-940

#### **RIG LIZARD® 2021 GLOVES, HEXARMOR**

- Durable TP-X® palm with reinforced stitching pattern provides the ultimate dexterity and grip in wet/ dry applications
- Back-of-hand IR-X® Impact Exoskeleton™ with high-flex design keeps hands safe from smash & impact hazards
- Reinforced index finger and thumb crotch for increased longevity
- SlipFit® cuff adds comfort and convenience
- Hi-vis color scheme for increased visual awareness on the jobsite
- ANSI/ISEA cut level A3 resistance
- Launderable

Glove Size	Model	Length	Glove Color	Cat. No.
X-Small	Rig Lizard® 2021	11"	Red, Black	76207-878
Small	Rig Lizard® 2021	11"	Red, Black	76207-880
Medium	Rig Lizard® 2021	11"	Red, Black	76207-882
Large	Rig Lizard® 2021	11"	Red, Black	76207-884
X-Large	Rig Lizard® 2021	11"	Red, Black	76207-886
2X-Large	Rig Lizard® 2021	11"	Red, Black	76207-888
3X-Large	Rig Lizard® 2021	11"	Red, Black	76207-890



#### **SHOWA 541 POLYURETHANE** PALM COATED, A2 CUT RESISTANT **GLOVE, GRAY, BEST GLOVE**

- Palm Coated
- Ergonomic design
- Excellent grip in oil
- A2 Cut Resistance



Glove Size	Length	Glove Color	Cat. No.
Medium	27.9 cm (11")	Gray	94024-048
Large	27.9 cm (11")	Gray	94024-050
X-Large	27.9 cm (11")	Gray	94024-052

#### **ULTRATECH DYNEEMA® GLOVES, MCR SAFETY**

- 9676 UltraTech Dyneema® glove features a 13 gauge certified DSM Dyneema® blended shell with PU coated palm and fingers
- 9676 carries a CE score of 4343 and ANSI cut level of 2



Glove Size	Length	Glove Color	Cat. No.
Small	28.4 cm (11 <sup>1</sup> / <sub>8</sub> ")	Gray	89087-958
Medium	29.5 cm (11 <sup>5</sup> / <sub>8</sub> ")	Gray	89087-956
Large	30.9 cm (12 <sup>1</sup> / <sub>8</sub> ")	Gray	89087-954

#### **TRILITES® 994 TRI-POLYMER GLOVES, MAPA® ADVANTECH**

- Powder-free for no cross-contamination
- Rolled cuff
- Unlined
- Ambidextrous
- Color: purple



#### **HYLITE® 47-400 NITRILE GLOVES,** 3/4 DIPPED, ANSELL

- Exceptional puncture and abrasion resistance
- Excellent flexibility and dexterity
- Easy handling of rough materials





Glove Size	Length	Thickness	Glove Color	Packaging	Cat. No.
Medium	25.4 cm (10")	6 mil	Purple	Bags	32916-142
Large	25.4 cm (10")	6 mil	Purple	Bags	32916-144
X-Large	25.4 cm (10")	6 mil	Purple	Bags	32916-146
Medium	25.4 cm (10")	6 mil	Purple	Dispenser Boxes	46600-162
Large	25.4 cm (10")	6 mil	Purple	Dispenser Boxes	46600-164
X-Large	25.4 cm (10")	6 mil	Purple	Dispenser Boxes	46600-166

Glove Size	Length	Glove Color	Cat. No.
8	27.3 cm (10 <sup>11</sup> / <sub>16</sub> ")	Blue	32889-828
9	27.3 cm (10 <sup>11</sup> / <sub>16</sub> ")	Blue	32889-832
10	27.3 cm (10 <sup>11</sup> / <sub>16</sub> ")	Blue	32889-834

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### MAXIFLEX® ENDURANCE™ SEAMLESS KNIT NYLON GLOVES. PROTECTIVE **INDUSTRIAL PRODUCTS**

- Gloves incorporate unique Micro Dots on palm for excellent grip
- and tactility



Glove Size	Length	Glove Color	Cat. No.
Nitrile Coated M	licro Foam Grip on Palm and	d Fingers	
Small	20.5 cm (8 <sup>1</sup> / <sub>8</sub> ")	Gray, Black	20002-368
Medium	21.5 cm (8 <sup>3</sup> / <sub>8</sub> ")	Gray, Black	20002-370
Large	22 cm (8 <sup>5</sup> / <sub>8</sub> ")	Gray, Black	20002-372
Nitrile Coated M	licro Foam Grip on Palm, Fir	gers, and Knuckles	
Small	20.5 cm (8 <sup>1</sup> / <sub>8</sub> ")	Gray, Black	20002-376
Medium	22 cm (8 <sup>5</sup> / <sub>8</sub> ")	Gray, Black	20002-378
Large	22.5 cm (8 <sup>13</sup> / <sub>16</sub> ")	Gray, Black	20002-380

#### COWHIDE DRIVER'S GLOVES, WELLS LAMONT®

- For Multipurpose Work
- Made from Grain Cowhide
- Bound Hem, Gunn Pattern, and Elastic-Shirred Back
- Straight or Keystone Thumb

Description	Glove Size	Glove Color	Cat. No.
Premium Gloves with Straight Thumb	Medium	Green	32935-449
Premium Gloves with Straight Thumb	Large	Brown	32935-450
Premium Gloves with Straight Thumb	X-Large	Blue	32935-451

#### **BRONZE SOLUTION GRAIN LEATHER DRIVER GLOVES, ECONOMY CHOICE, WELLS LAMONT**

- Ambidextrous
- Gunn Cut
- Straight Thumb
- Bound Hem
- Four Sizes Available



Description	Glove Size	Glove Color	Cat. No.
Leather Driver, Straight Thumb	Large	White	80091-888
Leather Driver, Straight Thumb	Medium	White	80091-890
Leather Driver, Straight Thumb	X-Large	White	80091-894

#### **GRAIN LEATHER Y0143 DRIVER GLOVES, WELLS LAMONT**

- Grain leather
- Split back
- Gunn cut, keystone thumb
- Bound hem
- Double shirred elastic wrist



#### **COTTON CANVAS GLOVES,** PROTECTIVE INDUSTRIAL PRODUCTS

- Single-palm, clute cut pattern
- Knitted wrists hold gloves in place and keep out debris
- Medium weight (10oz. and 12oz.) designs provide enhanced protection and extended wear
- Color: natural
- Size: men's



Glove Size	Color	Glove Color	Cat. No.
Medium	Natural	Natural	75836-524
Large	Natural	Natural	75836-526
X-Large	Natural	Natural	75836-528

Description	Length	Glove Color	Cat. No.
Premium Grade, 8 oz. Fabric Weight, Extra Long 12.7 cm (5") Knit Wrist	35.6 cm (14")	Natural	20001-942
Economy Grade, 8 oz. Fabric Weight, Knit Wrist	22.9 cm (9")	Natural	20001-954
Premium Grade, 10 oz. Fabric Weight, Knit Wrist	22.9 cm (9")	Natural	32932-245

#### SPLIT COWHIDE DRIVER'S GLOVES, **PROTECTIVE INDUSTRIAL PRODUCTS**

- Keystone thumb design for comfort and extended wear
- Elastic bands on backs keep gloves securely on hands
- Premium grade
- Color: gray



#### KIMTECH PURE® G3 NXT™ NITRILE **GLOVES, KIMBERLY-CLARK**

- Powder free
- Textured fingertips for control and grip
- Ambidextrous
- Beaded cuff



Glove Size	Length	Glove Color	Cat. No.
Large	25.4 cm (10")	Gray	20001-459
Medium	25.4 cm (10")	Gray	20001-461
Small	25.4 cm (10")	Gray	20001-463

Glove Size	Length	Glove Color	Cat. No.
Small	30.5 cm (12")	White	14214-538
Medium	30.5 cm (12")	White	14214-540
Large	30.5 cm (12")	White	14214-542

#### **COTTON LISLE INSPECTION GLOVES, WELLS LAMONT®**

- Hand and Product Protection for **Light Duty Inspection Purposes**
- Lightweight and Medium Weight
- Men's and Women's
- Cotton Lisle (100%)
- Ambidextrous



#### **KIMTECH PURE® G3 STERILE LATEX GLOVES, KIMBERLY-CLARK**

- Ideal for critical environments
- Hand specific
- Sterilized by gamma radiation
- Traceability system and irradiation certifications meet internal validation requirements



Description	Length	Glove Color	Cat. No.
Lightweight	22.9 cm (9")	White	32935-460
Lightweight	22.9 cm (9")	White	32935-461

Glove Size	Length	Thickness	Glove Color	Cat. No.
7	30.5 cm (12")	9 mil	Natural	32933-885
7.5	30.5 cm (12")	9 mil	Natural	32933-883
8	30.5 cm (12")	9 mil	Natural	32933-881

#### KIMTECH PURE® G5 STERLING™ **NITRILE GLOVES, KIMBERLY-CLARK**

- Powder-free, latex-free, silicone-free
- Tactile sensitivity with tensile strength
- Static dissipative in use
- Suitable for use in the manufacture of pharmaceuticals, medical devices, electronics, disk drives, flat panel displays, and semiconductors
- Ambidextrous, beaded cuff, textured fingertips



#### **CP100<sup>™</sup> BT STERILE LATEX** HAND-SPECIFIC GLOVES. **CARDINAL HEALTH®**

- Ambidextrous, beaded cuff
- Fully textured palm and fingers provide a secure grip
- Clean processed, powder free



Glove Size	Length	Glove Color	Cat. No.
Small	30.5 cm (12")	Gray	89093-006
Medium	30.5 cm (12")	Gray	89093-008
Large	30.5 cm (12")	Gray	89093-010

Glove Size	Length	Thickness	Glove Color	Cat. No.
7.5	30.5 cm (12")	7 mil	White	PH2Y5004
8	30.5 cm (12")	7 mil	White	PH2Y5005
8.5	30.5 cm (12")	7 mil	White	PH2Y5006

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### **KIMTECH PURE® G5 STERILE NATURAL** RUBBER LATEX GLOVES, KIMBERLY-CLARK

- Hand specific, tapered, beaded cuff
- Low in natural rubber proteins, powder free
- 9mil fingertip thickness for added protection
- Easy donning and removal
- Textured for wet/dry grip
- Processed to lower particle counts and ionic/elemental extractables



#### CR100° STERILE LATEX GLOVES, **CARDINAL HEALTH®**

- Sterile, clean processed, powder free
- Comfortable flex-and-stretch design
- Low particulate levels
- Anti-slip, textured finish enhances the grip for better handling
- Hand specific, beaded cuff with reinforced ribs prevents constriction and reduces rolldown
- Sterilized by gamma irradiation to SAL 10<sup>-6</sup> in accordance with **AAMI** guidelines

No.	Glove Size	Length	Thickness	Glove Color	Cat. No.
939	7.5	30.5 cm (12")	7 mil	Natural	PH2Y1627
951	8	30.5 cm (12")	7 mil	Natural	PH2Y1628
945	8.5	30.5 cm (12")	7 mil	Natural	PH2Y1629

Glove Size	Length	Thickness	Glove Color	Cat. No.
7	30.5 cm (12")	9 mil	Natural	32933-939
7.5	30.5 cm (12")	9 mil	Natural	32933-951
8	30.5 cm (12")	9 mil	Natural	32933-945

#### PROTEGRITY® CP STERILE LATEX GLOVES WITH NITRILE. CARDINAL HEALTH®

- Triple layer, powder free
- Comfort of natural rubber latex with the strength of nitrile for exceptional grip and tactile properties
- Hand specific, beaded cuff, bisque finish
- Sterilized by gamma irradiation to SAL 10<sup>-6</sup>



### **ESTEEM® CP STERILE SYNTHETIC GLOVES, CARDINAL HEALTH®**

- Superior protection against bacteria and particulates
- Highly breathable and fluid-resistant
- Low particle shedding
- Soft and hypoalleraenic
- Malleable noseband ensures custom, secure seal



Glove Size	Length	Glove Color	Cat. No.
6.5	30.5 cm (12")	White	PH2Y72N2
7.5	30.5 cm (12")	White	PH2Y72N4
8.5	30.5 cm (12")	White	PH2Y72N6

Glove Size	Length	Glove Color	Cat. No.
7	30.5 cm (12")	White	PH2Y72PL70
7.5	30.5 cm (12")	White	PH2Y72PL75
8	30.5 cm (12")	White	PH2Y72PL80

## DURAPRENE<sup>™</sup> CP STERILE SYNTHETIC GLOVES, CARDINAL HEALTH®

- Nitrile and neoprene blend
- Latex free, powder free
- Hand specific, beaded cuff



Glove Size	Length	Thickness	Glove Color	Cat. No.
7.5	30.5 cm (12")	8 mil	Yellow	89027-164
8	30.5 cm (12")	8 mil	Yellow	89027-166
8.5	30.5 cm (12")	8 mil	Yellow	89027-168

### NITRILITE® 93-311, NITRILE GLOVES, ANSELL

- Strength and comfort in critical environments
- Significantly reduces particulate and extractable levels
- Powder free with no plasicizers, silicone, or pigments
- Ideal for electronics manufacturing, medical laboratories, pharmaceutical, and research laboratories

30.5 cm (12")

30.5 cm (12")

30.5 cm (12")



Cat. No.	
47748-212	
47748-214	

47748-216

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Glove Color

White

White

White

#### **CP100<sup>™</sup> NITRILE GLOVES, CARDINAL HEALTH®**

- Clean processed, powder free
- Excellent strength, textured grip, comfortable fit
- ESD properties
- 29.2cm (11 1/2") length
- Ambidextrous, beaded cuff



Length	Thickness	Glove Color	Cat. No.
29.2 cm (11 <sup>1</sup> / <sub>2</sub> ")	5 mil	White	PH2Y1850
29.2 cm (11 <sup>1</sup> / <sub>2</sub> ")	5 mil	White	PH2Y1851
29.2 cm (11 <sup>1</sup> / <sub>2</sub> ")	5 mil	White	PH2Y1853
	29.2 cm (11 ½") 29.2 cm (11 ½")	29.2 cm (11 ½") 5 mil 29.2 cm (11 ½") 5 mil	29.2 cm (11 ½") 5 mil White 29.2 cm (11 ½") 5 mil White

#### TOUCHNTUFF® 83-300 POLYISOPRENE GLOVES, ANSELL

Glove Size

Medium

Large

- Comfortable and ultrasoft polyisoprene film for reduced hand fatigue
- Enhanced grip characteristics, ideal for wet item-handling applications
- Contains no natural rubber latex, minimizing Type I allergy
- Inner coating enables ease of dry and wet hand donning



Glove Size	Length	Thickness	Glove Color	Cat. No.
7	31 cm (12 <sup>3</sup> / <sub>16</sub> ")	8.3 mils	White	10054-558
8	31 cm (12 <sup>3</sup> / <sub>16</sub> ")	8.3 mils	White	10054-562

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

## MULTI-FLEX® CLEAN CLASS 100<sup>™</sup> LATEX GLOVES, CARDINAL HEALTH®

- Powder free, clean processed to protect sensitive environments
- Hand specific, tapered cuffs
- Thin, antislip fingertips ensure optimum fit, sensitivity, and dexterity required for small parts manufacturing procedures.
- Suitable for use in ISO Class
   5 (FED-STD-209E Class 100/ M3.5) environments




Glove Size	Length	Thickness	Glove Color	Cat. No.
6.5	30.5 cm (12")	7 mil	Natural	PH2Y1602
7.5	30.5 cm (12")	7 mil	Natural	PH2Y1604
8	30.5 cm (12")	7 mil	Natural	PH2Y1605

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

# CE4 SYSTEM LATEX AMBIDEXTROUS GLOVES, MICROFLEX®

- For use in ISO Class 4 (FED-STD-209E Class 10/M2.5) controlled environments
- Silicone free, powder free
- Microtextured surface enhances wet or dry grip
- Provides superb aesthetics, dexterity, tactile sense, fit, feel, and comfort



#### **TECHNICLEANED CLASS 10 NITRILE CLEANNROM GLOVES, TECHNIGLOVE**

- Class 10
- 100% Nitrile
- 12" ambidextrous
- Powder-free
- For use in semiconductor, disc drive, flat panel, electronic, and pharmaceutical manufacturing



#### **VWR® PURETOUCH CUT-RESISTANT GLOVE LINERS**

- Compatible underglove for all cleanroom requirements
- 13-gauge white nylon with HPPE
- Ambidextrous
- Color-coded for visual size identification
- Sturdy, launderable, and reusable
- ANSI 2 cut resistant



Glove Size	Length	Thickness	Glove Color	Cat. No.
Small	30.5 cm (12")	5 mil	Green	89414-984
Medium	30.5 cm (12")	5 mil	Green	89414-986
Large	30.5 cm (12")	5 mil	Green	89414-988

Description	Glove Size	Thickness	Glove Color	Cat. No.
VWR® PureTouch Full Finger Liners	Small	2 mm ± 10%	Green	76102-378
VWR® PureTouch Full Finger Liners	Medium	2 mm ± 10%	Orange	76102-380
VWR® PureTouch Full Finger Liners	Large	2 mm ± 10%	Blue	76102-382
VWR® PureTouch Full Finger Liners	X-Large	2 mm ± 10%	Red	76102-384

#### **TECHNIPAK CLASS 100 NITRILE CLEANROOM GLOVES, TECHNIGLOVE**

- Plastic (PVC) dispenser box
- Class 100
- 9.5" length, powder-free
- 100% Nitrile
- Ambidextrous



#### **VWR® GLOVE LINERS**

- Ambidextrous glove liners
- Reduces perspiration and wicks away moisture
- Low-lint, 100% 15 denier nylon composition
- Sturdy, launderable, and reusable
- Color-coded cuffs indicate size
- Pre-laundered; will not shrink





Glove Size	Length	Thickness	Glove Color	Cat. No.
X-Small	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	5 mil	Blue	89415-066
Small	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	5 mil	Blue	89415-068
Medium	24.1 cm (9 <sup>1</sup> / <sub>2</sub> ")	5 mil	Blue	89415-070

Glove Size	Glove Color	Cat. No.
Medium	White	94000-610
Large	White	94000-612
X-Large	White	94000-614
	Medium Large	Medium White Large White

#### **TECHNICLEANED PHARMACEUTICAL CLASS 100 NITRILE CLEANROOM GLOVES, TECHNIGLOVE**

- Class 100
- 100% Nitrile
- 12" ambidextrous
- Powder-free
- For us in semiconductor, disc drive, flat panel, electronic, and pharmaceutical manufacturing



Glove Size	Length	Thickness	Glove Color	Cat. No.
Small	30.5 cm (12")	5 mil	Blue	89415-044
Medium	30.5 cm (12")	5 mil	Blue	89415-046
Large	30.5 cm (12")	5 mil	Blue	89415-048

#### **BCR® POLYESTER GLOVE** LINERS, BERKSHIRE

- Liners can be re-laundered and used again
- No seams on the gloves that could unravel and cause contamination
- Composition allows moisture to be absorbed and wicked away from skin during extended wear
- Ambidextrous for easy stock control
- Color coded cuffs to identify sizes
- Polyester glove liners can be sterilized by beta or steam



Description	Glove Size	Glove Color	Cuff Color	Cat. No.
BCR® Polyester Half-Finger Glove Liner	One size	White	White	32891-470
BCR® Polyester Half-Finger Glove Liner	One size	White	White	10810-322
BCR® Polyester Full-Finger Glove Liner	One size	White	White	32891-474

#### **BCR® POLYESTER CLEANROOM GLOVE** LINERS, BERKSHIRE

- Special fiber construction allows for moisture absorption during extended wear
- Constructed using special seamless techniques
- No-run and non-ravel
- Ambidextrous for easy stock control
- Launderable for multiple reuse

Packaging	Cat. No.
Bulk, 200 Pairs per Pack	89212-859



#### **HIGHLY REUSABLE NYLON GLOVE** LINERS, WELLS LAMONT®

- Ambidextrous
- Full-Finger Style
- Regular Cuff
- Gloves Prevent Skin Irritation
- Nylon



Glove Size	Glove Color	Cat. No.
Medium	Orange	32935-583
Large	Blue	32935-585
X-Large	Red	32935-587

#### **BCR® NYLON GLOVE LINERS, BERKSHIRE**

- Liners can be re-laundered and used again
- No seams on the gloves that could unravel and cause contamination
- Composition allows moisture to be absorbed and wicked away from skin during extended wear
- Ambidextrous for easy stock control
- Color coded cuffs to identify sizes



#### **ONE-SIZE-FITS-ALL NYLON GLOVE** LINERS, WELLS LAMONT®

- Knitted Construction
- Ambidextrous
- Half-Finger and Full-Finger Styles Available
- Full-Finger Liner Also Works as Gowning or Inspection Glove



Description	Glove Size	Glove Color	Cuff Color	Cat. No.
BCR® Nylon Single Knit Half- Finger Glove Liner	Large	White	Black	14444-314
BCR® Nylon Single Knit Full- Finger Glove Liner	Medium	White	Orange	14444-318
BCR® Nylon Single Knit Full- Finger Glove Liner	Large	White	Blue	14444-320

Description	Glove Color	Cat. No.
Half-Finger Liners	White	32935-480
Full-Finger Liners	White	32935-536

#### **REUSABLE NYLON GLOVE** LINERS, WELLS LAMONT®

- Ambidextrous
- Washable
- Full-Finger and Half-Finger Styles Available
- Other Applications: Gowning or Inspection Gloves
- **High-Stretch Nylon Construction**



#### **DUPONT™ TYCHEM® 2000 SLEEVES**

- Elastic at both ends
- Bound seams
- One size fits most



Description	Length	Glove Color	Cat. No.
Half-Finger Liners	17.8 cm (7")	White	32935-567
Half-Finger Liners	17.8 cm (7")	White	32935-569

Length	Color	Cat. No.
18³/₄"	Yellow	13450-338

## Protect your hands with gloves from Wells Lamont Industrial

### **WELLS LAMONT** Industrial













#### FLEXTECH™ NYLON Y9277 GLOVES WITH POLYURETHANE PALM COATING **ERGONOMICALLY DESIGNED**

Coated glove shells are excellent for a variety of applications that require a high level of dexterity along with cut protection. Non-slip surface allows workers to work more efficiently and with greater confidence. The open, uncoated back circulates air, allowing hands to 'breathe' and keeping them cool and comfortable.

- Charcoal gray nylon shell
- Polyurethane palm coating for grip
- ANSI A1 cut resistance
- Silicone free

Size	Cat. No.
X-Small	89030-798
Small	89030-800
Medium	89030-802
Large	89030-804
X-Large	89030-806
XX-Large	75836-538

For use where a sterile low level cut resistant liner is needed.

Full finger liner

**SPEC-TEC® STERILE** 

M102 GLOVE LINER

- ANSI Level 1 cut resistance
- Disposable

Size	Cat. No.
Small	80091-126
Medium	80091-124
Large	80091-122

### FLEXTECH<sup>™</sup> GLOVES, THERMAL HI-VIS

Lightweight synthetic knit offers great awareness in the workplace. Its non-slip surface allows workers to work more efficiently and increase their grip. The open, uncoated back circulates air, allowing hands to 'breathe' and keeping them cool and comfortable. The hi-vis glove lining provides an additional level of protection in cold environments.

- Hi vis green synthetic knit shell
- Latex palm for grip
- Brushed fleece thermal lining for warmth

	Cat. No.
Medium	10066-724
Large	10066-726
X-Large	10066-728
2X-Large	10066-730

### SYNTHETIC SHELL WITH LATEX PALM

ANSI A3 cut resistance

	Cat. No.
Medium	10066-724
Large	10066-726
X-Large	10066-728
2X-Large	10066-730

### **COTTON LISLE INSPECTION GLOVES**

Great option for a single use liner underneath a disposable or as a stand alone glove.

- 100% cotton
- Lightweight
- Absorbs moisture
- Ambidextrous
- Can be used as inspection glove

Size	Cat. No.
Womens	32935-461
Mens	32935-460

#### **SCEPTER™ STERILE M321 GLOVE LINER**

Lightweight and sterile in addition to providing cut and abrasion resistance. Scepter gloves can be used as a liner or stand alone.

- Full finger liner
- ANSI Level A4 cut resistance
- Antimicrobial
- Launderable 15 times

Size	Cat. No.
Small	52428-890
Medium	52428-892
Large	52428-894
X-Large	52428-896

#### **NYLON GLOVE LINERS**

Packaged for medical applications this liner is highly reusable and is low lint.

- 100% continuous nylon filament for low
- Fully launderable up to 20 times
- Made in the USA
- Ambidextrous
- Full finger
- Packed in boxes of 20 pairs

Size	Cat. No.
Small	14224-270
Medium	13500-888
Large	14224-272

#### FLAME-RESISTANT SLEEVES. **KEVLAR® WITH COTTON** LINING, WELLS LAMONT®

- Yellow
- Four Sizes Available
- Keylar Construction for Protection
- Cotton Lining for Comfort
- Flame Resistant



Length	WxL	Cat. No.
25.4 cm (10")	7.6 x 25.4 cm (3 x 10")	80091-774
35.6 cm (14")	7.6 x 35.6 cm (3 x 14")	80091-780
45.7 cm (18")	7.6 x 45.7 cm (3 x 18")	80091-790
61 cm (24")	7.6 x 61 cm (3 x 24")	80091-802

#### **HEAVYWEIGHT METALGUARD SLEEVES, WELLS LAMONT®**

- Combination of High Performance Fiber with Stainless Steel
- Kevlar
- Knit Structure Allows for Air Circulation
- Cut Resistant
- For Use in Applications Requiring Protective Apparel



Length	WxL	Color	Cat. No.
25.4 cm (10")	7.6 x 25.4 cm (3 x 10")	Green/Yellow	80091-776
55.9 cm (22")	7.6 x 55.9 cm (3 x 22")	Green/Yellow	80091-798

#### **DOUBLE-LAYERED SLEEVES, KEVLAR®, WELLS LAMONT®**

- Seamless Construction
- CPPT Test Grade: 1207 g (2 /₅ lb.)
- Kevlar Material
- Double Layered
- Strong Cut Resistance



#### TERRYCLOTH SLEEVES, **WELLS LAMONT®**

- Cut and Heat-**Resistant Sleeves**
- Medium and Extra Heavyweight Available
- Terry Cloth
- Elastic Tops
- White



Description	Length	Cat. No.
Sleeves with Thumb Hole	45.7 cm (17 <sup>7</sup> /8")	14226-928
Sleeves without Thumb Hole	45.7 cm (17 <sup>7</sup> /8")	32935-690

Description	Length	Color	Cat. No.
Extra Heavyweight Sleeves	48.3 cm (19")	White	80091-752
Extra Heavyweight Sleeves	30.5 cm (12")	White	80091-756

#### WHIZARD® DEFENDER **ARMGUARD, WELLS LAMONT**

- High performance yarn and stainless steel construction
- Clip provided
- ANSI level 4



Length	Color	Cat. No.
10"	Blue	80090-653
22"	Blue	80090-657

#### SKC HIGH PERFORMANCE **CUT AND FLAME RESISTANT SLEEVES, WELLS LAMONT**

- Patented combination of fibers
- Blousy fit
- Elastic on both ends
- Available in several lengths with or without a thumb hole



Description	Length	Cat. No.
SKC Sleeve	10"	10859-892
SKC Sleeve with Thumb Hole	24"	10859-950

#### **VINYL SLEEVES, ANSELL**

- Great protection against punctures and abrasions
- Resistance against acids and chemical splashes



#### HYFLEX® 11-281 INTERCEPT™ **CUT RESISTANT SLEEVE WITH** THUMBSLOT, ANSELL

- Engineered to perform in combination with any HyFlex® cut resistant glove
- Available in multiple lengths and widths
- Silicone-free sleeve
- With thumbslot
- Medium-duty glove
- Knitted cuff style



Cat. No.	Color	Thickness	Length
47727-570	White	8 mil	45.7 cm (18")
47729-370	Clear	4 mil	45.7 cm (18")
80078-899	Blue	6 mil	45.7 cm (18")

Description	Length	Color	Cat. No.
Narrow Fit	12"	Gray	76303-092
Narrow Fit	16"	Gray	76303-104
Narrow Fit	18"	Gray	76303-094
Narrow Fit	22"	Gray	76303-098
Wide Fit	12"	Gray	76303-102
Wide Fit	16"	Gray	76303-106
Wide Fit	18"	Gray	76303-096
Wide Fit	22"	Gray	76303-100

#### HYFLEX® 11-280 INTERCEPT<sup>™</sup> **CUT RESISTANT SLEEVE WITHOUT** THUMBSLOT, ANSELL

- Engineered to perform in combination with any HyFlex® cut resistant glove
- Available in multiple lengths and widths
- Silicone-free material
- Open wrist
- Knitted cuff style



Length	Color	Cat. No.
12"	Gray	76303-108
16"	Gray	76303-080
18"	Gray	76303-084
22"	Gray	76303-088
12"	Gray	76303-078
16"	Gray	76303-082
18"	Gray	76303-086
22"	Gray	76303-090
	12" 16" 18" 22" 12" 16" 18"	12" Gray 16" Gray 18" Gray 22" Gray 12" Gray 16" Gray 18" Gray

#### **VWR® ADVANCED PROTECTION SLEEVES**





- **Excellent breathability** and water vapor transmission rate
- Soft tactile feel
- Thumb loop versions also available





	Length	Color	Cat. No.
Sleeves without	Thumb Loop		
Universal	49.5 cm (19 <sup>1</sup> / <sub>2</sub> ")	White	414004-421
X-Large	54.6 cm (21 <sup>1</sup> / <sub>2</sub> ")	White	414004-420
Sleeves with Thu	ımb Loop		
Universal	49.5 cm (19 <sup>1</sup> / <sub>2</sub> ")	White	76169-442
X-Large	54.6 cm (21 <sup>1</sup> / <sub>2</sub> ")	White	76169-444

#### **VWR® STERILE SLEEVES**

- Excellent breathability and water vapor transmission rate
- Superior fluid and particulate barrier
- Lowest level of particle shedding
- Durable yet soft, cloth-like fabric
- Gamma irradiated to SAL of 10<sup>-6</sup>





Description	Size	Length	Color	Cat. No.
Sterile Sleeves without Thumb Loop	Universal	49.5 cm (19 <sup>1</sup> / <sub>2</sub> ")	White	414004-510
Sterile Sleeves with Thumb Loop	Universal	49.5 cm (19 <sup>1</sup> / <sub>2</sub> ")	White	76169-446
Sterile Sleeves without Thumb Loop	X-Large	54.6 cm (21 <sup>1</sup> / <sub>2</sub> ")	White	414004-511
Sterile Sleeves with Thumb Loop	X-Large	54.6 cm (21 <sup>1</sup> / <sub>2</sub> ")	White	76169-448

#### **DUPONT™ TYVEK® 400 SLEEVES**

- Elastic at both ends
- Serged seams
- One size fits most



Length	Color	Cat. No.
Tyvek® 400 Sleeves		
183/4"	White	10010-136

#### **VWR® BASIC PROTECTION DISPOSABLE SLEEVE**



- Garments feature serged seams
- Reliable protection in a variety of applications

Description	Size	Length	Color	Cat. No.
VWR® Basic Protection Sleeve	Universal	49.5 cm (19.5")	White	89208-758

#### **DUPONT™ TYVEK® ISOCLEAN® SLEEVES**

- Elastic at both ends
- One size fits most
- Serged seams



Length	Color	Cat. No.
Tyvek® IsoClean® Sleev	es, Sterile	
18"	White	89125-646
Tyvek® IsoClean® Sleev	es, Clean Processed, Sterile	
18"	White	89127-354

#### **VWR® ADVANCED PROTECTION DISPOSABLE SLEEVE**







#### KIMBERLY-CLARK® STERILE SLEEVE PROTECTOR, KIMBERLY-**CLARK PROFESSIONAL®**

- Sterile sleeve protector
- Double bagged for protection



Description	Size	Length	Color	Cat. No.	Size	Color	Cat. No.
VWR® Advanced Protection Sleeve	X-Large	54.6 cm (21.5")	White	89208-810	Universal	Blue	15628-276

#### **DUPONT™ PROCLEAN® 2 STERILE SLEEVES**

- Sterile
- Elastic at both ends
- Low lint generation
- Universal fit



#### **KIMTECH PURE® A5** STERILE SLEEVE **PROTECTOR WITH CLEAN-DON**™ **TECHNOLOGY, KIMBERLY-CLARK PROFESSIONAL®**



- SMS material construction ensures a cloth-like comfort
- Type 6 PPE Category III for "parts of the body"
- Sterility assurance level is 10<sup>-6</sup>

Color	Sterility	Cat. No.
White	Sterile	89428-610



76104-216 76104-218

76104-220

#### **COMPOSITELITE**™ **SAFETY BOOT, PORTWEST**

- Composite protective toecap
- Direct injected dual density construction
- Lightweight PU cushioned midsole
- Slip-, fuel-, and oilresistant PU outsole
- Removable EVA cushion footbed
- Anti-static



#### **COMPOSITELITE**<sup>™</sup> **WORK. TREKKER SAFETY SHOE, PORTWEST**

- Protective composite toecap
- Direct injected dual density construction
- Lightweight PU cushioned midsole
- Slip-, fuel-, and oilresistant outsole
- Removable EVA cushion footbed

Black

- 3D breathable mesh lining
- 100% metal-free

		- Anti-static			
Size	Color	Cat. No.	Size	Color	
9	Black	76104-030	9	Black	
10	Black	76104-032	10	Black	

76104-034

76104-138

### **COMPOSITELITE**<sup>™</sup> **ULTRA, OPERIS SAFETY SHOES, PORTWEST**

- Protective composite toecap
- Puncture-resistant composite midsole
- Direct injected dual density construction
- Lightweight PU cushioned midsole
- Slip-, fuel-, and oil-resistant rubber outsole

Black/Orange

Black

- Heat-resistant rubber outsole
- 100% metal-free



#### STEELITE<sup>™</sup> WORK, PROTECTOR SHOE, **PORTWEST**

- Protective steel toecap
- Puncture-resistant steel midsole
- Direct injected dual density construction
- Lightweight PU cushioned midsole
- Slip-, fuel-, and oil-resistant outsole
- Removable EVA cushion footbed
- Anti-static

- Anti-stati	C	
Size	Color	Cat. No.
9	Black/Orange	76104-134
10	Black/Orange	76104-136

Size	Color	Cat. No.
9	Black	76104-162
10	Black	76104-396
11	Black	76104-398



All of the Portwest products on this page are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.





#### STEELITE<sup>™</sup> WORK, ARX SAFETY TRAINER, PORTWEST

- Protective steel toecap
- Puncture-resistant steel midsole
- Cement construction
- Lightweight EVA cushioned midsole
- Slip-, fuel-, and oil-resistant rubber outsole
- Heat-resistant outsole
- Removable EVA cushion footbed
- Anti-static

Size	Color	Cat. No.
9	Black	76104-458
10	Black	76104-820
11	Black	76104-822



#### 

- Protective steel toecap
- Puncture-resistant steel midsole
- Cement construction
- Lightweight EVA cushioned midsole
- Slip-, fuel-, and oil-resistant rubber outsole
- Heat-resistant outsole
- Removable EVA cushion footbed
- Anti-static

Size	Color	Cat. No.
9	Black/Yellow	76104-892
10	Black/Yellow	76104-894
11	Black/Yellow	76104-896



#### STEELITE<sup>™</sup> LADIES SAFETY TRAINER, PORTWEST

- Protective steel toecap
- Puncture-resistant steel midsole
- Cement construction
- Lightweight EVA cushioned midsole
- Slip-, fuel-, and oil-resistant rubber outsole
- Heat-resistant outsole
- Removable EVA cushion footbed
- Anti-static

Size	Color	Cat. No.
9	Black/Blue	76104-916
10	Black/Blue	76104-918
11	Black/Blue	76104-920
9	Black/Pink	76104-932
10	Black/Pink	76104-934
11	Black/Pink	76104-936



All of the Portwest products on this page are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.



#### STEELITE™ WORK, TREKKER SHOE, PORTWEST

- Protective steel toecap
- Puncture-resistant steel midsole
- Direct injected dual density construction
- Lightweight PU cushioned midsole
- Slip-, fuel-, and oil-resistant PU outsole
- Removable EVA cushion footbed
- 3D breathable mesh lining
- Anti-static

Size	Color	Cat. No.
9	Black	76104-990
10	Black	76104-992
11	Black	76104-994



#### STEELITE<sup>™</sup> ULTRA MUSTANG SAFETY BOOT, FW69, PORTWEST

- Protective steel toecap
- Puncture-resistant steel midsole
- Direct injected dual density construction
- Lightweight PU cushioned midsole
- Slip-, fuel-, and oil-resistant TPU outsole
- 360° ankle support system
- Removable EVA cushioin footbed
- Anti-static

Size	Color	Cat. No.
9	Brown	76104-848
10	Brown	76104-850
11	Brown	76104-852



#### STEELITE™ TOTAL SAFETY WELLINGTON BOOT, FW95, PORTWEST

- Protective steel toecap
- Puncture-resistant steel midsole
- Dual density PVC/Nitrile construction
- Slip-, fuel-, and oil-resistant PVC/Nitrile outsole
- 100% waterproof
- Washable nylon inner lining
- 15" height
- Anti-static

Size	Color	Cat. No.
9	Black	76104-474
10	Black	76104-476
11	Black	76104-478



All of the Portwest products on this page are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### **COMPOSITELITE™ ULTRA OPERIS BOOT FC60, SAFETY BOOTS, PORTWEST**

- Protective composite toecap
- **Puncture-resistant** composite midsole
- Lightweight PU cushioned midsole
- Slip-, fuel-, and oil-resistant PU/rubber outsole
- Direct injected dual density construction
- Heat-resistant outsole
- 100% metal-free
- Anti-static





	ONLY
76*	•

Size	Color	Cat. No.
9	Black/Orange	76104-046
10	Black/Orange	76104-048
11	Black/Orange	76104-050

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### **COMPOSITELITE™ WELDERS BOOT, FW01, PORTWEST**

- Protective composite toecap
- Puncture-resistant composite midsole
- Water-resistant upper
- Lightweight PU cushioned midsole
- Slip-, fuel-, oil and heatresistant rubber outsole
- Ergonomic quick release buckle
- Anti-static





Size	Color	Cat. No.
9	Black	76104-346
10	Black	76104-348
11	Black	76104-350

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

## Anti-fatigue Matting in your Boots®

### Maximum comfort. Maximum shock absorption.

MEGAComfort's work-life wellness solutions are created to maximize employee engagement, motivation and productivity in a cost effective way.

- Ergonomically designed by a doctor
- Patented\* dual layer 100% Memory Foam
- Clinically proven & field tested to reduce pain & fatigue
- Over 15 years of research & development
- Silver ion anti-microbial technology
- Anti-fungal, anti-bacterial and anti-perspiration
- Aeration holes to regulate temperature
- Cushioned heel & arch support
- Odor reducing & machine washable

Size		PAM	PAM ESD MEGASO		DLE MULTITHOTIC
Men	Women	Cat. No.	Cat. No.	Cat. No.	Cat. No.
	5-6-7	89219-216	89219-228	94024-034	94024-022
6-7	8-9	89219-218	89219-230	94024-036	94024-024
14-15	10-11	89219-220	89219-232	94024-038	94024-026
8-9	12-13	89219-222	89219-234	94024-040	94024-028
10-11		89219-224	89219-236	94024-042	94024-030
12-13		89219-226	89219-238	94024-044	94024-032





Casual & Work

Anti-Static Only

Industrial

\* Patent: US 8,832,969

#### SUREFLEX BOOTS WITH SAFETY-LOC<sup>™</sup> OUTSOLE, ONGUARD

- Protective steel toe cap
- PVC/nitrile soles, high performance PVC compound uppers, and steel toes
- Slip resistant



nextor.	
	à

Size	Color	Cat. No.
9	Black	89031-588
10	Black	89031-590
11	Black	89031-592

#### SF CHEMICAL OVERBOOTS, **HONEYWELL SAFETY**

- One-piece molded construction helps to eliminate possible leaks in reinforced areas
- Overboots feature a slip-coated interior and a slip-resistant, selfcleaning outsole
- Tested to meet chemical requirements of the Military Spec MIL-O-43995C and the Commercial Spec A-A-59520



Size	Color	Cat. No.
Medium	Black	63550-148
Large	Black	63550-150
X-Large	Black	63550-152
7. Ea. 90	Diagn.	00000 1

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region

#### **VIKING BOOTS, ONGUARD**

- Sturdy, provides complete waterproof protection
- Fits over most work shoes and boots
- Flexible even in cold weather
- Kick-off lugs and noncorrosive metal snaps for easy removal
- Special fold line for snug fit, if required
- Self-cleaning, maximum slip-resistant sole

Description	Size	Color	Cat. No.
10.2 cm (4") Galosh	Medium	Black	21921-700
25.4 cm (10") Overboot	Large	Black	21921-710
25.4 cm (10") Overboot	XX-Large	Black	21921-714
43.2 cm (17") Overboot	Medium	Black	21921-716
43.2 cm (17") Overboot	Large	Black	21921-718

#### HAZMAX® KNEE BOOTS, ONGUARD

- Nonconductive adjustable polyester strap with non-metallic buckle and snaps
- High-visibility green upper with black, easyto-clean, nonslip cleated sole
- Heel kick-off lug for easy removal
- Available in men's sizes only



Size	Color	Cat. No.
9	Green	21921-788
10	Green	21921-790
11	Green	21921-792

#### **SLICKER BOOTS, OVERBOOTS** WITH STRAP, ONGUARD

- Excellent cold weather flexibility
- Non-absorbent polyester liner for easy cleaning and quick drying
- Non-conductive, adjustable polyester strap with plastic buckle and snap for better fit
- Self-cleaning, cleated sole
- Kick-off lug for easy boot removal



_	Removable cushion insole permits
	cleaning of boot interior.
-	Choose plain toe and steel toe styles
	the Ct. on the co

Pull-up/kick-off lugs make entry

Non-slip soles give workers positive footing

POLYBLEND BOOTS, ONGUARD

Steel shank adds comfort

and removal easy





Size	Color	Cat. No.
10	Yellow	21921-804
11	Yellow	21921-806
12	Yellow	21921-808

Size	Color	Cat. No.
10	Black	21921-726

#### **FOOT PROTECTION**

#### **RUBBER WORK OVERSHOES, TINGLEY**

- Reinforced heel and toe
- Excellent tensile strength
- Heavy-duty heel kick-off cleat for easy no-hands removal
- Molded-in button for secure closure
- Material will not crack or stiffen in cold weather
- Unlined for easy cleaning and decontamination.
- Additional material in the heel, toe, and sole provide longer wear; less material in the upper reduces weight and leg fatique

Size	Color	Cat. No.
Small	Black	83007-898



#### SERVUS™ STRAP-ON RUBBER **OVERSHOES, HONEYWELL SAFETY**

- Each 100% waterproof boot features an adjustable side strap for a snug fit
- Tough, comfortable net lining for easy on and off
- 46cm (18") high overshoe has a Cross Rib<sup>™</sup> outsole



Size	Color	Cat. No.
8	Yellow	35557-570
9	Yellow	35557-572
10	Yellow	35557-574

#### SERVUS® XTP<sup>™</sup> SAFETY KNEE **BOOTS, HONEYWELL SAFETY**

- Protective steel toe cap
- Extended, ribbed steel shanks for support, steel toes for protection, and contour comfort
- Graduated heights decrease chafing of calf



#### SERVUS® CT<sup>™</sup> ECONOMY KNEE **BOOTS, HONEYWELL SAFETY**

- Scalloped top-line to accommodate flexing, helps to prevent rubbing and chafing on legs
- SAFE-TOE steel toe
- Molded contour heel cup
- Removable FOOT FORM contour cushion insoles provide added comfort
- Reinforced construction at critical stress points



Color	Cat. No.
Black	11001-078
Black	94023-968
Black	94023-972

11000-088
11000-092
11000-096

#### **SPLICING AND MAINTENANCE CHAPS, SERIES 9911, HEXARMOR**

- Cut, puncture and abrasion resistant, with front-to-back leg coverage
- Three layers of protection on knee (front only)
- Reflective tape for visual awareness
- Launderable



Size	Color	Cat. No.
Medium	Black, with Reflective Stripes	76208-130
Large	Black, with Reflective Stripes	76208-132
X-Large	Black, with Reflective Stripes	76208-134
XX-Large	Black, with Reflective Stripes	76208-136
3X-Large	Black, with Reflective Stripes	76208-238

COLLECTION


#### **VWR® BASIC PROTECTION INDUSTRIAL CPE SHOE COVERS**

- The VWR® CPE shoe cover is suitable for use in a wide variety of environments and applications
- Two color options are available for this durable garment, each of which easily fits over most shoe sizes
- They are ideally suited for use in industrial, food and beverage, warehouse, noncontrolled environment, and visitor applications






#### **VWR® ADVANCED PROTECTION ANTI-SKID SHOE COVERS**





- Highly durable, ensure long-lasting abrasion and skid resistance
- Standard or static-dissipative formats
- Tested and manufactured in ISO-certified facility
- Lot controlled and validated through independent lab testing

			0.11
Size	Dimensions	Color	Cat. No.
Standard Shoe	e Covers		
Universal	39.4L x 15.9H cm (151/2 x 61/4")	Blue	414004-498
X-Large	43.2L x 17.1H cm (17 x 6 <sup>3</sup> / <sub>4</sub> ")	Blue	414004-499
XX-Large	47L x 17.8H cm (18 <sup>1</sup> / <sub>2</sub> x 7")	Blue	414004-500
Static Dissipat	ive Shoe Covers		
Universal	39.4L x 17.8H cm (151/2 x 7")	Blue	414004-644
X-Large	43.2L x 17.8H cm (17 x 7")	Blue	414004-645



#### **VWR® BASIC PROTECTION SPP SHOE COVERS**

- Economical, disposable first-line barrier
- Maximum breathability
- Low linting





Description	Size	Length	Color	Cat. No.
Heavy Weight Anti-Skid Shoe Covers	Universal	39.4 cm (15 <sup>1</sup> / <sub>2</sub> ")	Blue	89233-794
Standard Shoe Covers	Universal	44.5 cm (17 <sup>1</sup> / <sub>2</sub> ")	Blue	97041-234
Anti-Skid Shoe Covers	Universal	44.5 cm (17 <sup>1</sup> / <sub>2</sub> ")	Blue	97041-236

#### **DUPONT™ PROSHIELD® 60 SHOE COVERS WITH PVC** SKID RESISTANT SOLE





Elastic top

Size	Height	Length	Color	Cat. No.
М	5"	113/4"	White	10016-130

#### **VWR® BASIC PROTECTION CPE SHOE COVERS**

- First-line barrier
- Economical and lint free
- Excellent fluid resistance





COLLECTION

#### **KIMTECH PURE® A7 ANKLE** HIGH SHOE COVER, KIMBERLY-**CLARK PROFESSIONAL®**

- Helps reduce contamination in controlled environments
- Decrease the risk of slips and falls
- Protects the shoelace area
- Delivers higher barrier of liquid protection and superior grip

	Cat. No.
	10847-812

Color	Cat. No.
Blue	414004-512
White	414004-513
	Blue





#### KIMBERLY-CLARK® XTRA-**TRACTION**<sup>™</sup> **CLEANROOM** SHOE COVERS, KIMBERLY-**CLARK PROFESSIONAL®**

- Protective threelayer SMS fabric
- Fully elasticized for comfortable fit
- Traction fabricsoles to minimize slipping
- Sewn seams





#### **VWR® MAXIMUM PROTECTION NON-SKID SHOE COVERS**

- Non-skid, abrasion resistant sole provides maximum traction on wet and smooth surfaces
- Superior coefficient of friction
- Impervious material construction
- Clean, low-linting fabric
- Serged seams



			Size	Diffictions	Color	Cut. No.
			Universal	35.6 L x 12.7 H, cm (14 x 5")	White	414004-480
Size	Color	Cat. No.	Universal	35.6 L x 12.7 H, cm (14 x 5")	Blue	414004-486
Medium/Large	Blue	89135-426	Large	32.4 L x 12.7 H, cm (12 <sup>3</sup> / <sub>4</sub> x 5")	White	414004-483
X-Large/XX-Large	Blue	89135-428	X-Large	38.7 L x 16.5 H, cm (15½ x 6½")	Blue	414004-487

#### KIMTECH PURE® A8 UNITRAX™ SHOE COVERS, KIMBERLY-**CLARK PROFESSIONAL®**

- Protects workers in critical process manufacturing and quality control environments
- Recommended for use in clean environments



	(F)	
	3	

Size	Color	Cat. No.
Universal	White	89428-606
X-Large/XX-Large	White	89428-608

#### **VWR® MAXIMUM PROTECTION HIGH TACK SHOE COVERS**

- High coefficient of friction
- 100-gram basis weight
- Heat-sealed seams
- Ideal for wet surfaces



Size	Dimensions	Color	Cat. No.
Universal	39.4L x 16.5H cm (15 <sup>1</sup> / <sub>2</sub> x 6 <sup>1</sup> / <sub>2</sub> ")	Blue	414005-083
X-Large	43.2L x 17.8H cm (17 x 7")	Blue	414005-084

#### **VWR® MAXIMUM PROTECTION** FLUID-IMPERVIOUS BUTTERFLY-**STYLE SHOE COVERS**

- Fluid-impervious material with seamless bottom to repel water
- Skid resistance on wet and smooth surfaces
- Excellent particulate barrier
- Low linting
- Serged seams




COLLECTION

Size	Dimensions	Color	Cat. No.
Universal	39.4 L x 16.5 H, cm (15 <sup>1</sup> / <sub>2</sub> x 6 <sup>1</sup> / <sub>2</sub> ")	Blue	414004-641
Universal	39.4 L x 16.5 H, cm (151/2 x 61/2")	White	414004-646
X-Large	43.2 L x 17.8 H, cm (17 x 7")	Blue	414004-642
X-Large	43.2 L x 17.8 H, cm (17 x 7")	White	414004-647

#### **KLEENGUARD® A40 LIQUID** AND PARTICLE PROTECTION SHOE COVERS, KIMBERLY-**CLARK PROFESSIONAL®**

- Used in applications where Tyvek® material is typically worn
- Lamination of microporous film and spunbond nonwoven material
- Dry particle holdout of 100% between 0.3-0.5µm





#### VWR SIGNATURE™ **SHOE COVERS MADE** WITH DUPONT™ TYVEK® **ISOCLEAN® MATERIAL**

- Excellent barrier against nonhazardous liquids and microorganisms, dry particles down to 0.5µm
- For cleanroom use, chemically and biologically inert, tear resistant, and low linting
- Single use, serged seams and elastic tops for a secure fit
- Flat, non-skid PVC soles





#### KINETICBUTLER SHOE COVER **DISPENSER, PROTEXER**

- Designed for low, moderate, or high volume areas where speed, safety, and compliance are critical
- Hands-free application enables workers to enter facilities without dropping tools or touching dirty shoes
- Dispensers available in two sizes: large unit has handle for safety and stability while applying shoe covers, small unit more easily transported
- Requires no electricity for operation



Size	Height	Color	Cat. No.
Medium	12.7 cm (5")	White	89128-792
Large	12.7 cm (5")	White	89128-794

Description	Size	Cat. No.
KineticButler Shoe Cover Dispenser	Large	10842-396

#### **DUPONT™ TYVEK® ISOCLEAN® SHOE COVERS** WITH PVC SOLE

- PVC sole
- Elastic opening
- Serged seams



#### **BOOTIEBUTLER® SHOE COVERS, PROTEXER**

- Super anti-skid, slipresistant pattern
- Antistatic material
- Lightweight and durable for extra-long wear
- One size fits most



Size	Height	Length	Color	Cat. No.
L	51/4"	14"	White	89125-644
XL	51/4"	15 <sup>1</sup> / <sub>2</sub> "	White	89127-348

Description	Size	Color	Cat. No.
BootieButler® Shoe Covers	Universal	Blue	10836-051

#### **VWR® IRRADIATED NON-SKID SHOE COVERS**

- Non-skid soles provide maximum traction on wet and smooth surfaces
- Superior coefficient of friction
- Constructed of impervious material
- Clean, low-linting fabric



Size	Color	Cat. No.
Large	White	414004-479
X-Large	White	414004-477
Universal	White	414004-476

#### TURBO TOE SAFETY STEEL TOE CAPS, MAGID®

- Made of flexible, pliable PVC
- Wide size range to accommodate both men and women
- Toe is color-coded to indicate size
- 100% waterproof, will not harden. stiff or crack

Size	Color	Cat. No.
XX-Small	Purple	76213-986
Small	White	76214-006
Medium	Yellow	76214-004
Large	Red	76214-002
X-Large	Blue	76214-008
XX-large	Green	76213-984
3X-Large	Black	76213-988

#### SILVER SHIELD®/4H® BOOTIES, **HONEYWELL SAFETY**

- Five-layer fabric compacted into 2.7mil
- High-energy polymer (EVOH) with a low-energy polymer (PE), impervious to at least 90% of all organic chemicals for 4 hours at 35°C (95°F)
- Each layer acts as a barrier against various epoxies and industrial chemicals
- Wear as a liner or as a cover
- One size fits all

Description	Size	Cat. No.
Silver Shield®/4H® Booties	Universal	11000-628

#### **INDUSTRIAL-GRADE BOOT COVERS, YULEYS CLEAN STEP** SYSTEM, HEXARMOR

- Hands-free on-and-off usage
- Slip-reducing tread design
- Heel-locking grip system
- Autoclavable
- Superior chemical and abrasion resistance
- Greater flexibility at extreme temperatures
- Silicone free

Description	Size	Length	Color	Cat. No.
Industrial-Grade Work				
Boot Covers	В	26.7 to 27.9 cm (10 1/2 to 11")	Blue	10147-404
Industrial-Grade Work				
Boot Covers	С	27.9 to 29.8 cm (11 to 11 3/4")	Blue	10147-406
Industrial-Grade Work				
Boot Covers	D	29.8 to 31.3 cm (11 3/4 to 12 5/16")	Blue	10147-416
Industrial-Grade Work				
Boot Covers	E	31.3 to 32 cm (12 5/16 to 12 5/8")	Blue	10147-418

#### NORTH<sup>™</sup> LATEX BOOTIES, **HONEYWELL SAFETY**

- 30.5cm (12") stretchable latex
- Slip-resistant, textured outsole
- Disposable
- 100% Waterproof



Size	Color	Cat. No.
Large	Yellow	63550-140
X-Large	Yellow	63550-142

#### **HAZMAT BOOT COVERS, ONGUARD**

- High visibility yellow color
- Strong enough to be reusable, economical enough to be disposable
- Ribbed and textured sole provides safe, dependable traction



#### **VWR® BOOT COVERS**

- Economical
- Disposable
- Made of clear, polyethylene film





Size	Diameter	Cat. No.
Large	Hazmat Boot Cover	21921-844
X-Large	Hazmat Boot Cover	21921-846

Size	Thickness	Cat. No.
Medium	1.75 mil	56614-051
Large	3 mil	56614-302


#### **DUPONT™ PROSHIELD® 60 BOOT COVERS WITH PVC SOLE**

- PVC skid-resistant soles
- Serged seams
- Elastic top
- Coverage up to calf



Size	Height	Length	Color	Cat. No.
М	18"	11 <sup>3</sup> / <sub>4</sub> "	White	10016-138
L	18"	14"	White	10016-136

#### VWR SIGNATURE™ BOOT COVERS MADE WITH DUPONT™ TYVEK® MATERIAL





- Soles made from PVC, coarsely textured interior prevents slipping inside and outside the garment
- 45.7cm (18") high upper with elastic at leg openings
- Supplied with ankle ties





#### **VWR® MAXIMUM PROTECTION FLUID-IMPERVIOUS ANKLE-HIGH BOOT COVERS**

- Fluid-impervious material with seamless bottom to repel water
- Skid resistance on wet and smooth surfaces
- Excellent particulate barrier
- Low linting





Size	Dimensions	Color	Cat. No.
X-Large	42 L x 28 H, cm (16 <sup>1</sup> / <sub>2</sub> x 11")	Blue	414004-638
Universal	38.1 L x 28 H, cm (15 x 11")	White	414004-640



#### **DUPONT™ TYVEK® 400 BOOT COVERS**

- Elastic top
- Coverage up to calf
- One size fits most



Height	Length	Color	Cat. No.
18"	16"	White	10016-956

#### **VWR® MAXIMUM PROTECTION NON-SKID HIGH-TOP BOOT COVERS**

- Superior coefficient of friction ensures maximum traction
- Maximum skid resistance on wet and smooth surfaces
- Serged seams for extra protection
- Clean, low-linting fabric





#### **DUPONT™ TYVEK® 400 BOOT COVERS WITH FC SKID RESISTANT SOLE**

- Elastic top
- Coverage up to calf
- Special FC slip-resistant coating on sole
- One size fits most



Description	Size	Dimensions	Color	Cat. No.
Elastic Tops and Ankles	X-Large	38.1 L x 45.7 H, cm (15 x 18")	White	414004-415
Elastic Tops and Ankles	Universal	35.6 L x 44.5 H, cm (14 x 17 <sup>1</sup> / <sub>2</sub> ")	White	414004-414
Elastic Tops and Ankle Ties	Universal	35.6 L x 47 H, cm (14 x 18 <sup>1</sup> / <sub>2</sub> ")	White	414004-418
Elastic Tops and Ankle Ties	X-Large	38.1 L x 48.3 H, cm (15 x 19")	White	414004-419

Size	Height	Length	Color	Cat. No.
Large	18"	16"	White	10016-958

### DUPONT™ TYVEK® ISOCLEAN® BOOT COVERS WITH PVC SOLE

- PVC sole
- Elastic opening
- Ankle ties
- Coverage up to calf
- Serged seams



Size	Height	Length	Color	Cat. No.
Tyvek® Iso	Clean® Boot Covers	with PVC Sole, Clea	n Processed, Sterile	
М	18"	131/4"	White	89127-328
L	18"	15¹/₄"	White	89127-324
XL	18"	171/4"	White	89127-332

#### KIMTECH PURE® A5 CLEAN PROCESSED APPAREL, KIMBERLY-CLARK PROFESSIONAL®

- High standard of protection and comfort
- Cloth-like SMS material, contains no natural rubber or latex
- Manufactured in ISO-certified facility, individually bagged under cleanroom conditions
- Optional hoods and boot covers designed for use with coveralls

Description	Size	Color	Sterility	Cat. No.
Boot Covers	Small/Medium	White	Nonsterile	89166-200
Boot Covers	X-Large/XX-Large	White	Nonsterile	89166-202

### DUPONT™ TYVEK® ISOCLEAN® BOOT COVERS

- Elastic opening
- Ankle ties allow for a secure fit
- Coverage up to calf



#### KIMTECH PURE® A5 STERILE BOOT COVERS WITH CLEAN-DON™ TECHNOLOGY AND GRASP TIES, KIMBERLY-CLARK PROFESSIONAL®

- Two steps in one saves time, minimizes risk of contamination
- Edged vinyl sole to reduce slipping and liquid penetration
- Side grasp ties for secure fit
- Type 6 PPE Category III
- SAL 10<sup>-6</sup>



Size	Height	Length	Color	Cat. No.
Tyvek® Iso	Clean® Boot Cover	s, Clean Processed,	Sterile	
L	18"	15¹/₄"	White	89127-336
XL	18"	171/4"	White	89129-686

Size	Color	Cat. No.
Small/Medium	White	89203-942
Universal	White	89203-944

### DUPONT<sup>™</sup> TYVEK® ISOCLEAN® BOOT COVERS WITH GRIPPER<sup>™</sup> SOLE

- Gripper™ soles provide enhanced skidresistance and durability
- Elastic at ankles allows for a secure fit
- Elastic opening
- Coverage up to calf



Size	Height	Length	Color	Cat. No.	
Tyvek® IsoClean® Boot Covers, Clean Processed					
L	18"	131/4"	White	10147-888	
XL	18"	151/4"	White	10147-980	
Tyvek® IsoCle	an <sup>®</sup> Boot Covers	s, Clean Processed, S	terile		
2X	18"	_	White	10016-088	

# General safety supplies

Ergonomics and matting

Fall protection

First aid

Cleaning

Handcare

Material handling and storage

Spill control and waste disposal

Radiation protection

Lockout/Tagout

Monitoring and detection

Signs, printers and labels





#### **VWR® ERGONOMIC MATS**

- Stimulate the body to increase blood circulation and alertness
- Molded beveled edges eliminate tripping hazards
- Silicone- and latex-free
- Solid mat throughout no hollow bubbles that collapse
- Anti-static and meets ISO Class 5 (Class 100) compliance
- Easy-to-clean, closed-cell/non-porous top surface
- Highly resistant to chemicals and UV light


Color	WxL	Cat. No.
Economy Bubble Mats		
Black	0.6 x 1.2 m (2 x 4')	89185-336
Black	0.9 x 0.9 m (3 x 3')	89185-370
Black	0.9 x 3 m (3 x 10')	89185-384
Bubble Mats		
Blue	0.6 x 0.9 m (2 x 3')	89184-910
Blue	0.6 x 1.2 m (2 x 4')	89184-912
Blue	0.6 x 1.8 m (2 x 6')	89184-916
Blue	0.9 x 1.5 m (3 x 5')	89184-950
Gray	0.6 x 0.9 m (2 x 3')	89185-016
Gray	0.6 x 1.2 m (2 x 4')	89185-018
Gray	0.6 x 1.5 m (2 x 5')	89185-020
Economy Smooth Mats		
Black	0.6 x 0.9 m (2 x 3')	89185-440
Black	0.6 x 1.2 m (2 x 4')	89185-442
Black	0.9 x 1.5 m (3 x 5")	89185-480
Smooth Mats		
Blue	0.6 x 0.9 m (2 x 3')	89185-122
Blue	0.9 x 1.8 m (3 x 6')	89185-164
Blue	0.6 x 1.5 m (2 x 5')	89185-126
Gray	0.6 x 0.9 m (2 x 3')	89185-228
Gray	0.6 x 1.5 m (2 x 5')	89185-232
Gray	0.9 x 1.8 m (3 x 6')	89185-270



**BUBBLE MAT:** Outstanding ergonomic support



**SMOOTH MAT:** Ideal for high cart and trolley traffic



#### PIG® TRAFFIC MAT® POLY-BACK **ABSORBENT RUG, NEW PIG**

- Absorbs and retains oils, coolants, solvents, and water
- Dark gray color hides grime, so mat stays on the job longer
- Rolls are ideal for walkways and large areas to soak up leaks and overspray
- Cuts easily with scissors or utility knife
- Can be incinerated after use to reduce waste or for fuels blending
- Poly backing prevents absorbed liquids from reaching floors



#### PIG® GRIPPY® TRAFFIC MAT® RUG, PIG®

- Holds tight but peels up easily
- No bunching, rippling, flipping or shifting
- Heat-fused and needle-punched for incredible durability



Description	Dimensions	Cat. No.
Mediumweight	91.4 cm x 30 m (36" x 100')	56620-074

Description	Dimensions	Absorbency	Cat. No.
Adhesive Backing, Mediumweight	36" W x 100' L	Up to 11.5 gallons per roll	89508-230



# Make the switch to PIG grippy floor mat!

### No slips. No trips. All grip.

PIG Grippy Floor Mat's proprietary adhesive backing sticks to the floor with a super-tight grip — no shifting, bunching up or flipping over. Replace dangerous carpeted rental rugs with Grippy Floor Mat and watch floor safety improve in your labs and workspaces. Grippy mat absorbs leaks, spills and even condensation around ultra-low temperature freezers.

Dimensions	Absorbency	Packaging	Color	Weight	Cat. No.
36" x 100'	8 Gal./Roll	1 Roll	Black	Medium	10811-188
36" x 5'	4 Gal./Roll	10 Mats/Roll	Black	Medium	10811-218
36" x 10'	4 Gal./Roll	5 Mats/Roll	Black	Medium	10811-220



#### PIG® TRAFFIC MAT® HEAVY-DUTY **ABSORBENT RUG, NEW PIG**

- Absorbs and retains oils, coolants, solvents, and water
- Dark gray color hides grime, so mat stays on the job longer
- Rolls are ideal for walkways and large areas to soak up leaks and overspray
- Cuts easily with scissors or utility knife
- Can be incinerated after use to reduce waste or for fuels blending
- Heavy-duty rug is twice as heavy and absorbent as standard Traffic Mat Rua



Description	Dimensions	Cat. No.
Heavyweight	91.4 cm x 46 m (36" x 150')	89205-916

#### **PIG® TRAFFIC MAT® ABSORBENT RUG, NEW PIG**

- Absorbs and retains oils, coolants, solvents, and water
- Dark gray color hides grime, so mat stays on the job longer
- Rolls are ideal for walkways and large areas to soak up leaks and overspray
- Cuts easily with scissors or utility knife
- Can be incinerated after use to reduce waste or for fuels blending



Description	Dimensions	Cat. No.
Mediumweight	91.4 cm x 91 m (36" x 300')	56620-072

#### **ERGOMAT® CLASSIC ANTIFATIGUE MATS, ERGOMAT®**

- Durable, easy to clean, shock absorbent, static dissipative
- For use in ISO Class 5 (FED-STD-209E Class 100/ M3.5) cleanrooms
- Ideal for dry, nonabrasive areas
- 1.6 cm (5/8) thick with four beveled edges

WxL	Color	Cat. No.
0.6 x 0.9 m (2 x 3')	Charcoal Gray	22231-010
0.6 x 1.2 m (2 x 4')	Charcoal Gray	22231-024
0.6 x 1.5 m (2 x 5')	Charcoal Gray	22231-026
0.6 x 1.8 m (2 x 6')	Charcoal Gray	22231-012
0.9 x 1.5 m (3 x 5')	Charcoal Gray	22231-030
0.9 x 3.6 m (3 x 12')	Charcoal Gray	22231-112







- Mats are 1.1 cm (7/16") thick to provide the appropriate balance between compression and rebound, necessary for an effective ergonomic mat
- Nitril mats will not swell, expand, or curl when exposed to oils or a variety of chemicals
- Mats are latex-free and can be cleaned by a variety of methods, including high pressure water jets

WxL	Color	Cat. No.
0.6 x 0.9 m (2 x 3')	Black	12999-188
0.6 x 1.2 m (2 x 4')	Black	89169-708
0.6 x 1.8 m (2 x 6')	Black	12999-190
0.6 x 3.6 m (2 x 12')	Black	89169-722
0.9 x 1.5 m (3 x 5')	Black	89169-742
1.2 x 1.8 m (4 x 6')	Black	89169-778

#### **ERGOMAT® NITRIL ANTI-FATIGUE MATS, ERGOMAT**

- Molded beveled edges will never curl up, eliminating tripping hazards
- No overlapping or wornout connecting mats, also eliminating tripping hazards
- Silicone-free and latex-free

3 x 8'


Cleanroom ISO class 5 (class 100)



89169-946

#### **ERGOMAT® COMPLETE SMOOTH ANTI-FATIGUE** MATS, ERGOMAT

- Fire retardant, open cell, virgin polyurethane
- Tolerates mild exposures of oil and other liquids
- Silicone free, latex free, antistatic, UV resistant
- Certified for use in ISO Class 5 (100) cleanrooms



_	_	_	
==	==		
-			

	72		80.	
=	-	==	=0.	
-	-		-	

#### **ULTRASOFT TILE-TOP ANTI-FATIGUE** MAT WITH ANTI-MICROBIAL **SPONGE, WEARWELL®**


- Premium Anti-Microbial sponge
- Non-porous, Anti-Microbial surface
- 2X the resilience and 3X the life of look-alikes
- Maximized standing area
- Lay-flat design



WxL	Color	Cat. No.
61 x 91.44 cm (2 x 3')	Gray	22230-828
91.44 x 152.4 cm (3 x 5')	Gray	22230-890
121.92 x 609.6 cm (4 x 20')	Gray	22230-976

#### **ERGOMAT® INDUSTRY MATS ERGOMAT®**

- Heavy-duty nitrile
- For areas with extreme moisture or heavy fluid flow, from water to cutting oils
- Anti-slip surface and 5.1 cm (2") molded bevels for increased safety
- Suitable for use in ISO Class 5 (FED-STD-209D Class 100/



M3.3/ Cledificoms	
W×L	Cat. No.
61 x 91 cm (2' x 3')	22231-186
122 102 00 (4) (1)	00470 070

UltraSoft Tile-Top Anti-Microbial Beveled Mat	3	0.875"	2	Blue	94001-020
UltraSoft Tile-Top Anti-Microbial Beveled Mat, Full Roll	60'	0.875"	2'	Black	94001-026
UltraSoft Tile-Top Anti-Microbial Beveled Mat	5'	0.875"	3'	Black	94001-034
UltraSoft Tile-Top Anti-Microbial Beveled Mat	5′	0.875"	3′	Charcoal	94001-038
UltraSoft Tile-Top Anti-Microbial Beveled Mat	5'	0.875"	3′	Gray	94001-040
UltraSoft Tile-Top Anti-Microbial Beveled Mat, Full Roll	60'	0.875"	3'	Black	94001-042
UltraSoft Tile-Top Anti-Microbial Beveled Mat, Full Roll	60'	0.875"	3'	Blue	94001-044
UltraSoft Tile-Top Anti-Microbial Beveled Mat, Full Roll	60'	0.875"	4'	Charcoal	94001-054

Length Thickness Width Color

#### **DIAMOND-PLATE SPONGECOTE™ AND ULTRASOFT MATS, WEARWELL®**

- Industrial strength
- Antifatique
- Resists abrasion and most chemical spills



WxL	Cat. No.	Description	Thickness	WxL	Color	Cat. No.
61 x 91 cm (2' x 3')	22231-186	SpongeCote <sup>™</sup>				
122 x 18288 cm (4' x 6')	89170-078	Diamond-Plate Mat	2.4 cm (15/16")	0.9 x 1.5 m (3 x 5')	Black	89020-406
122 x 518.16 cm (4 x 17')	89170-100 SpongeCote™		2.4 (15/ #)	0.0 1.5 (2 5!)	Commi	80020 410
		Diamond-Plate Mat	2.4 cm (**/16 )	0.9 x 1.5 m (3 x 5')	Gray	89020-410
		UltraSoft Diamond-				
		Plate Mat	2.4 cm (15/16")	0.9 x 1.5 m (3 x 5')	Black with Yellow Border	89020-800

#### **ULTRASOFT DIAMOND-PLATE ANTI-FATIGUE MAT, WEARWELL®**

- Chemical and abrasion resistant
- 2X the resilience and 3X the life of look-alikes
- Maximized standing area
- Unique pre-bond bevel and lay-flat design prevent trip hazards



Description	Length	Thickness	Width	Color	Cat. No.
UltraSoft Diamond-					
Plate Beveled Mat	3'	0.9375"	2'	Black with Chevron	89020-780
UltraSoft Diamond-					
Plate Beveled Mat	5′	0.9375"	3'	Black with Chevron	89020-79

#### **TILE-TOP AM ANTI-FATIGUE** MAT WITH ANTI-MICROBIAL **SPONGE, WEARWELL®**

- Premium Anti-Microbial sponge
- Non-porous, Anti-Microbial surface
- 2X the resilience and 3X the life of look-alikes
- Maximized standing area
- Lay-flat design

Tile-Top Anti-Microbial SpongeCote Beveled Mat

Tile-Top Anti-Microbial

SpongeCote Beveled Mat



Black

#### **SANITIZING FOOTBATH** MATS, WEARWELL®

- Keeps hygienic areas free of contamination and germs
- Thousands of pliable rubber scrapers dislodge contaminants from footwear as soles are immersed in disinfectant solution
- Ideal for food-processing plants



Description	Length	Thickness	Width	Color	Cat. No.	Thickness	WxL	Cat. No.
Tile-Top Anti-Microbial						1.3 cm ( <sup>1</sup> / <sub>2</sub> ")	61 x 81.3 cm (24 x 32")	89021-490
SpongeCote Beveled Mat	3'	0.5"	2'	Blue	94001-068	1.3 cm ( <sup>1</sup> / <sub>2</sub> ")	81.3 x 99 cm (32 x 39")	89025-906
Tile-Top Anti-Microbial								
SpangeCate Reveled Mat	3'	0.5"	2'	Charcoal	94001-070			

94001-082

Charcoal **94001-086** 

### **CORRUGATED SWITCHBOARD** ANTI-FATIGUE MATTING. **WEARWELL®**

- Conforms to ANSI/ASTM D-178-01 Type II, Class 2
- Dielectric Strength: 30,000 volts
- Recommended Maximum Usage per ASTM D178-01: up to 17,000 volts
- Easy to clean corrugated surface design





#### **VWR® PURESTEP ADHESIVE MATS**

- 0.3 mil thick acrylicbased, pressure-sensitive adhesive coating
- Antimicrobial agent protects against growth of bacteria, mold, and fungus





WxL	Color	Cat. No.
61 x 76.2 cm (24 x 30")	Clear	89428-992
61 x 76.2 cm (24 x 30")	Blue	87004-000
61 x 76.2 cm (24 x 30")	Gray	87004-004
45.7 x 114.3 cm (18 x 45")	White	87004-032

#### Corrugated Switchboard Matting, Full Roll 0.25" 89021-394 Corrugated Switchboard Vinyl Matting, Full Roll 75' 0.375" 89020-854

0.5"

0.5"

#### **AUTOCLAVABLE MAT, WEARWELL®**

- For sterile areas including operating rooms, pharmacies, laboratories, radiology rooms, and hazmat areas
- 100% nonporous, antimicrobial nitrile
- Withstands extensive cycles in autoclave, can also be wiped clean
- Underside features knobs that are positioned for safety and comfort



Thickness	WxL	Color	Cat. No.
1.3 cm (½")	61 x 91.4 cm (24 x 36")	Light Gray	89040-123

#### **HEAVYWEIGHT HIGH TRAFFIC** UNIVERSAL ABSORBENT ROLL, **BRADY® SPC® ABSORBENTS**

- Highly versatile, grey absorbents pick up water-based, petroleum-based, and non-aggressive chemical fluids
- Heavyweight design specifically useful for continuous leaks and larger spills
- 2-ply construction combines tough, spunbond coverstock with meltblown polypropylene; great for placement in aisles and around work stations
- Perforations provide cost control and reduce waste by allowing users to utilize only the amount needed

Description	Length	Width	Color	Cat. No.
High Traffic Universal Absorbent Roll, Perforated every 18"	150'	15"	Gray	10810-756
High Traffic Universal Absorbent Roll, Perforated every 15"	150'	30"	Gray	10810-840

#### PERSONAL ANTIFATIGUE MAT" **INSOLES, MEGACOMFORT®**

- Maximum shock absorption and comfort with industrial footwear
- Soft, contoured arch support
- Constructed of duallayered memory foam
- Antifungal, antibacterial, and machine washable
- Maximum shock absorption and comfort with industrial footwear
- Soft, contoured arch support
- Constructed of dual-layered memory foam
- Antifungal, antibacterial, and machine washable

Description	Size	Cat. No.
Anti-Fatigue Insole	Mens Size: 8 - 9, Womens Size: 10 - 11	89219-220
Anti-Fatigue Insole	Mens Size: 10 - 11, Womens Size: 13	89219-222
Anti-Fatigue Insole	Mens Size: 12 - 13	89219-224
Anti-Static Insole	Mens Size: 8 - 9, Womens Size: 10 - 11	89219-232
Anti-Static Insole	Mens Size: 10 - 11, Womens Size: 13	89219-234
Anti-Static Insole	Mens Size: 12 - 13	89219-236



#### MEGASOLE<sup>™</sup> FOAM INSOLES, **MEGACOMFORT®**

- Designed for use in casual and dress footwear
- Dual-layered memory foam enhanced to reduce muscle fatigue and foot, knee, and back pain
- Antifungal, antibacterial, and machine washable



Description	Size	Cat. No.
Gel Enhanced Anti-Fatigue Insole	Mens Size: 3 - 5, Womens Size: 5 - 7	94024-034
Gel Enhanced Anti-Fatigue Insole	Mens Size: 8 - 9, Womens Size: 10 - 11	94024-038
Gel Enhanced Anti-Fatique Insole	Mens Size: 10 - 11. Womens Size: 13	94024-040

#### **MULTI-THOTIC**<sup>™</sup> **INSOLES** WITH ORTHOTIC SUPPORTS, **MEGACOMFORT®**

- Cost-effective alternative to custom-made foot orthotics
- Increase support and balance without compromising comfort, helps control abnormal foot motions
- Dual-layered memory foam reduces muscle fatigue and foot, knee, and back pain
- Insoles are antifungal, antibacterial, machine washable, and reduce perspiration
- Comes with two attachable polypropylene arch support pieces, for medium or firm support

Description	Size	Cat. No.
Orthotic Anti-Fatigue Insole	Mens Size: 3 - 5, Womens Size: 5 - 7	94024-022
Orthotic Anti-Fatigue Insole	Mens Size: 10 - 11, Womens Size: 13	94024-028
Orthotic Anti-Fatigue Insole	Mens Size: 12 - 13	94024-030

#### **FUTURO™ ADJUSTABLE REVERSIBLE** SPLINT WRIST BRACE, 3M™

- Low-cut, ergonomic shape allows for free hand movement
- Breathable, durable, soft materials
- Use on left or right wrist
- Latex-free





Description	Cat. No.
Adjustable Reversible Splint Wrist Brace	75787-480

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region

#### **DUAL-FLEX™ WRIST SUPPORTS, ALLEGRO®**

- Four stays
- Velcro fasteners
- Supports fit both right and left hands





#### **RIST-RAPS WRIST SUPPORTS, ALLEGRO®**

- Lightweight wrist support
- Elastic with a velcro closure



US

Size	Color	Cat. No.
Small	Black	300056-808
Medium	Black	300056-810
Large	Black	300056-812
X-Large	Black	300056-814

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Size	Material	Color	Cat. No.
One Size	Elastic	Black	300056-804
One Size	Elastic	Black	300056-806

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### WRIST SUPPORTS, VALEO

- Dual stiffening, nonmetallic support stays on top and bottom of the wrist
- Comfortable, terry-lined, vented neoprene construction with a nylon outer shell
- 5.1cm (2") wide elastic strap helps to stabilize the wrist
- Easy-to-use hook-and-loop closure
- Washable

Medium

<ul><li>Measure wrist circ</li><li>Ambidextrous</li></ul>	cumference	to determine size	
Description	Size	Wrist Circumference	Cat. No.
Heavy-Duty Single Wran	Medium	15 5-17 4 cm (6 <sup>1</sup> / <sub>9</sub> -6 <sup>7</sup> / <sub>9</sub> ")	56614-672

15.5-17.4 cm (6<sup>1</sup>/<sub>8</sub>-6<sup>7</sup>/<sub>8</sub>")

#### **PROFLEX® 350 GEL KNEE** PADS, ERGODYNE®

- Adjustable, breathable neoprene stretch strap adds to the gel comfort
- 12mm NBR gel padding and 20mm EVA padding
- 420D nylon and hypalon rubber composite pad
- Dry surface technology for optimal grip in dry conditions
- Hook and loop closure



Size	Color	Cat. No.
Universal	Black	89135-630

#### WRIST WRAP, ERGODYNE®

- Ambidextrous, made of durable woven elastic
- Single hook-and-loop closure
- Universal size
- Machine washable

Heavy-Duty Double Wrap



56614-677

#### **PROFLEX® 315 TEXTURED CAP** KNEE PADS, ERGODYNE®

- Dry surface technology for optimal grip in dry conditions
- Antimicrobial treatment for odor prevention
- Conveniently available in one size and easily adjustable for an exact fit
- Buckle closure



Description	Cat. No.
Wrist Wrap	56618-084

Size	Color	Cat. No.
Universal	Black with White Cap	56618-280

#### **HEAVY-DUTY KNEE** PADS, OK-1® SAFETY

- Slim and comfortable design slips on and off easily
- Small model pads are designed for wear under work clothing, utilizing a firmly fitting woven elastic cover instead of straps
- Large pads attach to leg with dual elastic straps and self-gripping closures

Large





#### **BACK SUPPORT BELT, OK-1® SAFETY**

- For moderate lifting requirements
- Includes double-overlapping closure system, open mesh body to reduce heat build-up
- Two-way stretch elastic is doubled-up for greater support
- Interior rubber keeps the belt in place
- Features suspenders with detachable swivel clip system



Size	Waist Size	Cat. No.
Large	89–112 cm (35–44")	39870-073
X-Large	107-132 cm (42-52")	39870-075

#### PROFLEX® 335 AND 335HL **SLIP-RESISTANT RUBBER CAP KNEE PADS, ERGODYEN®**

- Designed to offer long lasting resistance to abrasion and puncture force
- Antimicrobial treatment is incoporated for odor prevention
- Conveniently available in one size and

easily adjustable for an exc Black grommets			
Description	Size	Color	Cat. No.

Description	Size	Color	Cat. No.
Model 335HL, with Hook & Loop Closure	Universal	Black	89065-254

#### **BODYBELTS BACK SUPPORTS, ALLEGRO®**

- Medical style adjustable suspenders
- Two-part closure system





Size	Width	Color	Waist Size	Cat. No.
Small	9"	Black	26 - 36"	300075-258
Medium	9"	Black	36 - 48"	300075-260
Large	9"	Black	48 – 58"	300075-262
X-Large	9"	Black	58 - 68"	300075-264

US

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### **SPANBAK™ BACK SUPPORT BELTS, ALLEGRO**

 Medical grade with suspenders to help reduce the chance of back injury



Size	Waist Size	Cat. No.
Medium	91.4-101.6 cm (36-40")	56614-692
Large	101.6-111.8 cm (40-44")	56614-694

#### MILLER DURAFLEX® ULTRA AND PYTHON® **ULTRA HARNESSES, HONEYWELL SAFETY**

- Sleek, quick-connect chest and leg strap buckles for easy donning
- Buckles have a dual-tab release mechanism to prevent accidental opening
- Comfort-Touch back D-ring pad is designed with woven, breathable material for cooler extended-wear comfort
- Pad orients harness for quick, tangle-free donning



Description	Туре	Cat. No.
Harness with Mating-Buckle Leg Straps	DuraFlex Python® Ultra Harnesses	56619-012
Harness with Mating-Buckle Leg Straps and Side D-Rings	DuraFlex Python® Ultra Harnesses	56619-014
Harness with Mating-Buckle Leg Straps	DuraFlex® Ultra Harnesses	56619-018
Harness with Grommeted-Buckle Leg Straps	DuraFlex® Ultra Harnesses	56619-020
Harness with Grommeted-Buckle Leg Straps and Side D-Rings	DuraFlex® Ultra Harnesses	56619-022

#### DELTA™ NO-TANGLE™ HARNESSES, DBI/SALA

- Delta<sup>™</sup> No-Tangle<sup>™</sup> design for added comfort and easy donning
- Spring loaded stand-up back D-ring ensures fast, easy, and safe connections
- Parachute buckles on lower shoulder straps for quick and easy adjustment
- Adjustable non-slip chest strap with easy to use pass-thru buckle
- Coated hardware for corrosion resistance



Size	Color	Description	Connector	Cat. No.
	Yellow/	Vest Harness, with Tongue	Back D-Ring, (2)	
Medium	Navy	Buckles and Polyester Strap	Waist D-Rings	300006-195
	Yellow/	Vest Harness, with Tongue	Back D-Ring, (2)	
Large	Navy	Buckles and Polyester Strap	Waist D-Rings	300006-196
	Yellow/	Vest Harness, with Tongue Buckle		
Universal	Navy	Legs and Polyester Strap	Back D-Ring	300006-197
	Yellow/	Vest Harness, with Tongue	(2) Waist D-Rings,	
X-Large	Navy	Buckles and Polyester Strap	Back D-Ring	300051-788
	Yellow/	Cross Over Harness, with Pass-Thru	Front & Back	
Universal	Navy	Buckle Legs and Polyester Strap	D-Rings	300058-284
	Yellow/	Vest Harness, with Tongue Buckle		
X-Large	Navy	Legs and Polyester Strap	Back D-Ring	300075-520
	Yellow/	Vest Harness, with Tongue Buckle	Back, Shoulder	
Universal	Navy	Legs and Polyester Strap	Retrieval	300075-522
	Yellow/	Vest Harness, with Parachute		
Universal	Navy	Buckles and Polyester Strap	Back D-Ring	300075-524
	Yellow/	Vest Harness, with Tongue Buckle Legs/	Back and Side	
Universal	Navy	Tongue Buckles and Polyester Strap	D-Rings	300075-526

#### **DELTA**<sup>™</sup> II NO-TANGLE<sup>™</sup> CONSTRUCTION HARNESS, DBI/SALA

- Adjustable non-slip chest strap with easy to use pass-thru buckle
- Delta<sup>™</sup> No-Tangle<sup>™</sup> design for added comfort and easy donning
- Parachute buckles on lower shoulder straps for quick and easy adjustment
- Spring loaded stand-up back D-ring ensures fast, easy, and safe connections
- Built-in belt loops to support a SALA belt or one of your own
- Wrap around no-tangle design slips on like a vest, making it quicker and easier to put on while providing ventilation, comfort, padding and security

Size	Color	Description	Connector	Cat. No.
Universal	Yellow/ Navy	Construction Vest Harness, with Tongue Buckle Legs and Polyester Strap	Back & Side D-Rings	300075-528
Universal	Yellow/ Navy	Construction Vest Harness, with Tongue Buckle Legs and Polyester Strap	Back D-Ring	300075-538
Universal	Yellow/ Navy	Construction Vest Harness, with Pass Thru Buckle Legs and Polyester Strap	Back & Side D-Rings	300075-540







- Incorporates a breathable Aero-Spacer™ Dri-Lex® lining that immediately draws moisture away from the body, keeping workers dry and comfortable
- Ergonomic design incorporates built-in shoulder, hip, and leg padding
- Lycra® edging moves with the wearer, preventing uncomfortable rubbing or chafing and enhancing comfort and mobility
- The industry's first and only one-handed quick connect buckles
- Wrap around, no-tangle design
- Adjustable non-slip chest strap with intuitive quick connect buckle
- Torso buckles adjust easily, yet hold straps firmly in place to complete the 5-point adjustment system
- Soft, lightweight polyester webbing is strong without feeling stiff or coarse
- Coated hardware for corrosion resistance

Size	Color	Description	Connector	Cat. No.
		Vest Harness, with Quick Connect	·	
Medium	Blue/Gray	Buckles & Polyester Strap	Back D-Ring	300006-198
		Vest Harness, with Quick Connect		
Large	Blue/Gray	Buckles & Polyester Strap	Back D-Ring	300058-286
		Vest Harness, with Quick Connect		
Small	Blue/Gray	Buckles & Polyester Strap	Back D-Ring	300075-542
		Vest Harness, with Quick Connect	Back D-Ring,	
X-Large	Blue/Gray	Buckles & Polyester Strap	Loops for Belt	300075-544
		Vest Harness, with Quick Connect	Front & Back	
Medium	Blue/Gray	Buckles & Polyester Strap	D-Rings	300075-554
		Vest Harness, with Quick Connect	Front & Back	
Large	Blue/Gray	Buckles & Polyester Strap	D-Rings	300075-556
		Vest Harness, with Quick Connect	Back & Side	
Medium	Blue/Gray	Buckles & Polyester Strap	D-Rings	300075-558
		Vest Harness, with Quick Connect	Back & Side	
Large	Blue/Gray	Buckles & Polyester Strap	D-Rings	300075-560

#### **EVOTECH™ FULL BODY HARNESSES, MSA**

- Covered label pack protects labels from the environment
- NanoSphere® coating on webbing repels dirt, grease, moisture, etc.
- Reflective piping integrated into harness webbing increases visibility in lowlight environments
- Web finials prevent fraying on web ends



Size	Description	Connector	Cat. No.
	Vest Harness, with Shoulder Padding, Qwik-		
Standard	Fit™ Leg Buckles, & Tongue Buckle Leg Strap	D-Ring Back, Chest, & Hip	300081-024



All of the products on this page are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### **EXOFIT NEX™ CONSTRUCTION** HARNESSES, DBI/SALA

- Spring loaded torso buckles for quick and easy adjustment
- Soft yet extremely durable antiabsorbent webbing
- Strategically placed padding, and protective elements that prolong the service life of the harness
- With comfort hip pad and belt



	US Ì
0	NLY
V	

	Color	Description	Connector	Cat. No.
Medium	Blue/Gray	Construction Harness, with Duo-Lok™ Quick Connect Buckles & Polyester Strap	Back & Side D-Rings	300087-274
Large	Blue/Gray	Construction Harness, with Duo-Lok™ Quick Connect Buckles & Polyester Strap	Back & Side D-Rings	300087-276
X-Large	Blue/Gray	Construction Harness, with Duo-Lok™ Quick Connect Buckles & Polyester Strap	Back & Side D-Rings	300087-278
Large	Blue/Gray	Construction Harness, with Tongue Buckle & Polyester Strap	Back & Side D-Rings	300087-280

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region

#### MILLER MANYARD® II SHOCK-ABSORBING LANYARDS, **HONEYWELL SAFETY**

- Shock-absorbing inner core expands up to 1.1m (3.6') to reduce fall arrest forces to 408kg (900lbs.) or less
- Stretches from 1.2–1.8m (4–6') for maximum maneuverability while reducing chances of tripping, snagging, or dragging
- Heavy-duty, tubular outer jacket serves as a backup to the inner core
- Warning flag signals when lanyard is unfit for service due to previous falls
- Bright red core makes visual inspection easier and more reliable
- Weighs 0.9kg (2lbs.), handles working loads up to 141kg (310lbs.)

Description	Cat. No.
Lanyard with Two 1.9 cm (3/4") Gate Openings	56619-054
Lanyard with One 1.9 cm (3/4") and One 6.4 cm (21/2") Gate Openings	56619-056

#### **EXOFIT NEX™ VEST STYLE** HARNESSES, DBI/SALA

- Aluminum hardware
- ExoFit NEX<sup>™</sup> vest style harness offers the highest level of safety and the utmost comfort
- Spring loaded torso buckles for quick and easy adjustment






### MILLER MANYARD® HP **SHOCK-ABSORBING** LANYARDS, HONEYWELL

- Super-strong outer jacket with shock-absorbing inner core to reduce fall arrest forces below 480kg (900lbs.)
- Warning flag releases after a fall to indicate that a replacement is needed
- Length: 1.8m (6')

	Color	Description	Connector	Cat. No.
		Vest Harness, with Duo-Lok™ Quick		
Small	Blue/Gray	Connect Buckles & Polyester Strap	Back D-Ring	300087-268
		Vest Harness, with Duo-Lok™ Quick		
Medium	Blue/Gray	Connect Buckles & Polyester Strap	Back D-Ring	300087-270
		Vest Harness, with Duo-Lok™ Quick		
V-Largo	Pluo/Gray	Connect Buckles & Bolyector Stran	Rack D-Pina	200087-272

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region



#### MILLER® MINILITE™ FALL LIMITER, HONEYWELL

- Light weight, compact design that fits in the palm of your hand
- Quick-activating, high-strength stainless steel braking system
- Prominent reflective labeling provides high visibility for evening work activities
- No annual factory recertification required



Length	Maximum Capacity	Includes	Weight	Cat. No.
		Steel Twist-Lock Carabiner;		
11'	400 lbs. (with SofStop shock absorber)	Locking Snap Hook	$2^{1}/_{2}$ lbs.	89400-514

#### ULTRA-LOK™ SELF RETRACTING LIFELINES, DBI/SALA

- Limits arresting forces to 900 lbs or less
- Reserve lifeline retention system for added safety
- Self-locking swivel snap hook with impact indicator
- Stainless steel working components for corrosion resistance
- Swiveling anchorage loop to prevent twisting of lifeline



Hook Opening	Cable Diameter	Load Capacity	Hook Type	Length	Cable Material	Cat. No.
3/4"	3/16"	900 lb [Max]	Swivel Snap	50 ft	Galvanized Steel	300075-636
3/4"	3/16"	900 lb [Max]	Swivel Snap	50 ft	Stainless Steel	300075-638

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### **SEALED BLOK™ SELF RETRACTING** LIFELINES, DBI/SALA

 Sealed Blok<sup>™</sup> self retracting lifeline, galvanized wire rope lifeline





Connection Type	Load Capacity	Length	Cable Material	Cat. No.
Swivel Snaps with 1 Leg	900 lb [Max]	30 ft	Galvanized Steel	300075-624
Swivel Snaps with 1 Leg	900 lb [Max]	15 ft	Galvanized Steel	300075-626
Swivel Snaps with 1 Leg	900 lb [Max]	30 ft	Galvanized Steel	300075-628

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### ULTRA-LOK™ SELF RETRACTING LIFELINES, DBI/SALA

- Stainless steel working components for corrosion resistance
- Limits arresting forces to 900 lbs or less
- Reserve lifeline retention system for added safety
- Self-locking swivel snap hook with impact indicator
- Swiveling anchorage loop to prevent twisting of lifeline



Hook Opening	Cable Diameter	Load Capacity	Hook Type	Length	Cable Material	Weight	Cat. No.
		900 lb			Galvanized		
3/4"	3/16"	[Max]	Swivel Snap	30 ft	Steel	12 lbs.	300058-322
		900 lb			Stainless		
3/4"	3/16"	[Max]	Swivel Snap	30 ft	Steel	11 lbs.	300058-324
		900 lb			Galvanized		
3/4"	3/16"	[Max]	Swivel Snap	20 ft	Steel		300075-634

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### SAFLOK® CARABINERS, DBI/SALA

 Self-closing/Self-locking gate for increased safety and security





Hook Opening	Material	Load Capacity	Hook Type	Weight	Cat. No.
11/16"	Steel	3600 lbs. [Max]	Self-Closing	0.60 lbs.	300058-294
23/16"	Steel	3600 lb [Max]	Self-Closing	1 lbs.	300058-296

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### **CHAIN REBAR** ASSEMBLIES. DBI/SALA

- Chain rebar assembly with self locking snap hooks at leg ends and swiveling aluminum hook



EQU	IPMENT	CARRY	/ING
BAG,	DBI/SA	LA	

- Navy blue fall protection carrying and storage bag, can hold up to 50' of 5%" rope
- Used with self retracting lifelines or systems



Connection Type		No. of Legs	Material	Load Capacity	Length	Weight	Cat. No.
Self-Locking				5000 lb			
Snaps	21/4"	2	Chain	[Max]	22 in	3.60 lbs.	300075-650

Description	Depth	Length	Width	Quantity	Cat. No.
Fall Protection Bag	6.5"	15.5"	7.5"	Ea.	300075-672

#### **CONCRETE DETENT ANCHORS, DBI/SALA**

- Allows anchor to be moved from location to location
- Anchor receptacle is installed in concrete
- Good for permanent installs where visual appearance needs to be pleasing



#### **CONFINED SPACE** WINCHES, DBI/SALA

- Used with tripod
- 60, 90 and 120 ft. lengths available



Material	Load Capacity	Length	Description	Weight	Cat. No.
			Concrete Detent		
316 Stainless Steel	5000 lb [Max]	4 1/4 in [Max]	Anchor, Ø 7/8"	14.40 oz	300075-608

Description	Weight	Cat. No.
Winch	36 lbs.	300075-662

#### **CONCRETE D-RING ANCHORS, DBI/SALA**

- Provides cadmium plated D-ring for connection to fall arrest lanyard or lifeline and special red sheering bolt that falls off to expose a green bolt when proper torque is reached
- Removable and partial reusable
- This simple to use concrete anchor is designed to be set into holes drilled in 3,000 psi concrete



#### **DESCENT DEVICES. DBI/SALA**

- Fisk descender<sup>™</sup> descent control system designed for durability, thermal capacity and smooth flow
- Used with ropes



Connection Type	Material	Load Capacity	Weight	Cat. No.
D-Ring	Stainless Steel, Alloy Steel	5000 lb [Max]	1.20 lbs.	300058-302

Description	Weight	Cat. No.
Descent Device	1.80 lbs.	300075-610



All of the products on this page are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### **D-RING ANCHOR PLATES, DBI/SALA**

- D-ring is cadmium plated with stainless steel anchor plate
- Designed to be bolted (with 2 x 1/2" grade 8 bolts, not included) to suitable anchorages
- Other models available with stainless D-ring, and unplated steel plate for welding



#### **VWR® 10 PERSON FIRST AID KIT, ANSI A**

- Class: A
- Type: III
- Person: 10
- Pieces: 71
- Size: 8" x 5" x 3"
- Plastic, weatherproof case
- ANSI/ISEA Z308.1-2015





Connection Type	Material	Load Capacity	Weight	Cat. No.
D-Ring	Stainless Steel	5000 lb [Max]	1 lbs.	300058-298

Description	Dimensions	Pieces Per Unit	Cat. No.
10 Person Bulk Plastic First Aid Kit, ANSI A	8 x 5 x 3"	71	76049-204

#### **FIXED BEAM** ANCHORS, DBI/SALA

- anchor easily clamps to vertical or horizontal I-beams 1-1/2" thick to provide fixed anchor for lanyards, self retracting lifelines or pre-engineered horizontal lifelines

AITOITOITO, DDI, SALA	
<ul> <li>Also available in models that fit flanges up to 36" wide and 2-1/2" thick</li> <li>This fixed beam</li> </ul>	الله الله الله الله الله الله الله الله

### KITS, ANSI A & ANSI A+ Weatherproof, wall-

**VWR® 25 PERSON FIRST AID** 

- mountable case
- Available with 89 or 141 pieces
- Available in a metal or plastic case
- ANSI/ISEA Z308.1-2015





Connection Type	Material	Load Capacity	Weight	Cat. No.
D-Ring	Steel	5000 lb [Max]	5.20 lbs.	300058-306
D-Ring	Steel	5000 lb [Max]	5.90 lbs.	300075-620

Description	Dimensions	Pieces Per Unit	Cat. No.
25 Person Bulk Metal First Aid Kit, ANSI A, Type III	9.5 x 6.5 x 3"	89	76049-034
25 Person Bulk Plastic First Aid Kit, ANSI A+, Type III	9 x 6.31 x 2.37"	141	76049-036

#### **GLYDER2 SLIDING BEAM ANCHORS, DBI/SALA**

- Fits flanges up to 1-1/4" thick
- This lightweight and smooth running sliding beam anchor installs and removes from I-beam in seconds to provide anchor and mobility when walking on or under horizontal I-beams
- When used at foot level must be used with DBI-SALA Forcell shock absorbing lanyard (1245006)



#### **VWR® 50 PERSON FIRST AID** KITS, ANSI A+, TYPE III

- Weatherproof, wallmountable case
- 183 pieces
- Available in a metal or plastic case
- ANSI/ISEA Z308.1-2015





Connection Type	Load Capacity	Weight	Cat. No.
O-Ring	5000 lb [Max]	3.70 lbs.	300058-304



All of the products on this page are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Description	Dimensions	Pieces Per Unit	Cat. No.
50 Person Bulk Metal First Aid Kit, ANSI A+, Type III	9.75 x 10 x 2.62"	183	76049-038
50 Person Bulk Plastic First Aid Kit, ANSI A+, Type III	9.1 x 9.1 x 2.75"	183	76049-054

#### **VWR® FIRST AID METAL CABINETS, ANSI A+, TYPE I &** II, WITH MEDICATIONS

- Solid steel case, with carrying handle
- Wall-mountable
- Available in a 2-shelf or 3-shelf configuration
- Available with 347 or 669 pieces
- ANSI/ISEA Z308.1-2015





#### **10 PERSON FIRST AID** KIT, ANSI A, REFILL, **FIRST AID ONLY**

- ANSI Class A compliant
- Perfect to keep at home or in a small office setting



Description	Dimensions	Pieces Per Unit	Cat. No.
75 Person 2-Shelf Metal First Aid Cabinet, ANSI A+, Type I & II with Medications	14.75 x 10.25 x 4.63"	347	76049-056
100 Person 3-Shelf Metal First Aid Cabinet, ANSI A+, Type I & II with Medications	15 x 16.15 x 5.56"	669	76049-060

Description	Pieces Per Unit	Cat. No.
10 Person First Aid Kit, ANSI A, Refill	71	76049-058



# Smart Compliance -The Complete Solution



- Smart compliance is the innovative approach to first aid and puts the power, and dollars, in your hands to manage your first aid program
- The three C's of smart compliance cost savings, convenience & compliance
- Cost savings of up to 50% over traditional van delivery services
- Supplies dispense one at a time to avoid waste
- Convenience in managing and refilling your cabinets with our smart tabs and safety hub app
- OSHA and ANSI 2015 compliant, and the easy refill system ensures you stay in compliance

Description	Cat. No.
25-person Medium Metal SmartCompliance® First Aid Cabinet, without Medications	76049-062
50-person Large Metal SmartCompliance® First Aid Cabinet, with Medications	76048-986
50-person Large Metal SmartCompliance® First Aid Cabinet, without Medications	76048-988
150-person XL Metal SmartCompliance® First Aid Cabinet, with Medications	76049-064
150-person XL Metal SmartCompliance® First Aid Cabinet, without Medications	76049-206









All of the products on this page are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### 25 PERSON BULK ANSI A, FIRST AID KIT REFILL, FIRST AID ONLY

- Complete first aid kit refill pack
- Includes all products necessary to refill the original kit
- ANSI Class A compliant



#### 3 SHELF ANSI A+, **REFILL, FIRST AID** WITH MEDICATIONS, **FIRST AID ONLY**

- 2015 ANSI compliant
- First aid refill
- Case size 13.25" x 8.75" x 9.12"



Description	Pieces Per Unit	Cat. No.
25 Person Bulk ANSI A, First Aid Kit Refill	89	76049-026

Description	Pieces Per Unit	Cat. No.
3 Shelf ANSI A+, Refill, First Aid with Medications	669	76049-050

#### 25 PERSON ANSI A+, FIRST AID REFILL, FIRST AID ONLY

- Class: A+ - Type: I & II - Person: 25 - Pieces: 141

- Size: 9.5" x 7.25" x 2.75"



#### REDI-CARE KIT<sup>™</sup> FOR FIRST **AID, HONEYWELL SAFETY**

- General-industry first aid kit
- Lightweight and portable
- Packaged in soft-sided, durable, red nylon bags
- Lightweight, portable, economical alternative to standard hard-sided metal or plastic kits
- Several styles have belt loops or can be slipped into pockets

Description	Pieces Per Unit	Cat. No.
25 Person ANSI A+, First Aid Refill	141	76049-046

Description	Cat. No.
Redi-Care Kit* for First Aid	11000-765

#### **50 PERSON ANSI A+, FIRST** AID REFILL, FIRST AID ONLY

- 2015 ANSI compliant
- First aid refill
- Case size 9" x 8" x 2.5"



#### **BLOODBORNE PATHOGEN PROTECTION KIT, CERTIFIED SAFETY**

- Kit contents are pre-packaged in convenient replaceable units
- All kit units are overwrapped for protection



	escription	Cat. No
50 Person ANSI A+, First Aid Refill 183 <b>76049-0</b>	Person ANSI A+, First Aid Refill	76049-048

Description	Cat. No.
Bloodborne Pathogen Protection Kit	56612-970



All of the products on this page are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### **BODY FLUID CLEANUP KIT, HONEYWELL SAFETY**

- Flat, sleeve-type box stacks neatly for storage



#### **INSTANT COLD PACKS, HONEYWELL SAFETY**

 These instant cold packs are useful as a component part of many first aid kits



Description	Cat. No.
Body Fluid Cleanup Kit	56623-026

Description	Width	Cat. No.
Instant Cold Pak	10.2 cm (4")	10032-824

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### **ALCOHOL WIPES, HONEYWELL**

- Pre-saturated alcohol wipes for a variety of disinfecting applications
- Medium sized wipes measure 1 x 2.5"



#### **EMERGENCY BURN STATION, CERTIFIED SAFETY**

Complete with all the products needed for a burn emergency





Dimensions	Cat. No.
Alcohol pads Medium Dynarex 20	89186-140

Description	Cat. No.
Certilizer™	56611-161
Unit 608	56612-640
Unit 623	56612-642
Unit 699x	56612-644
Unit 668x	56612-646

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### STERILE GAUZE PADS, **HONEYWELL SAFETY**

- 12 ply, ideal for cleaning wounds or applying medication
- USP surgical gauze-mesh provides neat, professional dressing



Dimensions	Packaging	Cat. No.
7.6 x 7.6 cm (3 x 3")	Box of 25	89106-824
5.08 x 5.08 cm (2 x 2")	Pack of 100	89133-086
7.6 x 7.6 cm (3 x 3")	Pack of 100	89133-088



All of the products on this page are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### **ZING GREEN SAFETY ECO SAFETY TRI VIEW SIGN, AED, ZING ENTERPRISES**

- UL Validated for recycled content
- Made in USA
- High quality



#### **VWR® EYEWASH STATIONS**

- Wall-mountable stations in Single or Double configurations
- 16oz. or 32oz. bottle options
- Includes PhysiciansCare eyewash solution









Description	Material	Length	Width	Cat. No.
ZING Sign AED	Plastic	7.5"	20"	76025-982
ZING Sign AED	Glow Plastic	7.5"	20"	76025-984
ZING Sign AED	Plastic	12"	9"	76025-990
ZING Sign AED	Glow Plastic	12"	9"	76026-038

Description	Dimensions	Cat. No.
Eyewash Station, Single 16 oz. Bottle	15 x 4 x 11"	76049-022
Eyewash Station, Double 16 oz. Bottles	17.5 x 4 x 11"	76049-028
Eyewash Station, Single 32 oz. Bottle	11.5 x 4 x 15"	76049-030
Eyewash Station, Double 32 oz. Bottles	19 x 4 x 14.5"	76049-032

#### **AED LIFELINE AND LIFELINE VIEW AUTOMATED EXTERNAL DEFIBRILLATORS, DEFIBTECH**

- AEDs Withstand Dust and Water Ingress
- Biphasic Defibrillation Can Resuscitate on the First Shock
- Upgradable Technology, Clear Voice Prompts, and Cutting-**Edge Display Monitors**
- Lightweight, Durable, and User Friendly
- Units Evaluate Patient Impedance for Proper Pad Connection, Monitors Signal Quality, and Analyzes Patient ECG for Shockable/Non-Shockable Rhythms

Description	Capacity	Dimensions	Battery Life	Charge Time	Weight	Cat. No.
Defibtech Lifeline						
Automated External	125 Shocks					
Defibrillator (AED),	or 8 Hours	22 x 30 x 7			1.9 kg	
with 5-Year Battery	Continuous	cm (8.5 x		< 9	(4.2	
and Prescription	Operation	11.8 x 2.7")	5 Years	Seconds	lbs.)	89401-706
Defibtech Lifeline						
Automated External	300 Shocks					
Defibrillator (AED),	or 16 Hours	22 x 30 x 7			2 kg	
with 7-Year Battery	Continuous	cm (8.5 x		< 6	(4.4	
and Prescription	Operation	11.8 x 2.7")	7 Years	Seconds	lbs.)	89401-708
					< 1.4	
Defibtech View	125 Shocks				kg (<	
Automated External	or 8 Hours	18.5 x 24 x			3 lbs.),	
Defibrillator (AED),	Continuous	5.8 cm (7.3		< 4	with	
with Prescription	Operation	x 9.5 x 2.3")	4 Years	Seconds	Battery	89401-710
	125 Shocks					
	or 8 hours	22 x 30 x 7			1.9 kg	
Defibtech Lifeline	Continuous	cm (8.5 x		< 9	(4.2	
AED Starter Kit	Operation	11.8 x 2.7")	5 Years	Seconds	lbs.)	89401-712

#### **EYEWASH BOTTLES, FIRST AID ONLY**

- Bottles feature a twist-off top
- Sterile, isotonic buffered solution is perfect for flushing or irrigating the eyes or skin





Description	Size	Cat. No.
Unitized Refills		
Eyewash Bottle	16 oz.	76049-014
Eyewash Bottle	32 oz.	76049-016

#### **BEL-ART DOUBLE EYE WASH STATION**

- Vacuum-formed backboard
- Bottle dust covers keep out contamination
- Provided without eye wash solution



Description	Cat. No.
Double Eye Wash Station, with Two Empty 32 oz. Bottles	89522-668

#### **FAUCET-MOUNT EYEWASHES, WATERSAVER FAUCET**

- Constructed of chrome-plated brass
- Faucet-mount units convert any laboratory faucet into an emergency eyewash station without special plumbing or interference with normal faucet operation
- Meets ANSI Z358.1 standard



Description	Cat. No.
Faucet-Mount	56611-002
Extended Faucet-Mount	56611-004

#### **FENDALL® SALINE EYEWASH BOTTLES. HONEYWELL SAFETY**

- **Extended Flow Openings and Twist-off Tops** for Easy Access in Emergencies
- Expiry Dates and Lot Numbers for End-**User Protection**
- User-Controlled Volume Delivery: One, Four, and Eight-Ounce Products
- Sterile
- Buffered



Description	Size	Cat. No.
Personal Eyewash Solution Bottle	29.5 mL (1 oz.)	56611-116
Personal Eyewash Solution Bottle	118 mL (3.9 oz.)	56611-118
Refill Bottle	950 mL (32 oz.)	56611-124

#### FENDALL® SALINE EYEWASH WALL STATIONS. HONEYWELL SAFETY

- Two-sided tape and screws are provided for mounting
- Extended flow openings and twist-off tops for easy access in an emergency
- Each bottle is expiry dated and lot numbered for end-user protection
- Classified as personal/secondary eyewash device



Description	Size	Cat. No.
Single Station	950 mL (32 oz.)	56611-128
Double Station	950 mL (32 oz.)	56611-130

ONLY Prevents EYE damage from acids and corrosive substances that can occur after only 10 seconds!



# All-In-One solution provides immediate first aid for the eyes

Meets all current FDA regulations

#### **AERO EMERGENCY EYE WASH SOLUTION**

- Effectively rinses impurities and irritants from the eyes
- Neutralizes acids and alkalis that may enter the eye
- Unique eye-opener allows used fluids and contaminants to flow away from the eye (16oz and 32oz bottles)

Description	Quantity/Pack	Cat. No.
1/2oz (Pack of 5)	5	76288-064
5oz (Pack of 3)	3	76288-066
16oz with Eye-Opener (Pack of 3)	3	76288-068
32oz with Eye-Opener (Pack of 3)	3	76288-070
Wall-Mount Station,		
Dual 16oz Bottles	1	76288-072

Aero Eye Wash is available for sale in the United States only. Visit **VWR.com** for more information.

#### FENDALL® PORTA STREAM® I AND PORTA STREAM II EYEWASH STATIONS, HONEYWELL SAFETY

- Full flow nozzles cover a wide area around the eyes
- Stations can be wall-mounted or placed on mobile carts or stands
- Bright green color ensures easy identification in emergency situations
- Sturdy, one-piece molded construction of each station features a large fill hole and illustrated operating instructions

Description	Dimensions	Shipping Weight	Cat. No.
Porta Stream I with Saline Concentrate	59.7 x 40.6 x 35.6 cm (23 <sup>1</sup> / <sub>2</sub> x 16 x 14")	8.2 kg (18 lbs.)	56611-102
Porta Stream II with Saline Concentrate	66 x 50.8 x 50.8 cm (26 x 20 x 20")	15.9 kg (35 lbs.)	56611-104
Porta Stream II with Fendall Water Preservative	66 x 50.8 x 50.8 cm (26 x 20 x 20")	10.4 kg (23 lbs.)	89030-548

#### **HYDROSEP® EYE WASH BOTTLE, ENCON**

- Duration of effectiveness is dependent upon type of device
- Proven effective for 180 days in a sealed, pressurized, portable, or airdriven TWS shower system
- Recommended cleaning and fluid replacement every 90 to 120 days in unsealed, gravity-fed eyewashes



Description	Cat. No.
Hydrosep® 4-Pack of 8 fl. oz. Bottles	45500-180

#### SCIENCEWARE® FIRE BLANKET, BEL-ART

- Extinguishes small class "A", light oil and grease fires without the mess of foam or chemical agents
- Packaged in instant-access container that can be hung on the wall or stored in any accessible location
- Made of woven fiberglass with textured surface
- All edges serged with fireproof Kevlar® thread

Description	Cat. No.
Fire Cover	56611-199





## GHS safety in the workplace

### VWR® right-to-know, Safety Wash bottles with GHS labeling

- Preprinted bottles satisfy GHS and OSHA HazCom 2012
- Venting valve prevents pressure buildup and drips\*
- Available in 500ml and 1000ml sizes

Description	Cap Color	Cat. No.
Acetone,		•
500 mL (16.9 oz.)	Red	10111-944
Acetonitrile,		
500 mL (16.9 oz.)	Yellow	10111-974
Dichloromethane,		
500 mL (16.9 oz.)	Yellow	10111-946
Ethyl Acetate,		
500 mL (16.9 oz.)	Green	10111-952
Isopropanol,		
500 mL (16.9 oz.)	Yellow	10111-954
Methanol,		
500 mL (16.9 oz.)	Green	10111-958
Methyl Ethyl Ketone,		
500 mL (16.9 oz.)*	Green	10111-816
Toluene, 500 mL (16.9 oz.)*	Red	10111-942
Ethanol,		
1000 mL (33.8 oz.)	Natural	10111-976
Isopropanol,		
1000 mL (33.8 oz.)	Yellow	10111-966
Sodium Hypochlorite,		
1000 mL (33.8 oz.)	Yellow	10111-970

\*Does not include venting valve Additional chemical names and sizes available. Visit vwr.com for more information.

#### FIRE BLANKET, SELLSTROM®

- Sparks, flash fires, and flying particles can be easily extinguished
- Adequately sized to wrap a fire victim
- To clean, wash with soft sponge and air dry only
- Sewn-on grommets allow for hanging during cleaning process



#### HALOTRON® I FIRE EXTINGUISHERS. KIDDE

- Leaves no residue
- Acceptable alternative to Halon I2II
- Agent will not cause thermal shock
- Class A capability
- High performance clean agent
- Metal valve, handle and lever





Description	Cat. No.
Fire Blanket	33000-159

#### PROLINE<sup>™</sup> MULTI-PURPOSE DRY CHEMICAL FIRE EXTINGUISHERS. ABC TYPE, KIDDE

- Tough impact-resistant metal valve, handle and lever
- Powder-coated cylinder for corrosion protection
- Extinguishing material is monoammonium phosphate
- Meets most commercial and industrial specificati

13 cm (5<sup>1</sup>/<sub>8</sub>") 11.4 cm (4<sup>1</sup>/<sub>2</sub>")

11.4 cm (4<sup>1</sup>/<sub>2</sub>")

8.4 cm (3<sup>5</sup>/<sub>16</sub>")

Steel

Aluminum

Aluminum Aluminum



ions			
Charge Weight	UL Rating	Unit Weight	Cat. No.
.5 kg (10 lbs.)	4-A, 60-B:C	8.8 kg (19.5 lbs.)	300000-165
.3 kg (5 lbs.)	3-A, 40-B:C	3.9 kg (8.5 lbs.)	300050-260
3 kg (5 lbs )	3-A 40-B·C	3.9 kg (8.5 lbs.)	300050-892

1.9 kg (4.2 lbs.)

US

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region

1-A. 10-B:C

Material	Diameter	UL Rating	Cat. No.
Steel	4 1/4"	5-B:C	300080-098
Steel	7 1/4"	1-A, 10-B:C	300080-100
Steel	7 1/4"	10-B:C, 2-A	300080-102

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### **COMBINATION CARBON MONOXIDE & SMOKE ALARM, KIDDE**

- Talking alarm announces hazard type detected
- Low-battery warning
- Without batteries installed



Description	Cat. No.
Alarm with 85 dB sound level	300055-002

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### PROPLUS<sup>™</sup> MULTI-PURPOSE DRY CHEMICAL FIRE EXTINGUISHERS - ABC TYPE, KIDDE

1.2 kg (2.6 lbs.)

- Rechargeable, easy-to-read gauge
- Meets most commercial and industrial specifications
- Tough impact-resistant metal valve, handle and lever
- Powder-coated cylinder for corrosion protection



300050-894

Material	Diameter	UL Rating	Weight	Cat. No.
Steel	7 1/4"	120-B:C, 20-A	1.19 lbs.	300050-896
Steel	3"	1-A, 10-B:C	3.60 lbs.	300080-104
Steel	5 1/4"	4-A. 90-B:C	18 lbs.	300080-106

US

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### **SMOKE TEST™ BRAND SMOKE DETECTOR TESTERS. CRC**

- Simulates smoke to provide a true, functional test for smoke detectors
- Convenient package makes testing easy, increasing the likelihood that detectors will be tested on a regular basis
- No harmful residue, plastic safe, non-staining
- Contains no Class I Ozone **Depleting Chemicals**





Color	Description	Cat. No.
Clear	Aerosol Can	300038-724

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### **BATTERY OPERATED SMOKE ALARMS, KIDDE**

- With test button and lowbattery indicator
- Available with dust cover





#### **ZING GREEN SAFETY ECO SAFETY** SIGN, FIRE EXTINGUISHER W/ **ARROW, ZING ENTERPRISES**

- UL Validated for recycled content
- Made in USA
- High quality



Cat. No			
300080-128			

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Description	Material	Length	Width	Cat. No.
ZING Sign FIRE EXTINGUISHER	Aluminum	10"	7"	76023-158
ZING Sign FIRE EXTINGUISHER	Plastic	14"	10"	76025-700

#### FIRE EXTINGUISHER GLOW-**IN-THE-DARK STANDARD "V" SIGN, WITH PICTO, BRADY**

- High visibility "V" shaped signs are designed to be seen from all access points in a facility



#### **ZING GREEN SAFETY ECO SAFETY** SIGN. FIRE EXTINGUISHER W/ **ARROW, ZING ENTERPRISES**

- UL Validated for recycled content
- Made in USA
- High quality



Size	Legend	Cat. No.
6H x 9W x 4D"	Fire Extinguisher (with Picto)	55607-306
		Size Legend  6H x 9W x 4D" Fire Extinguisher (with Picto)

Description	Material	Length	Width	Cat. No.
ZING Sign FIRE EXTINGUISHER	Glow Plastic	14"	3.25"	76024-374
ZING Sign FIRE EXTINGUISHER	Self-Adhesive	14"	3.25"	76024-436

#### **ZING GREEN SAFETY ECO SAFETY PROJECTING** SIGN, FIRE EXTINGUISHER, **ZING ENTERPRISES**

- UL Validated for recycled content
- Made in USA
- High quality



		BX 1 140-
9	FIRE	- 10
Δ	EXTINGUISHER	ĺ

#### **ZING GREEN SAFETY ECO SAFETY TRI VIEW SIGN, FIRE EXTINGUISHER**, **ZING ENTERPRISES**

- UL Validated for recycled content
- Made in USA
- High quality



Description	Material	Length	Width	Cat. No.
ZING Sign Fire Extinguisher	Plastic	10"	10"	76024-148
ZING Sign Fire Extinguisher	Plastic	7"	12"	76025-332
ZING Sign Fire Extinguisher	Plastic	7"	2.5"	76025-334

Description	Material	Length	Width	Cat. No.
ZING Sign Fire Extinguisher	Plastic	7.5"	20"	76025-836
ZING Sign Fire Extinguisher	Glow Plastic	7.5"	20"	76025-838
ZING Sign Fire Extinguisher	Plastic	12"	9"	76025-908
ZING Sign Fire Extinguisher	Glow Plastic	12"	9"	76025-910

#### **EMERGENCY SHOWERS,** WATERSAVER FAUCET

- Spray pattern is 50.8cm (20") diameter at 152.4cm (60") above the floor
- IPS valve is brass with chrome plating or white epoxy/polyester hybrid powder coating
- Pipe nipple on standard construction is orange powder-coated galvanized steel
- Pipe nipple on ColorTech construction (VFCTES647) is brass



Description	Cat. No.
Vertical Pull Rod, Chrome Valve	59380-010
Horizontal Pull Rod, White Valve	VFCTES647

#### SAFETY SHOWER STATIONS, **WATERSAVER FAUCET**



Description	Pipe/Fittings Material	Cat. No.	
With 25.4 cm (10") Orange ABS Plastic Shower Head			
Shower with Eye Wash	Galvanized Steel with Orange Polyethylene Covers	56611-008	
Shower with Eye Wash	Orange Powder-Coated Steel	59380-034	
Shower with Eye/Face Wash	Orange Powder-Coated Steel	59380-036	
Barrier-Free Shower with Eye Wash	Orange Powder-Coated Steel	59380-038	
With 20.3 cm (8") Cast Brass Showe	r Head		
Shower with Eye Wash	White Powder-Coated Brass	VFCTSS912	
Shower with Eye/Face Wash	White Powder-Coated Brass	VFCTSS919	
Barrier-Free Shower with Eye Wash	White Powder-Coated Brass	VFCTSSBF919	

#### **DECK-MOUNT SWING-OUT EYEWASHES,** WATERSAVER FAUCET

LDPE filter removes scale, deposits, and debris from the water and keeps the water line impurities out of the user's eyes



- Deck-mounted eyewashes include self-adjusting flow controls, impact-resistant polypropylene body, and flip-top dust covers
- Auto-flow models are activated when the head assembly is swung from storage to operation position
- Flag-handle models are activated when the head assembly is swung from storage to operation position and the flag handle is pushed
- An ANSI-compliant eyewash sign is included with all units

Description	Cat. No.
Auto-Flow Eyewashes	
Right-Hand, Chrome-Plated	59380-018
Left-Hand, Chrome-Plated	59380-020
Right-Hand, White Epoxy Powder- Coated Brass	VFCTEW805
Flag-Handle Eyewashes	
Right-Hand, Chrome-Plated	59380-022
Left-Hand, Chrome-Plated	59380-024
Right-Hand, White Epoxy Powder- Coated Brass	VFCTEW806

#### EYESAVER® EYEWASH FAUCETS, **GOOSENECK SPOUT, SPEAKMAN®**

- 'LIFT' activator for eyewash
- Aerated plastic spray outlets with flip-top dust caps
- Lead-free brass construction



Description	Cat. No.
Model SEF-1850-4WH Eyewash Faucet with 4" Wrist Blade Handles	89370-972
Model SEF-1850-8 Eyewash Faucet with 8" Spread Gooseneck Spout	89369-690
Model SEF-1850-8-ST Eyewash Faucet with 8" Spread Gooseneck Spout, Serrated Tip, and Vacuum Breaker	89369-682
Model SEF-1850-8-TW Eyewash Faucet with 8" Spread Gooseneck Spout and SE-370 Thermostatic Mixing Valve	89369-684
Model SEF-1850-8-4WH Eyewash Faucet with 8" Spread Gooseneck Spout, 4" Wrist Blade Handles	89370-974
Model SEF-1850-8-4WH-TW Eyewash Faucet with 8" Spread Gooseneck Spout, 4" Wrist Blade Handles, and SE-370 Thermostatic Mixing Valve	89369-688

#### **VWR® LIGHT-DUTY TISSUE WIPERS**

- Virgin fiber tissue
- Absorbent, strong, and low-linting





Kimwipes

Description	WxL	Packaging	Cat. No.
1-Ply Light-Duty Tissue Wipers	14 x 16 <sup>3</sup> / <sub>4</sub> "	140/Box	82003-822
1-Ply Light-Duty Tissue Wipers in Perforated Box	4 <sup>1</sup> / <sub>2</sub> x 8 <sup>3</sup> / <sub>8</sub> "	280/Box	82003-820
3-Ply Light-Duty Tissue Wipers	14 x 16 <sup>3</sup> / <sub>4</sub> "	90/Box	82003-824

#### **PIG® HEAVY-DUTY MAINTENANCE WIPERS, NEW PIG**

- Strong and solvent-resistant for wiping machines and rough parts
- Soft enough for cleaning skin or preparing surfaces
- Excellent for heavy duty maintenance jobs like machine wipedowns and degreasing parts
- Low-lint construction won't shed, pill or leave behind unwanted fibers when wiping parts
- Binder-free construction withstands solvents, degreasers and cleaning agents

WxL	Color	Packaging	Weight	Cat. No.
30.5 x 33.7 cm (12 x 13.25")	White	1/4 -fold	4.1 kg (9 lbs.)	89073-974

#### WYPALL® L40 WIPERS, **KIMBERLY-CLARK PROFESSIONAL®**

- For wiping surfaces, parts, instruments, and lens cleaning
- 100% virgin fiber
- Wipe clean without scratching or leaving any residue
- Handy, space-saving POP-UP<sup>™</sup> dispenser box dispenses wipers one at a time, to reduce waste
- Extra Low Linting, Anti-Static

Description	Size	Color	Packaging	Cat. No.
L40 Wipers	31.7 x 33 cm (12.5 x 13")	White	Quarter Fold	21908-000



- Cellulose-free, ultra-fine fibers stick to one another, preventing lint or residue on surfaces
- Excellent resistance to harsh solvents, acids, bases and other corrosive chemicals
- Wipers are 1/4 folded and poly wrapped for easy handling and loading



WxL	Color	Packaging	Cat. No.
31.1 x 34.3 cm (12.25 x 13.5")	Gray	1/4 -fold	89140-788


#### KIMTECH SCIENCE® **KIMWIPES™ DELICATE** TASK WIPERS, KIMBERLY-**CLARK PROFESSIONAL®**

- For wiping surfaces, parts, instruments, and lens cleaning
- 100% virgin fiber
- Wipe clean without scratching or leaving any residue
- Handy, space-saving POP-UP<sup>™</sup> dispenser box dispenses wipers one at a time, to reduce waste
- Extra Low Linting, Anti-Static

Description	Size	Thickness	Packaging	Cat. No.
KIMM/IDEC* Deligate Task Winers	11 2 4 21 2 200 (4 4 4 9 4 4)	1 Dly	DOD LID™ Pay	2100E 026







Low-lingting, solvent-resistant wipes maintain strength even when wet



١	V x L	Packaging	Cat. No.
2	2.9 x 41.9 cm (9 x 16 <sup>1</sup> / <sub>2</sub> ")	Single Pop-Up Box	33502-722

#### VWR® OPTIK-WIPES™

- Individually dispensed
- Strong, cleanroom-grade cloth is soft and lint-free
- Clean and polish with one swipe





<b>VWR®</b>	<b>SPEC-WIPE®</b>	<b>4 STERILE WIPER</b>
-------------	-------------------	------------------------

- 100% double-knit polyester
- Continuous filament
- Superior quality for aseptic environments





WxL	Cat. No.
30.5 x 30.5 cm (12 x 12")	21914-772

### Wipers Premoistened with Eyewear Cleaning Solution Polypropelene 100/Canister 23609-168

#### **VWR® SPEC-WIPE® 4 WIPER**

- 100% double-knit polyester
- Continuous filament
- Textured yarn construction
- Clean-cut edges





#### VWR® SPEC-WIPE® 3 PRESATURATED WIPERS

- Blend of 45% white polyester and 55% white cellulose
- Presaturated
- Mechanically bonded



		30
		100

WxL	Solvent	Cat. No.
22.9 x 22.9 cm (9 x 9")	70% IPA/30% DI H2O	47751-458

WxL	Cat. No.
22.9 x 22.9 cm (9 x 9")	21912-046

#### **VWR® SPEC-WIPE® 7 WIPERS**

- 100% interlock knit polyester
- Sealed edges
- No-run material



WxL	Cat. No.
22.9 x 22.9 cm (9 x 9")	21913-214

#### **WORKWIPES® SERIES 60 HEAVY-DUTY WIPERS, NEW PIG**

- Textured surface helps remove dirt and grime
- Ideal for applying disinfectants, degreasers, and solvents
- Additional applications include grease removal, wiping hands, fast cleanups, and cleaning glass or stainless steel



WxL	Packaging	Weight	Cat. No.
30.5 x 33.7 cm (12 x 13 <sup>1</sup> / <sub>4</sub> ")	Quarter-Fold	7 kg (15.5 lbs.)	89073-944
30.5 x 30.5 cm (12 x 12")	Jumbo Roll (1100 Sheets)	6.7 kg (14.8 lbs.)	89073-946
20.3 x 40.6 cm (8 x 16")	Pop-Up Box	6.8 kg (14.9 lbs.)	89073-948

#### **WORKWIPES® RECLAIMED WHITE** T-SHIRT IN BAG, NEW PIG

- Compression-packed bags take up half the space of loosely packed boxes
- Scanned for metal
- Sorted for printing
- Not washed



#### **DECK MOPS, MOPS & BROOMS, ORS NASCO, INC.**

Mounted mops with handles



Mary Strate Company

Packaging	Weight	Cat. No.
Compressed	11.3 kg (25 lbs.)	89073-960

Size	Material	Handle Length	Handle Material	Туре	Weight	Cat. No.
24 oz.	Cotton	54"	Wood	Mounted Mop	1.50 lb	300006-711
32 oz.	Cotton	54"	Metal	Mounted Mop	3.38 lb	300006-713
16 oz.	Cotton	48"	Metal	Mounted Mop	1 lb	300059-180

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### PR40 ALL-PURPOSE WIPERS, PIG

- Thick and absorbent
- Quickly soaks up oils, degreasers, and other liquids
- High-quality binder to increase strength



Size	Cat. No.
1 Roll	10852-998
2 Rolls	10853-000
	1 Roll

#### **SWINGER LOOP® WET MOP HEADS, RUBBERMAID®**

- Mop heads are excellent for wet mopping and stripping floors in commercial and healthcare establishments
- Feature a four-ply, balanced blend of cotton and synthetic yarn for absorbency and strength
- Looped ends and tailband provide greater floor coverage
- No break-in time is needed; mop heads are ready for immediate use and are launderable for long life
- Compact package design allows easy storage
- Mops heads are available in blue, green, or white for colorcoding by task

Size	Color	Cat. No.
12.7 cm (5")	White	89073-304
12.7 cm (5")	Blue	89073-306
12.7 cm (5")	Green	89073-308

#### WYPALL® X50 WIPERS, KIMBERLY-CLARK





Description	Size	Packaging	Cat. No.
X50 Wipers	23.1 x 31.7 cm (9.1 x 12.5")	POP-UP™ Box	89234-490

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### MOP HANDLES. **MAGNOLIA BRUSH**

- Quick change type
- Heavily zinc plated steel construction securely fastened to No. 1 grade 18" Diameter, 54" handle
- Standard wing nut construction with channeltype cross bar that detaches from one side to allow quick change of mop head



#### **DOUBLE-BLADE SQUEEGEES, NEW PIG**

- Chemical-resistant PVC blades leave floors free of liquid and streaks
- Solid, 60" handle keeps you a safe distance from spill
- Non-sparking, easy-to-clean PVC won't rust or corrode
- Two blades double the service life because the head flips, and the unused blade acts as a splashquard
- Non-sparking, easy-to-clean PVC won't rust or corrode

Description	Size	Cat. No.
Straight Head	45.7 cm (18")	56620-768
Straight Head	61 cm (24")	89012-112

Material	Details	For Use With	Length	Length	Handle Material	Weight	Cat. No.
		Wide Variety					
Wire	Zinc Plated	Of Mops	54"	54"	Wood	2 lb	300081-378

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region

#### STEEL SPONGE MOPS. **RUBBERMAID COMMERCIAL**

Cellulose head



Length	Length	Color	Weight	Cat. No.
12"	12"	Bronze	2.21 lb	300009-778

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### **CURVED SQUEEGEES,** MAGNOLIA BRUSH, ORS NASCO, INC.

Squeegee frame is made of 1" angle aluminum to which a 2" wide x 1/4" thick strip of high-grade black squeegee rubber or neoprene is attached with cadmium plated screws

STRAIGHT SQUEEGEES.

Squeegee frame is made

of 1" angle aluminum

to which a 2" wide x 1/4"

thick strip of high-grade

black squeegee rubber or

neoprene is attached with cadmium plated screws.

**MAGNOLIA BRUSH** 



Material	Length	Length	Weight	Cat. No.
Rubber	24"	24"	3.17 lb	300009-071
Rubber	36"	36"	3.83 lb	300009-074
Rubber	24"	24"	2.17 lb	300072-930

#### PLASTIC MOP BUCKETS. **MAGNOLIA BRUSH**

- Yellow mop bucket with wringer designed for durability
- Corrosion resistant
- No crack or crevices to collect dirt
- Wringer is resistant to cleaning chemicals



Length	Length	Width	Weight	Cat. No.
18 ³/s"	18 ³/ <sub>8</sub> "	15 5/16"	20 lb	300009-086

### Wood

#### **VWR® POCKET MOP CLEANROOM MOPS**

- Cleanroom grade materials of construction
- Lightweight, ergonomic hardware
- Angled head for easy application of disinfectant or detergent
- Available in NovaPoly, PolySorb, Microfiber and MegaTex materials
- Launderable/ Autoclavable mop heads





#### **VWR® TUBULAR KNIT MOP HEADS**

- Tubular-knit, 100% polyester string mop heads
- **Excellent sorbency**
- Mop heads are double clear polybagged for cleanroom use





Description	Cat. No.
Tubular Knit Mop Head, Sterile	33502-730

#### Microfiber Fabric Outer Layer/Foam Inner Layer; For use with Adapter QPSL-07 10204-930 17.8 cm (7") 35.6 cm (14") MicroFiber Outer Layer, Urethane Foam Inside Layer, Irradiated, White 10029-764 NovaPoly Polyester Outer Layer, Urethane Foam Inside Layer 10029-738 35.6 cm (14") PolySorb Textured Polyester Outer Layer, Urethane Foam Inside Layer 45.7 cm (18") 10029-724

#### **VWR® FLAT MOPS**

- Autoclavable
- Easily clean large surfaces
- Heavy-duty construction offers additional resistance to textured floors and aggressive cleaning methods





Description	Size	Cat. No.
PolyTex™ Mop Heads	36 cm (14")	68400-762
PolyTex <sup>™</sup> /Microfiber Mop Heads	36 cm (14")	94023-760



Description	Size	Cat. No
PolyTex <sup>™</sup> Mop Heads	36 cm (14")	68400-76
PolyTex <sup>™</sup> /Microfiber Mop Heads	36 cm (14")	94023-760

#### **VWR® MICROFIBER STRING MOP**

- Highly absorbent
- Durable





Description	Weight	Cat. No.
Microfiber String Mop	16 oz.	89495-468

#### **VWR® SPONGE MOP HEAD REFILLS. SELF-WRINGING**

- Compatible with Gamma, EtO, and steam sterilization processes
- Self-wringing functionality
- Affixed to a stainless steel or galvanized runner
- Designed to fit on Roll-O-Matic® mop handles



Description	Size	Cat. No.
Sponge Mop Head Refill, Stainless Steel Bracket	35.6 cm (14")	82024-324

#### **VILEDA® PROFESSIONAL** STERILE ROLL-O-MATIC® **SPONGE REFILLS, VILEDA PROFESSIONAL-FHP**

- Original refills have been the standard in the professional and controlled environment industry for well over 30 years
- Universal refills are perfect for general use within all controlled environments
- Designed for use in all Roll-O-Matic® applications
- Fully autoclavable
- Manufactured and sterilized in the USA
- Validated to 10<sup>-6</sup> SAL per ISO 11137
- Individually double bagged with Lot # and indicator Dot on each package
- Certificate of Sterility available upon request with each shipment

Description	Material	Mop Head Width	Color	Sterility	Cat. No.
Roll-O-Matic® "Clean"					
Stainless Steel Refill	Stainless Steel		Blue/		
with Microfiber	Channel	35.6 cm (14")	White	Sterile	10746-442

#### WET MOPS, VILEDA **PROFESSIONAL-FHP**

- A variety of traditional wet mops for production facility and controlled environment cleaning
- Includes a blue poly-coated mesh headband for maximum performance and durability manufactured with quality stitching
- Tailband tape prevents tangling, provides wider surface coverage and improves commercial launder ability



AND THE PARTY OF T

Description	Cat. No.
C-Pro Cotton Cut End Narrow Band Wet Mop. 24 oz.	89209-476

#### POLYGEN<sup>™</sup> MOPS, MICRONOVA

- Ideal for disinfecting in pharmaceutical and biotech environments
- LoopMop<sup>™</sup> mops are knitted polyester looped mops for applying disinfectant in pharmaceutical, aseptic processing, and medical device applications
- The polyester material is absorbent enough to clean to a dry finish but will leave enough moisture for disinfectants that require an extended drying time
- LoopMop<sup>™</sup> mops are reuseable, launderable, and autoclavable

Description	Sterility	Cat. No.
PolvGen™ Mop Head	Nonsterile	68399-706

#### T-MOP<sup>™</sup> MOP. MICRONOVA

- Fabric slipcovers snap easily onto T-shaped stainless steel and Delrin® mop head adapter for handling a variety of cleaning needs
- Mop head adapter attaches to universal handle 68400-164
- All slipcovers are launderable



Description	Width	Cat. No.
Microfiber Slipcover, Thick Foam, Bulk Packed, Blue	45.7 cm (18)"	10146-120

#### **POWERHEAD™ FOAM** MOPS, MICRONOVA

- Mop head 68400-574 is constructed of dense ether foam for pharmaceutical and medical applications and is sterile
- Polyester-covered foam mop heads 68400-346 and 11211-980 are available both nonsterile and sterile for critical cleaning
- Absorbent foam mop head 68400-336 is for pharmaceutical production and buffer areas
- Wide-pore foam mop head 68400-340 and dense urethane foam mop head 68400-334 are for cleanroom support and maintenance areas

Description	Width	Cat. No.
Wide-Pore Foam Mop Head	35.6 cm (14")	68400-340

#### **ACCESSORIES**

Description	Cat. No.
Quick-Disconnect Adapters, 23 cm (9")	11310-596
Blue Replacement Bucket	68400-752

#### M-ZONE SNAPMOP™ MOPS, MICRONOVA


- Features a low profile design and swivel joint to allow easy coverage of floors, walls and awkward corners in controlled environments, pharmaceutical production and hospital pharmacies
  - Covers feature a thin urethane foam interior completely
- encased in polyester no exposed foam.
- This combination translates to less weight and faster drying

Description	Width	Cat. No.
Microfiber Cover, White	36 cm (14")	52428-588

#### M-ZONE MEGASORB™ MOPS, MICRONOVA

- A highly absorbent and economical series of microfiber mops designed for cleaning and picking up liquids in controlled and critical environments
- The M-Zone MegaSorb<sup>™</sup> mops are made from an exceptional microfiber tube which is both low-linting and highly absorbent - The tufted strands are comprised of polyester and nylon

filaments 30 times smaller than cotton fibers. These microfibers work to pick up tiny particles, unlike cotton fibers that just roll over the dirt





#### **EDGELESS® MOP SYSTEM, CONTEC®**

- Designed for wet mopping in controlled environments and cleanrooms
- Mop heads are constructed from a continuous tube of 100% polyester knitted fabric, looped to form strands that encapsulate liquids for maximum absorption
- Mop heads are free of any cellulosic contaminants
- Textured mop heads feature ribbed, twisted strands for 60% more sorbent capacity than standard edgeless mops



Description	Cat. No.
Edgeless® Mon Head Long Textured with Green Tail Band	10022-246

#### **ERGOSCRUB® SCRUBBING** HANDLES AND SCRUBDISK® PADS, FOAMTEC INTERNATIONAL

Ergonomically correct, disposable, and reusable scrubbing handles and pads for cleaning critical surfaces on process equipment in the semiconductor, flat-panel display, optical component, and hard disk drive industries



- Pads contain diamond or silicon carbide grit. Silicon carbide pads are backed with a pressure-sensitive adhesive for use with the disposable handles
- Diamond pads are backed with either a pressure-sensitive adhesive for attachment to the disposable handles or hook and loop fasteners for easy replacement on the reusable handles

Description	Cat. No.
Reusable Handles with Hook and Loop Fasteners	
Hard Handle	89133-224

#### **VERTIKLEAN® MAX™ MOPPING** SYSTEMS. CONTEC®

- Now available with ribbed microfiber and a sealed edge for better contamination removal
- The VertiKlean® MAX™ Sealed Edge Mop is ideal for cleaning both horizontal and vertical surfaces
- The new sealed edge design and microfiber face eliminates exposed foam, picks up particles and fibers, and evenly applies disinfectant to floors, walls, and ceilings
- The VertiKlean® MAX™ Sealed Edge Mop has a slim profile for cleaning in confined spaces and is available validated sterile

Size	Sterility	Cat. No.
38 x 11 x 2 cm (15 x 4.3 x 0.7")	Non sterile	10119-380
		Size Sterility  38 x 11 x 2 cm (15 x 4.3 x 0.7") Non sterile



#### **SLIMT™ DOUBLE BUCKET CARTS, MICRONOVA**

- Wringing mesh can be removed, laundered, and autoclaved
- Crafted from electropolished stainless steel for durability and long life
- Entire unit is autoclavable



Description	Cat. No.
SlimT <sup>™</sup> Double Cart Frame, without Buckets	10798-896

#### **ACCESSORIES**

Description	Cat. No.
UltraMOP™ Polyester Cover	94024-540

#### PHARMAMOP® MOP HEAD, FOAMTEC INTERNATIONAL

- A polyester/microfiber PharmaMOP® head with a textured, ribbed fabric over a Sahara™ foam core with strips of Sahara™ foam on the front and back end to enhance cleaning performance while allowing for even application of disinfectants to clean room surfaces
- This mop is designed for weekly super cleans where it is important to strip heavy soils and residues from floors, walls, stainless steel and windows.
- Polyester Mop Head for cleaning and disinfection SOP's in CGMP facilities requiring 10 minute contact times

Description	Material	Dimensions	Color	Cat. No.
PharmaMOP® mop head	Polyester	<sup>1</sup> / <sub>2</sub> x 5 x 16"	White	89107-504

#### **BUCKETLINERS, MICRONOVA**

- Laminate is 75% LDPE, 25% nylon
- Excellent for disinfectants and cleaning solutions
- Ideal for product parts or raw material transfer
- Thickness of 3 mil
- Will hold up to autoclaving with liquid contents
- Available sterile (Irradiated) or non sterile





## VILEDA PROFESSIONAL® **CONTROLLED ENVIRONMENT TROLLEYS**

- Two stainless steel mop handle holders
- Support bar for duo press wringer or dip-n-go sieve, Support plate and commonly used industry wringers
- Frame holders allow for storage of various sized mops
- Autoclavable and extremely quiet cleanroom casters



#### **VWR® STERILE BUCKET LINERS**

- Sterile with Sterility Level of Assurance (SAL 10<sup>-6</sup>)
- LDPE/nylon blend fabrication
- Provide an impermeable barrier against strong disinfectant solutions





Description	Dimensions	Cat. No.	Description	Cat. No.
CE Pre-Prepared Trolley	30 x 28 x 37"	10153-168	Fits 1 gal. Buckets, Sterile	89495-436
			Fits 6 gal. Buckets, Sterile	89495-438

## **FHP ULTRAFLEX BUCKET IN BUCKET** SYSTEM, VILEDA PROFESSIONAL-FHP

- Features a large 34L/36QT bucket and can be put on most janitorial carts
- Features easy glide stainless steel castors and color coding tabs to reduce cross contamination
- Integrated second clean water compartment to prevent cross contamination, you are
- Easily able identify clean water from dirty water
- The clean water bucket locks into please when in use and is easily removable for emptying and filling

Description	Cat. No.
36 Quart bucket with DownPress Wringer	89209-470

#### **BINLINERS, MICRONOVA**

- FDA compliant material
- Range of sizes for applications including document storage to lining of large production totes
- Single seam construction
- Gusseted options for better fit in BinStand, totes, or other containers
- Roll pack and flat pack options
- Available sterile or nongamma irradiated

Description	Material	Dimensions	Thickness	Color	Packaging	Cat. No.
					Double Bagged	
Sterile BinLiner	LDPE	24×36"	3 mil	Clear	in Groups of 5	10753-434

## POLYPROPYLENE BUCKETS, CONTEC®

- Compatible with a wide assortment of Contec® bucket systems
- Autoclavable.



Description	Capacity	Color	Cat. No.
Polypropylene Bucket	25 L (6.5 gal.)	Gray	89198-842

## MICRO-90® CONCENTRATED CLEANING **SOLUTION, INTERNATIONAL PRODUCTS**

- A powerful, multi-purpose liquid for precision cleaning of glassware, filter membranes, laboratory equipment, electronics, metal parts, plastics, and other surfaces
- Mildly alkaline, aqueous cleaner lifts, disperses, emulsifies, sequesters, dissolves, suspends, and decomposes soils
- Mixes instantly with water
- Highly-concentrated
- Environmentally friendly, with no CFCs, ODCs, phosphates, or phenols

Size	Cat. No.
19 L (5 gal.)	21830-420
208 L (55 gal.)	21830-422
1 L (0.26 gal.)	89210-138
4 L (1.1 gal.)	89210-140



micro-90

## CLOROX® GERMICIDAL BLEACH. **JANITORIAL SUPPLIES**

- More economical and its ergonomic bottle is easier to pour, handle, carry and store
- Safe for food-contact surfaces
- Kills Clostridium difficile spores within 5 minutes



Description	Size	Cat. No.
Clorox® Germicidal Bleach, Regular	1.8 l (64 oz.)	10028-048
Clorox® Germicidal Bleach, Regular	3.4 l (121 oz.)	89501-620

## ISOPROPYL ALCOHOL **CLEANER, STONER®**

- Pure isopropyl alcohol acts as a defluxer and general-purpose degreaser to remove dirt, oxides, oils, smoke film, and corrosion from metal and plastic surfaces
- IPA is 99.9% pure, evaporates fast, and leaves no residue.
- Apply with squirt bottles, pump spray dispensers, swabs, wipes, or tank dipping techniques



Description	Size	Cat. No.
Pail	19 L (5 gal.)	89065-938

## **SCIENCEWARE® AQUET® DETERGENT FOR GLASSWARE AND PLASTICS, BEL-ART**

- Convenient, pre-portioned pouches make one gallon of 1% solution
- 3.8 L (1 gal.) bottle comes with 473 mL (16 oz.) working solution dispenser bottle
- 20 L (5 gal.) Cubitainer™ is available for frequent users
- Not for use in automatic dishwashers

Description	Size	Cat. No.
Pouch, Box of 20	20 mL (0.68 oz.)	74950-097
1 Gallon Bottle	3.8 L (1 gal.)	75783-970
Cubitainer® Container	19 L (5 gal.)	54848-004

## **CRYSTAL SIMPLE GREEN,** SIMPLE GREEN®

- Suitable for critical cleaning tasks that demand a fragrance-free solution
- Clear, unscented formulation



рН	Volume	Specific Gravity	Packaging	Cat. No.
9.35	5 gal.	1.02	Pail	300009-878
9.35	55 gal.	1.02	Drum	300050-362

## CLOROX HEALTHCARE™ BLEACH GERMICIDAL **CLEANERS, JANITORIAL SUPPLIES**

- Clean and disinfect countertops, carts, and equipment in one step
- Safe on stainless steel
- Premixed, stabilized, ready-to-use detergent and bleach solution delivers one-minute germicidal efficacy against a range of viruses and fungus
- 30-second germicidal efficacy against the TB (Mycobacterium bovis) bacterium
- Fast-acting detergent ingredients aid in cleaning and disinfecting without a strong bleach odor



## **VWR® AIR DUSTER SPRAY** Filtered for 100% purity

- Leaves no residue
- Moisture free
- Odorless
- Non-flammable/ Non-conductive
- Very low order of toxicity





US
ONLY

Size	Cat. No.
311 g (11 oz.)	75780-350

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Description	Size	Cat. No.
Trigger Spray	651 mL (22 oz.)	21850-204
Trigger Spray	946 mL (32 oz.)	21850-206
Refill Bottles	1.9 L (64 oz.)	21850-208
Refill Bottles	3.8 L (1 gal.)	21850-210

## TWINKLE® STAINLESS STEEL CLEANER AND POLISH, JOHNSON DIVERSEY

- Water-based formula removes grease, dirt, fingerprints, smudges and water marks from stainless steel, brass, aluminum and chrome
- Leaves no residue or greasy film
- Protects against resoiling
- Contains no CFCs





## **SOLUJET® LOW-FOAMING LIQUID DETERGENT, ALCONOX INC**

- Phosphate-free detergent ideal for clean-in-place (CIP) systems and floorstanding lab washing machines
- Recommended for cleaning glass, PTFE, ceramic, cement and alkaliresistant plastics, and metals such as stainless steel
- Can be used for manual cleaning if proper skin and eye protection is used
- Biodegradable and readily disposable
- No interfering residues



Cat. No.	Packaging	Size
300086-954	Aerosol Can	17 oz

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Size	Packaging	Cat. No.
19 L (5 gal.)	Jerrycan	80077-360

## **INVISIBLE GLASS CLEANER, STONER®**

- Cleaner removes dust, dirt, oil, grease, and fingerprints from windshields, windows, and mirrors without leaving streaks or residue
- Non-abrasive formula contains no surfactants, soaps, or foams, and evaporates completely



PO Streetly scape or Con	
nvisible Glass	
Piles Gas (See	

## **VWR® LABTONE® LABORATORY CLEANING COMPOUND**

- Easy, quick, and economical glassware cleaner for general laboratory use
- Composed of carbonates, phosphates, and organic detergent in balanced proportions
- Binds calcium and magnesium hardness in solution to eliminate scrubbing and scraping
- Removes dirt, grease, media, and soil with no towel-wiping required
- Leaves no residue





Description	Size	Cat. No.
Aerosol Can	538 g (19 oz.)	89065-936

Size	Cat. No.
3.6 kg (8 lbs.)	89030-112

## **DETONOX™ HEAVY DUTY LIQUID DETERGENT, ALCONOX INC**

- Non-caustic for greater worker safety and greater material compatibility
- Free rinsing to give reliable results and no interfering residues

#### **VWR® STERILE 70% ISOPROPANOL**

- Contains 70% USP grade isopropanol and 30% USP grade deionized water
- Double-bagged and gammairradiated to a Sterility Assurance Level of 10<sup>-6</sup>
- Ideal for use with sterile cleanroom wipers





Description	Size	рН	Specific Gravity	Packaging	Cat. No.
Detonox™ Heavy Duty			1.17		
Liquid Detergent	19 L (5 gal.)	10.3	g/mL	Pail	10015-626

Description	Size	Cat. No.
Trigger Spray Bottle	473 mL (16 oz.)	89108-160
Trigger Spray Bottle	946 mL (32 oz.)	89499-420

## CIDEHOL® ST STERILE 70% IPA WITH WFI, DECON LABS

- Sterile, ready-to-use 70% isopropyl alcohol (IPA) solution made with WFI is ideal for cleanroom use
- Solution is filtered to 0.2µm to remove particulate contamintion.



-	
100	© CDetal ST
gh-	
-	A TEL

	It evaporates completely, with no	
	rinsing required	
_	Made according to USP specifications and packaged in an I	SO
	Class 5 (FED-STD-209E Class 100/M3.5) cleanroom	

100	© CDer⊗ ST
	Olem D
	diff.

CONFLIKT, READY-TO-U	SE
<b>DISINFECTANT, DECON</b>	<b>LABS</b>

- Conflikt® ready-to-use disinfectant spray cleans and disinfects hard surfaces that may harbor viruses, bacteria and fungi
- Pre-diluted, stable solution of dual quaternary ammonium active ingredients is effective against HIV-1, E-coli and other pathogenic organisms
- Conforms to OSHA's Bloodborne Pathogens Standard
- Conflikt is effective against a wide range of



Trigger Spray Bottle	473 mL (16 oz.)	89125-194
Bottle	3.8 L (1 gal.)	89125-198

## SANIHOL® FILTERED 70% ETOH **SOLUTION, DECON LABS**

- Ready-to-use 70% solution of denatured ethanol (EtOH) for cleaning surfaces in labs and production areas
- Solution is filtered to 0.2µm to remove particulate contamination
- Evaporates completely, leaving no residue
- Ideal for use in tissue culture hoods and microbiology labs



Description	Size	Cat. No.
Trigger Spray Bottle	473 mL (16 oz.)	89125-222

## PERIDOXRTU® SPORICIDAL DISINFECTANT AND CLEANER, CONTEC

- Combat spores with the industry's fastest sporicidal claim
- -Compatible with stainless steel, this unique sporicidial disinfectant and cleaner is ideal for use in cleanrooms
- It is fast acting and will not damage stainless steel equipment
- -PeridoxRTU requires no rinsing and leaves no film on surfaces, making it ideal for use on critical surfaces
- Patented, hyperactive chemistry provides fast results






Size	Sterility	Cat. No.
3.8 L (1 gal.)	Nonsterile	10032-832

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

## **DESCAL, ACIDIC DETERGENT, DECON LABS**

- Concentrated acidic detergent and descaling agent for removing hard water salt deposits from waterbaths, ultrasonic tanks, automatic labware washing machines, autoclaves, stills, labware, glass, plastics, and metals
- and iron deposits just about every salt left behind from hard water
- deposits from animal cages
- Non-foaming formulation allows its use in automatic washers and spraying equipment



	Packaging	Cat. No.
3.8 L (1.0 gal.)	Poly Bottle	89233-172

## PREEMPT™ RTU DISINFECTANT **SOLUTION AND WIPES, CONTEC®**

- 1 Minute Bactericidal, Virucidal
- 5 Minute Tuberculocidal
- 10 Minute Fungicidal
- 30 Second Broad-Spectrum Sanitizing



Description	Size	Packaging	Cat. No.
PREempt™ RTU Disinfectant Wipes,		160 Wipes/Canister,	
Meltblown Polypropylene	15.2 x 17.8 cm (6 x 7")	12 Canisters/Case	10822-456

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### CIP 200° ACID CLEANER, STERIS°

- CIP 200<sup>®</sup> is a high performance, phosphoric acid cleaner for use in manual, immersion, and recirculating spray equipment including clean-in-place systems
- Blended acid and surfactant system rapidly and efficiently removes a wide variety of scales, particulate, and inorganic soils typically found in pharmaceutical. biotechnology, cosmetic, and food and beverage processes



Size	Packaging	Cat. No.
114 L (30 gal.)	Drum	14004-132

## **HYPO-CHLOR® CLEANING AGENT. VELTEK ASSOCIATES**

- Sterile sodium hypochlorite solutions are filtered at 0.2µm, gamma-irradiated, double-bagged, and delivered with lot-specific sterile documentation
- Premixed concentrations are formulated with USP purified water





Size	Concentration	Packaging	Cat. No.
3.8 L (1 gal.)	0.52%	Bottle	14003-328
473 mL (16 oz.)	0.52%	Bottle	14218-554

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### CIP 300° NEUTRAL PH DETERGENT, STERIS°

- Phosphate free
- Manufactured with biodegradable ingredients to support harmonization of cleaning processes
- Slight yellow/clear liquid with mild odor, completely soluble with low foam
- Neutral formulation provides substrate compatibility with enhanced operator safety

Size	рН	Specific Gravity	Packaging	Cat. No.
208 l (55 gal.)	7.8	1.04 at 77 °F	Drum	14004-138

US

## STERI-PEROX® CLEANING **AGENT, VELTEK ASSOCIATES**


- Sterile, ready-to-use hydrogen peroxide solution for pharmaceutical and biotechnology operations
- Filtered at 0.2µm
- Gamma-irradiated, doublebagged, and delivered with lotspecific sterile documentation



Size	Concentration	Cat. No.
473 mL (16 oz.)	6%	14003-384

## DECON-AHOL® 70% ISOPROPYL ALCOHOL SOLUTION, **VELTEK ASSOCIATES**





- Sterile WFI solutions use USP Water for Injection, are gamma irradiated
- Solution available in nonsterile, sterile, and sterile WFI formats
- Nitrogen-propelled aerosol does not permit aspiration of the room air into reservoir



Description	Size	Sterility	Cat. No.
Container	3.8 L (1 gal.)	Sterile WFI	14003-264

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

## **DECON-CLEAN® CLEANING AGENT, VELTEK ASSOCIATES**

- Ideal for washable, nonporous surfaces such as walls, ceilings, floors, and stainless steel items
- Designed to remove residues left behind by disinfecting agents
- DECON-Clean® is filtered at 0.2µm, gamma irradiated, and double-bagged
- SimpleMix® one-step residue remover dilutes to 1:128 in water for injection
- Sterile options are USP tested and delivered with a lot-specific certificate of irradiation and certificate of analysis

Size	Sterility	Cat. No.	
Cleaning Agent, SimpleMix 1:128 Dilution			
473 mL (16 oz.)	Sterile	14003-694	

## CAGE2WASH® LIQUID CLEANING **AGENTS, VELTEK ASSOCIATES**

- Specifically designed for critical animal facility component and animal cage washing applications
- Low-foaming, rinse-free cleaning agents can also be used for clean-in-place requirements in the pharmaceutical, biotechnology, cosmetic, medical device, and food and beverage industries





### KLEENEX® HARD ROLL TOWEL, KIMBERLY-CLARK PROFESSIONAL®

- Soft feel, premium performance in a roll towel designed for optimal hand drying performance
- **KLEENEX®** Hard Roll Towels with new zip-off top packaging have absorbency pockets<sup>™</sup> that absorb lots of water fast, for superior hand drying
- Meets EPA standards with a

Description	C.	71 * 1	Calan	0.11
consumer wa	ste; 50% recy	cled fiber		
minimum of 4	10% post con	sumer waste;	40% post-	

1-Plv

White

Size	pН	Specific Gravity	Sterility	Cat. No.	
Cage2Wash® 2 Li	Cage2Wash® 2 Liquid Cleaner				
3.8 L (1 gal.)	13	1.28	Nonsterile	89040-272	

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

# PROCESS2CLEAN® LIQUID CLEANING

- These high-performance cleaning agents are specifically designed for critical clean-in-place applications and are engineered to effectively remove a multitude of product residues

**AGENTS, VELTEK ASSOCIATES** 

- Process2Clean® 1 liquid alkaline agent is formulated with potassium hydroxide, surfactants, and other essential cleaning ingredients
- Process2Clean® 2 liquid agent is an acidic based detergent



US
ONLY

GEORGIA PACIFIC BRAWNY
INDUSTRIAL™ HEAVY-DUTY SHOP
TOWELS, JANITORIAL SUPPLIES

Hard Roll Towel

Multi-use shop towels made from super-strong fibers resist tears and stand up to tough industrial cleaning

8" x 600'

- Wipers hold their strength even when wet, and can be rinsed and reused
- Cloth-like absorbency offers streak-free cleaning
- Convenient, wall-mountable pop-up box for easy dispensing



89020-030

Length	Width	Cat. No.
16 <sup>1</sup> / <sub>2</sub> "	91/8 "	500030-623

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region

pН	Specific Gravity	Sterility	Cat. No.	
Process2Clean® 2 Liquid Cleaner				
2.0	1.25	Sterile	89040-334	
	1.	quid Cleaner	quid Cleaner	

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

## UNITED FACILITY SUPPLY **RED SHOP TOWELS**

- Pre-washed cloths are both soft and absorbent
- Ready to start cleaning as soon as they leave the bag
- Hemmed edges help prevent fraying and provide a longer life for the cloths—ideal for industrial and harsh environments
- Made from 100% recycled pre-consumer textile materials





Length	Width	Color	Cat. No.
15 "	14 "	Red	500029-957

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.


## **PVAMICRO CLOTH, VILEDA** PROFESSIONAL-FHP, **JANITORIAL SUPPLIES**

- Innovative all-purpose cloth made from microfiber fabric impregnated with PVA
- Holds 40 times less particle residue after rinsing, compared to ordinary
- knitted microfibre cloth, and can be washed repeatedly

38 × 35 cm (15 x 13.7")

38 × 35 cm (15 x 13.7")

furniture, glass, or stainless steel



Blue

Red



## **VWR® ANTIMICROBIAL** LABORATORY HAND SOAP-PCMX

- Designed for laboratory workers who wash their hands frequently
- Will not dry out the skin and replenishes natural oils
- 1% chloroxylenol (PCMX) antimicrobial agent is effective against bacteria and fungi





Description	Size	Cat. No.
Pump Bottle	946 mL (32 oz.)	89005-464
Pump Bottle	473 mL (16 oz.)	89005-470
Refill Jug	3.8 L (1 gal.)	89005-476

## **VWR® SOFTCIDE® EXTRA-MILD HAND SOAP**

Antimicrobial strength

PVAmicro Cloth

**PVAmicro Cloth** 

- Effective against broad spectrum of microorganisms
- pH balanced for skin



10153-218

10153-220



## **VWR® ANTIMICROBIAL** LABORATORY HAND SOAP-TS

- Ideal for laboratory and healthcare personnel required to wash frequently
- Fast-acting antimicrobial agent provides efficacy against wide variety of bacteria
- pH-balanced formulation is gentle on the hands





Description	Size	Cat. No.
Pump Bottle	946 mL (32 oz.)	89005-478

#### 473 mL (16 oz.) Pump Bottle 56700-124 946 mL (32 oz.) Pump Bottle 56614-420 3.8 L (1 gal.) Refill Jug 56614-424

## **VWR® SOFTCIDE®-NA HAND SOAP**

- Extra-mild cleansing
- Frequent-use formula
- pH balanced for skin



Size	Packaging	Cat. No.
946 mL (32 oz.)	Pump Bottle	56700-144

## **VWR® SOFTCIDE®-ES** ANTIMICROBIAL HAND SOAP

- Mild on hands
- Designed for frequent hand washing
- Effective against broad spectrum of microorganisms
- High sudsing power



	Packaging	Cat. No.
27 oz.	Bag-in-a-Box Carton	89137-122
32 oz.	Pump Bottle	89137-124
Description		Cat. No.
Wall-Mounted Dispenser for 800 mL (27 oz.) Bag-in-a-Box		56700-138

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### **VWR® LABORATORY HAND SOAP-NA**

- Ideal for frequent use where risk of bacterial contamination is not an issue
- Replenishes natural oils and prevents skin from drying or cracking
- Pump bottle



COLLECTION



Description	Size	Cat. No.
Pump Bottle	946 mL (32 oz.)	89005-472

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

## **ANTIBACTERIAL SOAP AND INSTANT SANITIZERS, MICRONOVA**

- Compliant with OSHA standards
- Hy-G-Clenz Is Effective Against a Wide Range of Gram-Positive and Gram-Negative Bacteria
- NovaClenz Requires No Sink, Water, or Towels
- **AguaHol Sterilizes** Hands and Gloves
- NovaClenz Helps to Prevent Transfer of Pseudomonas, Salmonella, and More



Description	Size	Packaging	Cat. No.
Hy-G-Clenz <sup>™</sup> Soap	500 mL (16.9 oz.)	Pump Bottle	68400-029
AquaHol™ Sanitizer	500 mL (16.9 oz.)	Pump Bottle	68400-440

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region

## LONA™ HAND SOAP AND GLOVE **CLEANSER, MICRONOVA**

- Low sudsing, extremely low ion counts — less than 100 parts per billion for sodium
- Formulated for high-tech cleanrooms for before and after gowning
- Gentle enough to be used on the hands and face
- Pump bottle can be used as standalone dispenser or with the VWR®

MicroDispenser <sup>™</sup> touch-free soap dispenser					
Description	Size	Packaging	Cat. No.		
LoNa™ Hand Soap and Glove Cleanser	500 ml (16.9 oz.)	Pump Bottle	68400-375		



## **BACDOWN HANDSOAP, DECON LABS**

- Soothing, gentle coconut-based surfactants
- Can be used repeatedly with minimal skin drying
- Pleasant almond fragrance



	Packaging	Cat. No.
1 L (34 oz.)	Poly Bottle	89233-194
5 L (1.32 gal.)	Poly Bottle	89233-196
500 mL ( 16 oz.)	Poly Bottle	89233-198

## **NOVADYNE™ GENERAL-PURPOSE SOAP, MICRONOVA**

- Excellent for use in commercial and industrial settings
- Built-in emollients and good sudsing leave skin smooth and deodorized
- Synthetic pH-balanced formulation is free-rinsing, no tackiness or residue left on skin
- Can be used as stand-alone or with VWR® Touch-free Dispenser 68400-035



Description	Size	Cat. No.
D D++ -	E00 ml (16 0 az.)	69400 374

## **VWR® MICRODISPENSER™ TOUCH-FREE SOAP DISPENSER**

- Reduces cross-contamination and waste in the cleanroom and gowning areas
- Activated by an electronic eye
- Delivers a consistent, premeasured dose of soap, lotion, or sanitizer into the palm
- Gravity fed with no tubes or pumps
- No-drip unit may be wall-mounted
- Complies with OSHA, CDC, and **ADA** requirements



COLLECTION

Description	Size	Cat. No.
Touch-Free Dispenser	500 mL (16.9 oz.)	89128-812

## **CLOROX® NO-TOUCH HAND SANITIZER DISPENSER, JANITORIAL SUPPLIES**

- Touchless hand sanitizer dispensing system eliminates concerns about cross contamination
- Sleek wall-mount design with adjustable sensor, dispenses spray for quick and convenient hand coverage
- Features key locking mechanism and low battery indicator
- Holds 1000-mL refill (sold separately)



## **ALCARE® FOAMED ALCOHOL** HAND CLEANER, STERIS®

- Ideal for when soap and water are not readily available
- Eliminates 100% of bacteria in 60 seconds
- Lightly fragrant foam rubs in quickly
- Aerosol can



Material	Color	Mounti	ing			Cat. No.	Size	Container Type	Cat. No.
Plastic	White	Wall				500008-413	266 mL (9 oz.)	Nozzle Top Can	16200-136
							160 mL (5.4 oz.)	Push Top Can	16200-138
Description	S	ize	Color	Packaging	Scent	Cat. No.			

Material	Color	Mount	ing			Cat. No.
Plastic	White	Wall				500008-413
Description		Size	Color	Packaging	Scent	Cat. No.
Refill						
Clorox® Hand Sar Touchless Dispen		1000 mL	Clear	Bottle	Unscented	500036-006

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region

## **VWR® ALCOSCRUB® INSTANT** ANTISEPTIC HAND CLEANSER

- Fast-acting antimicrobial gel for use when water is not available
- Ideal for reducing bacteria count on hands prior to donning gloves and entering aseptic environment
- Dries quickly and leaves no sticky residue
- Emollients help moisturize hands and keep them chap-free
- Contains 62% ethyl alcohol formula





COLLECTION

ALCARE PLUS® ANTISEPTIC
HANDRUB, STERIS®

- Foamed, 62% ethyl alcoholbased surgical scrub
- Emollients provides hand antisepsis and moisturizing at the same time
- Mild formulation for highfrequency professional use
- Compatible with CHG products



Description	Size	Cat. No.
Handrinse	266 mL (9 oz.)	21899-782
Dispensing Bracket		89128-686

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### 473 mL (16 oz.) Pump Bottle 56700-116 Pump Bottle 56700-148 946 mL (32 oz.)

#### **VWR® HAND SANITIZER GEL**

- Quick-Drying and Leaves No Sticky Residue
- Ideal for Reducing Bacteria on Hands Prior to Gloving
- Helps Moisturize Hands and **Prevent Chapping**





US	
ONLY	
ONLI	

Description	Size	Cat. No.
Pump Bottle	473 mL (16 oz.)	89005-474

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

## **ALCARE® PLUS FOAMED ANTISEPTIC HANDRUB, STERIS**

- 62% ethyl alcohol-based surgical scrub
- Emollients provides hand antisepsis and moisturizing at the same time
- Mild formulation for highfrequency professional use
- Compatible with CHG products



Description	Size	Cat. No.
Alcare® Plus Foamed Antiseptic Handrub	503 mL (17 oz.)	89230-234

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Description

Dispenser

## **PURELL® 800 SERIES HAND SANITIZER DISPENSER, GOJO®**

- Kills 99.99% of most common aerms in as little as 15 seconds without water or towels
- Bag-in-box dispensing system, portion-controlled and ADAcompliant for push force



ONLY	SANITZER
	Cat. No.

89068-686

Disperious	0001112 (27 )	J/			37333 333
			_		
Description	Size	Color	Packaging	Scent	Cat. No.
Refills					
Hand Sanitizer	800 mL (27 oz.)	Clear	Bag-in-Box	Unscented	89068-694
Hand Sanitizer with Aloe	800 mL (27 oz.)	Green	Bag-in-Box	Floral	89068-690

800 ml (27 oz )

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

## **VWR® HAND CREAM**

- Nongreasy skin moisturizer absorbs quickly upon application
- Prevents irritation from latex gloves, harsh soaps, and other irritants
- Fragrance free, petroleum free





Description	Size	Cat. No.
Pump Bottle	473 mL (16 oz.)	89005-468
Refill Jug	3.8 L (1 gal.)	89005-482

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region

## **VWR® SOFTGUARD® EXTRA-STRENGTH BARRIER HAND CREAM**

- Nongreasy cream absorbs immediately
- Prevents and relieves irritation caused by latex chemicals and harsh soaps
- Fragrance free





Size	Packaging	Cat. No.
89 mL (3 oz.)	Flip-Top Tube	56614-410
473 mL (16 oz.)	Pump Bottle	56614-414

#### KINDEST KARE® SKIN CREAM, STERIS®

- Aloe vera, vitamin E, and other emollients help soften and moisturize rough, dry skin
- Ideal for use with patients in all-over applications for dry skin and as hand cream for healthcare workers
- Does not contain petrolatum or mineral oil
- Light floral scent



Size	Packaging	Cat. No.
0.44 L (15 oz.)	Pump Bottle	89065-008

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region

## SAN JAMAR® OCEANS® TEAR-N-DRY **ELECTRONIC TOUCHLESS ROLL TOWEL DISPENSER. JANITORIAL SUPPLIES**

- Sanitary touchless dispensing prevents germ spread
- Tear off towel and sensor activates to present another
- Portion control provides 10" length every time
- Dispenses all qualities of paper without jamming
- Holds rolls up to 8" wide x 8" dia, and one 4" stub roll





Color	Cat. No.
Black Pearl	500008-416

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

## **PROGUARD® PROFESSIONAL** HANDCREAM, DECON LABS

- Combines emollients to moisturize dry, cracked skin with a barrier film that seals in the moisture, seals out the problems
- Effective in eliminating the irritation caused by latex gloves
- Does not contain perfumes, oils, greases, petroleum, aloe or cocoa butter
- Compatible with and will not compromise the protection of latex gloves



Size	Packaging	Cat. No.
85 g (3 oz.)	_	89233-206
500 mL (16 oz.)	Poly Bottle	89233-208

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

## **VWR® ACID AND SOLVENT BOTTLE CARRIERS**

- Cone-style lid has 16mm (5/8") opening in the top for insertion of tubing, simplifies the transfer of liquids without pouring
- Truncated style lid permits pouring without the removal of the lid
- Designed to hold standard US reagent bottles



Diameter	Height	Style	Cat. No.
rriers			
18 cm (71/8")	35 cm (131/2")	Cone Style	56608-811
18 cm (71/8")	32 cm (121/2")	Truncated Style	56608-886
Carriers			
20 cm (8")	37 cm (143/8")	Cone Style	56608-864
20 cm (8")	35 cm (133/8")	Truncated Style	56608-900
	18 cm (71/6") 18 cm (71/6") Carriers 20 cm (8")	rriers  18 cm (7%") 35 cm (13½")  18 cm (7%") 32 cm (12½")  Carriers  20 cm (8") 37 cm (14%")	rriers       18 cm (7%")     35 cm (13½")     Cone Style       18 cm (7½")     32 cm (12½")     Truncated Style       Carriers       20 cm (8")     37 cm (14¾")     Cone Style

## **OVERPACK AND SALVAGE DRUMS, UN AND DOT, EAGLE MANUFACTURING**

- Constructed of blow-molded high-density polyethylene with UV inhibitors for superior strength
- Chemically-resistant to most materials
- Safety yellow with removable head
- Forkliftable
- Nestable for easy storage
- Suitable for secondary containment storage, transportation, and cleanup



Description	Capacity	Dimensions	UN Markings	Weight	Cat. No.
Salvage Drums	113.6 L (30 gal.)	53.7 O.D. x 72.4 H, cm (21 <sup>1</sup> / <sub>8</sub> x 28 <sup>1</sup> / <sub>2</sub> ")	1H2/X100/S	7.3 kg (16 lbs.)	56618-528
Salvage Drums	75.7 L (20 gal.)	55.9 O.D. x 52.1 H, cm (22 x 20 <sup>1</sup> / <sub>2</sub> ")	1H2/X75/S	6.8 kg (15 lbs.)	56618-550

## **VWR® RUBBER ACID BUCKET**

- Great chemical resistance
- Safety grip construction
- Stainless steel handle with rubber grip
- Internal graduated markings





Capacity	Cat. No.
11.4 L (3 gal.)	17302-117

## **OVERPACK DRUMS, EAGLE, ORS NASCO, INC.**

- Approved for Packing Groups I, II and III
- Ideal for safe storage, handling and transportation of hazardous materials
- UN Certified to HM-181



Description	Capacity	Diameter	Height	Color	Lid Style	Weight	Cat. No.
Shipping Container, 1H2/X120/S	30 gal	22 <sup>1</sup> / <sub>2</sub> in	28 in	Yellow	Screw-top	14 lb	300065-808
Shipping Container, 1H2/X120/S	30 gal	21 in	28¹/₂ in	Blue	Metal Lever Locking Ring	16 lb	300084-084

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region

## NALGENE® BIO-SAFE CARRIER, POLYCARBONATE, THERMO SCIENTIFIC

- Closed-system carrier protects user and hazardous samples during transportation
- Tough, break-resistant polycarbonate with excellent visibility
- Easy-to-grasp side handles are molded in
- Clamps securely hold carrier closed and ensure leakproof seal
- Suitable for use with NALGENE® Unwire™ test tube racks with tube O.D. of 13 or 16mm

Description	Cat. No.
Carrier	56609-112

## STEEL OPEN HEAD STORAGE DRUM, INDUSTRIAL CONTAINER SERVICES

- Constructed of 1.1mm thick, 18-gauge steel
- UN certification: 1A2/Y1.6/130/X400





Capacity	Color	Cat. No.
208 L (55 gal.)	Black	56612-454

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region

## TRANSLUCENT UN RATED **POLY DRUM, NEW PIG**

- FDA-approved resins for containment of food products
- High-density polyethylene construction
- Molded-in calibration measures liquid volume; no need for meters or gauges
- 360-degree top drum chime makes drums easy to move with drum lifter or other drum-handling device



Description	Capacity	Cat. No.
Drum, UN1H1/Y1.8/100	56.8 L (15 gal.)	89208-768
Drum, UN1H1/Y1.8/100	113.6 L (30 gal.)	89208-770
Drum UN1H1/Y1 9/100	208.2 L (55 ggl.)	89208-772

208.2 L (55 gal.)

## **TIGHT-HEAD UN RATED POLY DRUM, NEW PIG**

- Rigid, high-density polyethylene is lightweight and won't rust
- Compatible with a wide range of materials, liquids and chemicals
- Meets UN certifications for shipping liquids by land, sea or rail
- 360 and #176;
- Top drum chime makes drums easy to move with drum lifter or other drum handling device



Description	Capacity	Cat. No.
Drum, UN1H1/Y1.8/100	56.8 L (15 gal.)	89208-762
Drum, UN1H1/Y1.8/100	113.6 L (30 gal.)	89208-764
Drum, UN1H1/Y1.9/100	208.2 L (55 gal.)	89208-766

## **OPEN-HEAD UN RATED POLY DRUM, NEW PIG**

- Rigid, high-density polyethylene is lightweight and won't rust
- Compatible with a wide range of materials, liquids and chemicals
- Made of USDA- and FDA-Certified and Approved resins for direct containment of food products



TIGHT-HEAD UN RATED	)
STEEL DRUM, NEW PIG	

- Tested to help ensure safe shipping of hazardous materials
- Tight-head design equipped with 2" NPT and 3/4" NPT bungs



Description	Capacity	Cat. No.	Capacity	Dimensions	Color	Cat.
Drum, UN1H2/Y100/S, UN1H2/X65/S	53 L (14 gal.)	46000-706	208.2 L (55 gal.)	23 x 35.25"	Black and White	76183
Drum, UN1H2/X120/S, UN1H2/Y180/S	113.6 L (30 gal.)	46000-708				

## **OPEN-HEAD UN RATED POLY DRUM, WITH METAL LEVER-LOCK** RING, EAGLE MANUFACTURING

- Durable
- Lightweight
- Chemical and weather resistant



Description	Capacity	Diameter	Height	Color	Lid Style	UN Markings	Weight	Cat. No.
					Metal Lever	1H2/ X200/S,	10.7 kg	
Open-Head Poly Drums	55 gal.	21"	36³/ <sub>8</sub> "	Blue	Locking Ring	1H2/ Y250/S	(23.5 lbs.)	75845-054

## **55 GALLON OPEN-HEAD UN RATED** STEEL DRUM, NEW PIG®

- UN Rated and tested to help ensure safe shipping of hazardous materials
- Open-head design and removable lid offer full, convenient access to inside of drum
- 12-gauge bolt ring closure, sponge rubber gasket and plated bolt/nut provide tight seal to help prevent leaks and spills
- Interior is coated with a corrosion inhibitor; choose optional phenolic/epoxy lining for added resistance
- 16-gauge steel lid and 18-gauge steel body and bottom meet strict wall thickness requirements to ensure strength, durability and long life





## TRANSLUCENT UN RATED **POLY PAIL, NEW PIG**

- Walls eliminate guesswork to help prevent overfilling or running out of materials
- Made from FDA-approved resins for containment of food products
- High-density polyethylene construction is strong and lightweight
- 5-gallon pail provides efficient storage and transfer of smaller quantities
- Sturdy fold-down handle makes pail easy to carry
- UN1H1/Y1.8/100



Capacity	Cat. No.
18.9 L (5 gal.)	89095-316

## **PIG® LATCHING DRUM LID** FOR OPEN-HEAD STEEL **DRUMS, NEW PIG**

- Nitrile gasket and locking mechanism seal lid, reduces vapor emissions keeps drum contents dry and secure
- Easy-access lid closes securely to help you meet haz-waste and closed-container regs

Description	Color	Cat. No.
PIG <sup>™</sup> Latching Drum Lid For 20- and 30-gal. New and		
Reconditioned Open-Head Steel Drums	Red	89032-428
PIG <sup>™</sup> Latching Drum Lid For 55-gal. New and		
Reconditioned Open-Head Steel Drums	Black	56620-738
PIG <sup>™</sup> Latching Drum Lid For 55-gal. New and		
Reconditioned Open-Head Steel Drums	Red	56620-740
PIG <sup>™</sup> Latching Drum Lid For 55-gal. New and		
Reconditioned Open-Head Steel Drums	Yellow	56620-742

## **TIGHT-HEAD UN RATED POLY PAIL, NEW PIG**

- One-piece, blow-molded, high-density polyethylene construction
- Tight-head container ideal for storing liquids
- Design allows stacking, saves storage space
- UN Certification 1H1/Y1. 3/100



#### PIG® POLY DRIP DECKS, NEW PIG

- Low-profile, 5.75"H design is easy to load or unload; pumps and funnels easy to access
- Molded-in sump catches leaks, drips and spills, keeps storage areas clean and safe
- Low-density polyethylene (LDPE) resists UV rays, rust, corrosion and most chemicals



Capacity	Cat. No.	Description	Load Capacity	Sump Capacity	Cat. No.
18.9 L (5 gal.)	56620-714	Holds Two 55-gal. Steel or Poly Drums	1360.8 kg (3000 lbs.)	83.3 L (22 gal.)	89208-790
		Holds Four 55-gal. Steel or Poly Drums	2721.6 kg (6000 lbs.)	166.5 L (44 gal.)	89208-792

## LIFE LATCH® NEW **GENERATION PAILS AND** LIDS, M&M INDUSTRIES

- Moisture-resistant, air-tight seal
- White screw-top pail supplied with white gasketed lid
- FDA grade raw materials
- 8 color offset printing
- Tamper evident
- Patented "no gasket cover" allows products to breathe



## PIG® POLY LOADING **RAMP, NEW PIG**

- Edge guards guide drum trucks and help prevent them from rolling off the sides
- Ribbed surface provides traction for added safety



Description	Capacity	Height	Top I.D.	Wall Thickness	Cat. No.
With Lid					
Life Latch® New Generation Pail	2.27 L (0.6 gal.)	6.88"	6.19"	0.05"	89093-134
Life Latch® New Generation Pail	4.7 L (1.25 gal.)	8.36"	7.80"	0.06"	89093-136
Life Latch® New Generation Pail	13.2 L (3.5 gal.)	11.25"	11.25"	0.09"	89093-138
Life Latch® New Generation Pail	18.9 L (5 gal.)	15.25"	11.25"	0.09"	89093-140
Life Latch® New Generation Pail	24.6 L (6.5 gal.)	18.75"	11.25"	0.09"	89093-142

Description	Cat. No.
For 5 <sup>3</sup> / <sub>4</sub> " H Poly Spill Containment Decks	56620-618

#### PIG® STEEL LOADING RAMP. NEW PIG

- Heavy-duty steel construction is strong and durable
- Adjustable legs for use with a range of pallet and deck heights
- Edge guards guide drum trucks and help prevent them from rolling off the sides
- Lip of ramp secures to edge of pallet or deck



## **PIG® PUNCTURE REPAIR KIT, NEW PIG**

- Includes wooden wedges, pegs, cones, and rubber mallet for fixing larger holes
- Fix smaller holes with PIG® Repair Putty, washers, screws, lead wool, and tape
- A great addition to spill response supplies



Description	Cat. No.	Description	Cat. No.
For 4" to 51/4" H Steel or Poly Spill Containment Decks	56620-616	Puncture Repair Kit, 43 Pieces	46000-766

## **PIG® POLY MODULAR SPILL DECK, NEW PIG**

- Unique "flow-through" sump lets liquid pass freely from one sump to another to comply with containment regulations
- Bulkhead fittings and predrilled ports connect to other decks
- Mix & match sections to fit your space and help meet sump capacity requirements
- Special tools and hardware to connect sections included with each system
- Low-density polyethylene (LDPE) resists UV rays, rust, corrosion and most chemicals
- Textured grating adds traction and lifts out for easy sump access
- Translucent white sidewalls allow easy visual inspection

Description	Load Capacity	Sump Capacity	Cat. No.
Holds One 55-gal. Steel or Poly Drum	1500 lb.	11 gal.	56620-610
Holds Four 55-gal. Steel or Poly Drums	6000 lb.	44 gal.	56620-614

## UNINSULATED BONDING/ **GROUNDING WIRES, NEW PIG**





Description	Cat. No.
Alligator Clip Grounding End, Alligator Clip Bonding End, 91.4 cm (3')	56620-208
C-Clamp Grounding End, Hand Clamp Bonding End, 91.4 cm (3')	56620-206

## **UTILITY CARTS, RUBBERMAID COMMERCIAL**

- Rounded corners to protect walls and furniture
- Lightweight and maneuverable
- 2 fixed: 2 swivel casters



Load								
Capacity	Depth	Height	Width	Caster Size	Color	No. of Shelves	Weight	Cat. No.
500 lbs.	381/2"	38 ¾"	171/4"	5"	Beige	2	22 lbs.	300005-914
500 lbs	451/4"	33 1/4"	251/8"	5"	Beige	2	41 40 lbs	300009-774

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

## **HEAVY-DUTY POLY SPILL CONTAINMENT PALLET, PIG®**

- Molded-in sump catches leaks, drips and spills
- Keep your storage areas clean and safe



Description	Size	Sump Capacity	Cat. No.
PIG® Heavy-Duty Poly Spill Containment Pallet with Drain	Holds 3 drums	66 gallons	10860-056
PIG® Heavy-Duty Poly Spill Containment Pallet without Drain	Holds 3 drums	66 gallons	10860-058

## **HEAVY-DUTY UTILITY CARTS, RUBBERMAID®**

- Ideal for cleanroom use
- Provide long, rugged wear with no maintenance
- Easy-to-clean seamless construction with no sharp edges
- Leakproof top, integral molded handle, and quiet, nonmarking casters



Description	Capacity	Height	Length	Width	Shipping Weight	Cat. No.
Two-Shelf Cart	500 lbs.	33"	39"	18"	31 lbs.	66005-908
Two-Shelf Cart	500 lbs.	33"	45"	26"	44.7 lbs.	66005-920

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

## **HEAVY-DUTY FLAT SHELF UTILITY CARTS, RUBBERMAID COMMERCIAL**

- For transporting oversized bulky items
- Sturdy, structural foam construction
- Won't rust, dent, chip or peel
- Non-marking casters





Load Capacity	Color	Cat. No.
500 lbs.	Black	300009-775

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

## **HEAVY-DUTY UTILITY CARTS. RUBBERMAID COMMERCIAL**

- Ideal for cleanroom use
- Provide long, rugged wear with no maintenance
- Easy-to-clean seamless construction with no sharp edges
- Leakproof top, integral molded handle, quiet nonmarking casters



Load Capacity	Color	Cat. No.
300 lbs.	Black	300053-180

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

## **GAS CYLINDER CART, JUSTRITE®**

- Carts include two 102 mm (4") locking swivel casters and two fixed direction casters for movement of cylinders with ease
- Exclusive bumper guard edging with steel reinforced vinyl protects cylinders from damage, while providing extra grip
- Heavy-duty 38×1372 mm (1.5×54") polypropylene support straps, rated at 516 kg (1138 lbs.)
- Straps feature steel cinch buckle and hold individual cylinders securely to prevent tipping

Capacity	Load Capacity	Depth	Height	Width	Color	Weight	Cat. No.
4 Cylinders (4 - 12" dia.)	1600 lbs.	40"	31"	24"	Gray	133 lbs.	76292-518
6 Cylinders (4 - 12" dia.)	2000 lbs.	52"	36"	24"	Gray	163 lbs.	76292-520

## **TILT TRUCKS. RUBBERMAID** COMMERCIAL

- Easy to handle and maneuver through commercial doorways and onto elevators
- Angled front end is designed for convenient dumping
- Inset wheels on ½ cu. yd. (.4 m3) and 1 cu. yd. (.8 m3) models protect walls, fixtures and patrons
- Smooth surface is easy to clean and resists pitting and corroding
- Optional domed lids available





Capacity	Load Capacity	Height	Length	Width	Color	Weight	Cat. No.
1 yd³	1250 lbs.	43 3/4"	721/4"	331/2"	Black	99 lbs.	300000-190
1 yd³	850 lbs.	43 3/4"	721/4"	331/2"	Black	91 lbs.	300000-191
1/2 yd³	850 lbs.	38 5/8"	601/2"	28"	Black	77.20 lbs.	300000-193
1/2 yd³	450 lbs.	38 5/8"	563/4"	28"	Black	59 lbs.	300000-194

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

## LIFT-AND-LOAD SINGLE CYLINDER **HAND TRUCK, JUSTRITE®**

- Built-in clamping system with welded loop chain secures the cylinder for lifting and transport
- Accepts cylinder sizes from 102 to 305 mm (4 to 12") in diameter
- Fully welded construction, protected with durable, corrosion-resistant, red powder-coat finish



Capacity	Load Capacity	Depth	Height	Width	Color	Weight	Cat. No.
1 Cylinder (4 - 12" dia.)	1000 lbs.	20"	56"	22"	Red	69 lbs.	76292-516

#### **SERIES 600 TRUCKS, HARPER TRUCKS**

- Available in two and four wheel models and is designed to handle heavy CRYOGENIC LIQUID GAS CYLINDERS
- This larger sized frame and repositioned front wheels which allow secure handling without excessive force
- The 650A50-51 is designed to handle larger 20" -26" diameter liquid gas cylinders
- This model equipped with the QUAD Hook will handle a wide variety of large gas cylinders
- Newly designed single hook adjusts from 50" to 60" in height which makes it more versatile for handling a variety of cylinder types
- All available with pneumatic or mold on rubber tires





#### "MG" MODEL TRUCKS, HARPER TRUCKS

- Cylinder securely held
- Spring-loaded hold chain encased in plastic tube





Load Capacity	Height	Width	Color	Wheel Diameter	Weight	Cat. No.
870 lb	59 in	28 in	Harper Green	16 in, 10 in	83 lb	300008-179
900 lb	59 in	23 1/2 in	Harper Green	10 in	69 1/2 lb	300068-610

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region

Height	Width	Color	Wheel Diameter	Weight	Cat. No.
45 1/2"	19 1/2"	Harper Green	8"	30 lbs.	300008-182
45 1/2"	19 1/2"	Harper Green	8"	21 lbs.	300068-680
45 1/2"	19 1/2"	Harper Green	8"	21 lbs.	300068-682

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### SAFETY DRUM FUNNELS, JUSTRITE®

- Prevent spills when transferring flammable solvents, thinners, oils, or paint wastes



Description	Cat. No.
Drum Funnel, Yellow with 6" Flame Arrester	10836-830
Drum Funnel, Yellow with 32" Flame Arrester	10836-832

## **DRUM HANDLING TRUCKS, HARPER TRUCKS**

- Design enables one person to quickly, easily and safely move drums weighing up to 1000 or 1200 lbs.
- Lifting toes create a cradle for easy break-over
- Handles drums from 21 to 43 inches high
- Replaceable chime hook and lifting toes ensure a long product life
- Spring-loaded swing axle keeps truck in upright position when not in use
- Also available with WH87 and WH89P wheels



Description	Load Capacity	Height	Width	Color	Wheel Diameter	Weight	Cat. No.
Truck with Mold-On				Harper			
Rubber Wheels	1200 lbs.	60"	241/2"	Green	10"	48 lbs.	300068-634
Truck with				Harper			
Polyolefin Wheels	1200 lbs.	60"	241/2"	Green	10"	38 lbs.	300079-786
Truck with Mold-On				Harper			
Rubber Wheels	1200 lbs.	60"	241/2"	Green	10"	52 lbs.	300079-788

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

## **WIDE-MOUTH SAFETY DRUM FUNNELS, JUSTRITE®**

- Funnel has brass fill tube that directs flow to drum bottom, reducing splashing and vapors
- Larger funnels accept a lock to prevent unauthorized access



Description	Capacity	Dimensions	Cat. No.
Drum Funnel with Tip-Over			
Protection System	9.8 L (2.6 gal.)	27.3 Dia. x 25.4 H cm (10 <sup>3</sup> / <sub>4</sub> x 10")	56610-000
Drum Funnel	9.8 L (2.6 gal.)	27.3 Dia. x 25.4 H cm (10 <sup>3</sup> / <sub>4</sub> x 10")	56610-501
Drum Funnel	9.8 L (2.6 gal.)	27.3 Dia. x 25.4 H cm (10 <sup>3</sup> / <sub>4</sub> x 10")	56610-526
Drum Funnel	9.8 L (2.6 gal.)	27.3 Dia. x 25.4 H cm (10 <sup>3</sup> / <sub>4</sub> x 10")	56610-528

## PIG® BURPLESS® ONE-HAND-SEALABLE STEEL DRUM FUNNEL, NEW PIG

- Latching handle easily opens and closes lid in a simple, single-handed operation
- Lockable to prevent unauthorized access
- Suitable for 5 to 55 gal steel drums and pails with 2" NPT
- Durable, chemical-resistant powder coat helps ensure long service life



Description	Cat. No.
PIG® Burpless® One-Hand-Sealable Steel Drum Funnel	89073-811

## **VWR® SAFETY CABINETS** FOR FLAMMABLES AND **CORROSIVES**

- Fully welded, 18gauge double-wall construction for fire protection
- Upper and lower diametrically opposed side vents
- All models fire tested and approved by FM Global





Depth	Height	Width	Color	Door Type	No. of Shelves	Cat. No.
30 Gallo	n Flammable	e Storage				
18"	44"	43"	Yellow	Bi-Fold	1	89522-618
18"	44"	43"	Yellow	Manual	1	89522-620
18"	44"	43"	Yellow	Self Close	1	89522-616
45 Gallo	n Flammable	Storage				
18"	65"	43"	Yellow	Bi-Fold	2	89522-624
18"	65"	43"	Yellow	Manual	2	89522-626
18"	65"	43"	Yellow	Self Close	2	89522-622
60 Gallo	n Flammable	e Storage				
34"	65"	34"	Yellow	Bi-Fold	2	89522-630
34"	65"	34"	Yellow	Manual	2	89522-632
34"	65"	34"	Yellow	Self Close	2	89522-628
90 Gallo	n Flammable	e Storage				
34"	65"	43"	Yellow	Bi-Fold	2	89522-636
34"	65"	43"	Yellow	Manual	2	89522-638
34"	65"	43"	Yellow	Self Close	2	89522-634
30 Gallo	n Corrosive S	Storage				
18"	44"	43"	Blue	Manual	1	89522-642
18"	44"	43"	Blue	Self Close	1	89522-640
45 Gallo	n Corrosive S	Storage				
18"	65"	43"	Blue	Manual	2	89522-646
18"	65"	43"	Blue	Self Close	2	89522-644
60 Gallo	n Corrosive S	Storage				
34"	65"	34"	Blue	Manual	2	89522-650
34"	65"	34"	Blue	Self Close	2	89522-648

## **DRUM GAUGE, JUSTRITE**™

- When drum is almost full. indicator pops up
- Nonmetallic 12.7 cm (5") long gauge fits 1.9 cm (3/4") bung



Description	Cat. No.
Drum Gauge	56610-506

## **EMERGENCY PREPAREDNESS CABINETS, JUSTRITE**<sup>™</sup>

- Fire resistant design with durable powder print "emergency orange" finish for high visibility
- GloAlert™ glow-in-the-dark labels ensure fast location during power outages
- Spacious design includes four adjustable shelves, providing dependable storage for flashlights, radios, respirators, first aid items, and much more





#### **EN FIRE-RATED SAFETY CABINETS, JUSTRITE**

- Hybrid-close door action; manual close doors stop in any position, but self-close in the event of a fire to protect contents
- Cabinets are supplied with 3 adjustable shelves

Description	Capacity	Color	Cat. No.
30-Minute, 30-Gallon EN Safety Storage Cabinet	30 gal.	Yellow	10803-740
30-Minute, 45-Gallon EN Safety Storage Cabinet	45 gal.	Yellow	10803-742
90-Minute, 30-Gallon EN Safety Storage Cabinet	30 gal.	Yellow	10803-744
90-Minute, 45-Gallon EN Safety Storage Cabinet	45 gal.	Yellow	10803-746



## SURE-GRIP® EX DRUM STORAGE CABINETS, JUSTRITE™

- Exclusive Sure-Grip® EX features include U-Loc™ handles that include two keys and accept padlocks
- Haz-Alert™ reflective exterior labeling for easy identification in fire conditions or power outages
- Galvanized steel SpillSlope™ shelves safely direct all spills to the 5.1cm (2") leakproof sump

Description	Capacity	Denth	Height	Width	Color	Door Type	No. of Drums	Shipping Weight	Cat. No.
Horizontal	Cupacity	Deptii	Treight	Width	COIOI	Door Type	Diums	Weight	Cut. No.
Cabinets	53 gal.	48"	50"	30"	Yellow	Manual	1	355 lbs.	97001-374
Horizontal									
Cabinets	53 gal.	48"	50"	30"	Yellow	Self-Close	1	364 lbs.	97001-376
Vertical Cabinets	53 gal.	34"	65"	34"	Yellow	Manual	1	375 lbs.	97001-404
Vertical Cabinets	53 gal.	34"	65"	34"	Yellow	Self-Close	1	375 lbs.	97001-408
Vertical Cabinets	106 gal.	34"	65"	59"	Yellow	Manual	2	591 lbs.	97001-414
Flammable									
Waste Cabinets	106 gal.	34"	65"	59"	White	Manual	2	615 lbs.	97001-416
Flammable									
Waste Cabinets	53 gal.	34"	65"	34"	White	Manual	1	405 lbs.	97006-136



## **CYLINDER LOCKERS, JUSTRITE**™

- Sloped roof to shed water and ice
- Solid top to reinforce stability
- Warning and full/empty cylinder labels
- Extruded framework for extra strength
- Padlock lug for security
- Pre-drilled holes at each corner for anchoring

Description	Capacity	Depth	Height	Width	Shipping Weight	Cat. No.
6 Cylinder Horizontal Locker	20 lbs. or 33 lbs. Cylinders	491/2"	32"	30"	97 lbs.	56609-688
12 Cylinder Horizontal Locker	20 lbs. or 33 lbs. Cylinders	494/10"	32"	60"	178 lbs.	56609-692
5–10 Cylinder Vertical Locker	Up to 10 Compressed Gas Cylinders	65"	32"	30"	102 lbs.	56609-696
10–20 Cylinder Vertical Locker	Up to 20 Compressed Gas Cylinders	32"	65"	60"	187 lbs.	56609-698



#### **OUTDOOR STORAGE LOCKERS, JUSTRITE**

- Constructed with heavy gauge steel and built-in secondary containment
- Non-combustible lockers are fully compliant, meeting EPA 40 CFR, NFPA 30, and NFPA 1 regulations

Description	Capacity	Cat. No.
Outdoor Safety Locker, 2 Drum	2 Drum	10148-900
Outdoor Safety Locker, 2 Drum/Explosion Relief	2 Drum	10152-422
Outdoor Safety Locker, 4 Drum	4 Drum	10148-902
Outdoor Safety Locker, 4 Drum/Explosion Relief	4 Drum	10152-424
Outdoor Safety Locker, 6 Drum	6 Drum	10148-904
Outdoor Safety Locker, 6 Drum/Explosion Relief	6 Drum	10152-426
Outdoor Safety Locker, 9 Drum	9 Drum	10148-906
Outdoor Safety Locker, 9 Drum/Explosion Relief	9 Drum	10152-428
Outdoor Safety Locker, 12 Drum	12 Drum	10152-418
Outdoor Safety Locker, 12 Drum/Explosion Relief	12 Drum	10152-430
Outdoor Safety Locker, 16 Drum	16 Drum	10152-420
Outdoor Safety Locker, 16 Drum/Explosion Relief	16 Drum	10152-432

# Sure-Grip® EX hazardous material safety cabinets



#### **EXCLUSIVE BENEFITS**

- Self-closing doors
- Required on all hazardous material cabinets, the encased self-close mechanism provides obstruction-free access to top shelf space
- Self-indexing doors close in sequence to ensure a tight closure from top to bottom

Description	Capacity	Door Type	Shipping Weight	Cat. No.
Classic Safety Cabinet				
Hazardous Material Cabinet	30 gal.	Self-close	240 lbs.	10551-242
Hazardous Material Cabinet	45 gal.	Self-close	303 lbs.	10551-244
Hazardous Material Cabinet	60 gal.	Self-close	370 lbs.	10551-250
Hazardous Material Cabinet	90 gal.	Self-close	455.7 lbs.	10551-252
Slimline Safety Cabinets				
Hazardous Material Cabinet	22 gal.	Self-close	211 lbs.	10551-264
Hazardous Material Cabinet	54 gal.	Self-close	319 lbs.	10551-266
Compac Safety Cabinets				
Hazardous Material Cabinet	12 gal.	Self-close	123 lbs.	10551-256
Hazardous Material Cabinet	15 gal.	Self-close	156 lbs.	10551-258









ACID STORAGE CARMET	CORROSIVE STORAGE CABINET
BASE STORAGE CABINET	FLAMMABLE SOLID STORAGE CABINET
ORGANIC PEROXIDE STORAGE CABINET	PYROPHORIC STORAGE CABINET
TOXIC STORAGE CABINET	OXIDIZER STORAGE CABINET
WATER-REACTIVE STORAGE CABINET	SELF-REACTIVE STORAGE CABINET

Labels included with cabinet

### MATERIAL HANDLING AND STORAGE/SPILL CONTROL AND WASTE DISPOSAL



## **TORNADO SAFE ROOMS, SECURALL®**

- Multiple sizes available
- Manual close door types
- SMaRT Certified

Capacity	Depth	Height	Width	Color	Weight	Cat. No.
1 to 3 People	4'	73"	4"	Gray	1,265 lbs.	89237-662
1 to 4 People	4'	73"	6"	Gray	1,538 lbs.	89237-664
1 to 6 People	4'	73"	8"	Gray	1,821 lbs.	89237-666
1 to 8 People	4'	73"	10"	Gray	2,105 lbs.	89237-668
1 to 14 People	8′	73"	10"	Gray	3,243 lbs.	89237-670
1 to 21 People	8′	73"	14"	Gray	3,997 lbs.	89237-672
1 to 27 People	8′	73"	18"	Gray	4,769 lbs.	89237-674
1 to 39 People	8′	73"	26"	Gray	6,278 lbs.	89237-676
1 to 51 People	8′	73"	34"	Gray	7,776 lbs.	89237-678
1 to 63 People	8′	73"	42"	Gray	9,295 lbs.	89237-680







- 2 in raised leak-proof sill
- 2-2 in vents with baffles
- 3-point key lock
- Adjustable galvanized shelves
- Leveling legs
- Powder coat finish
- Corrosion resistant
- Reinforced double-wall construction with 11/2 in airspace

Material	Capacity	Depth	Height	Width	Color	Door Type	No. of Doors	No. of Shelves	Weight	Cat. No.
Steel	2 gal.	18"	171/4"	171/2"	Yellow	Self-Close, Hinged, Lever Type Handle	1	1	75 lbs.	300078-620
Steel	2 gal.	18"	171/4"	171/2"	Yellow	Manual, Hinged, Lever Type Handle	1	1	75 lbs.	300078-622

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.



## SPILLSOLV® LABORATORY SPILL KITS, MILLIPORESIGMA

- Agents are formulated to rapidly clean up chemical spills and vapors
- Each bottle has a convenient dispensing cap for shaking or pouring

Description	Cat. No.
Six Replacement Bottles for Acid, Caustic, Solvent Spills	EMD-SX1300R-1
Six Replacement Bottles for Acid Spills	EMD-SX1310R-1
SpillSolv® Multipurpose Kit for Acid, Caustic, Solvent Spills	EM-SX1300-1
SpillSolv® Acid Spill Kit for Acid Spills	EM-SX1310-1
SpillSolv® Caustic Spill Kit for Caustic Spills	EM-SX1320-1
SpillSolv® Mercury Spill Kit for Mercury Spills	EM-SX1350-1

## SPILL CLEAN-UP CENTERS AND KITS, J.T. BAKER®

- To neutralize, clean up, and safely dispose of acid, caustic, and flammable solvent spills
- NEUTRASORB provides rapid, controlled neutralization of concentrated acids, and visible color change as indication of complete neutralization
- NEUTRACIT-2 provides a controlled reaction which eliminates splattering
- SOLUSORB reacts immediately with the solvent, reducing solvent vapors and raising the flash point of the mixture
- Assortment A consists of three spill cleanup kits plus wallmountable storage cabinet and video
- Supplied with the appropriate neutralizer, safety glasses, scoops, gloves, disposal bags and ties, and labels replacement kits, available separately

Description	Cat. No.
SAF-T-SPILL™ Acid Spill Kit and Components (NEUTRASORB®)	JT4442-2
SAF-T-SPILL™ Solvent Spill Kit and Components (SOLUSORB®)	JT4437-2

## PIG® SPILL KIT IN HIGH-**VISIBILITY CART. NEW PIG**

- Highly-visible cart is easy to locate
- Temporary disposal bags help make cleanup easier
- Includes gloves and goggles to guard against splashes
- Lockable for added security
- Top and bottom handles make the cart easy to carry
- Ideal for maintenance crews, as well as labs or other areas prone to small spills
- Not UN rated

Capacity	Weight	Cat. No.
Absorbs up to 53 L (14 gal.)	22.7 kg (50 lbs.)	56620-728

#### **ACCESSORIES**

Description	Cat. No.
Refill for PIG® Spill Kit in Cart , Absorbs up to 60.6 L (16 gal.)	56620-242



#### SPILL KIT IN CART, PIG®

- Easy to inventory and access
- Speed to the scene of the spill
- Fits easily through doors and aisles



Description	Absorbency	Cat. No.
PIG® Spill Kit in Cart	Up to 14 gallons	10860-088

#### PIG® SPILL KIT IN BUCKET. NEW PIG

- Prepacked container provides easy access to contents
- Large, color-coded label makes identification fast and accurate
- Tamper-proof seals help prevent pilfering of spill response supplies
- Use as refill for wall-mount holder (sold separately)
- No wheels



Capacity	Cat. No.
Up to 15.1 L (4 gal.)	56620-414

## PIG® HAZMAT SPILL KIT IN EXTRA-LARGE RESPONSE CHEST, NEW PIG

- Prepacked chest provides easy access to contents
- Large, color-coded label makes identification fast and accurate
- Tamper-proof seals help prevent pilfering of spill response supplies
- Four-way forklift entry for easy moving



Description	Cat. No.
Spill Kit, 5" Rubber Wheels	56620-462

## PIG® HAZMAT YOU-SUPPLY-THE-**DRUM SPILL KIT, NEW PIG**

- Temporary disposal bags help make cleanup easier
- Includes "Spill Kit" decals for easy identification



UNIVERSAL PLUS SPILL
RESPONSE KIT, 2 GALLON, BRADY

- This 2-gallon universal absorbent spill kit is ideal for small spill responses
- Kit includes 2 gallon container, 20 pads, 1 bag, tie, a pair of gloves, goggles, and instruction sheet



Up to 128.7 L (34 gal.)	56620-452

Description	Absorbency	Cat. No.
Portable Spill Kit	4.5 gal.	10796-470

## **PIG® HAZMAT ECONOMY SPILL** KITS IN DUFFEL BAG, NEW PIG

- Rugged duffel bag is packed with four kits
- Absorb spills, then keep the bag
- Makes a great vehicle spill kit



Capacity	Cat. No.
Absorbs up to 75.7 L (20 gal.)	56620-492

#### SPILFYTER® MERCURY SPILL KIT, NPS

- Kit includes MERCSORB® amalgamation powder for absorbing mercury droplets plus mercury indicator powder to identify the presence of mercury in suspected contaminated areas
- Mercury indicator powder changes color from yellow to brown upon contact with mercury metal or vapor



Description	Cat. No.
Mercury Spill Kit	56609-203

## PIG® HAZMAT SPILL KIT IN HIGH-**VISIBILITY CART. NEW PIG**

- Absorbs up to 53L (14gal.) of most acids and bases
- Allows sorbents to be rolled right up to spill site
- Compartmentalized for quick access to materials
- Features adjustable shelves and 20.3cm (8") wheels for easy mobility
- Completely enclosed and lockable for added security (padlock not included)
- Supports compliance with 40 CFR 112.7(c)(1)
- Prepacked, compartmentalized cart provides easy access to contents
- 8" plastic wheels roll easily over uneven surfaces, top and bottom handles make the cart easy to carry
- Cart holds and dispenses 60' roll of PIG Rip-&-Fit Mat for tearing off pads or sections as needed
- Socks stop spreading spills; Mat and Pillows absorb; Repair Putty plugs or patches leaks and cracks
- Disposal bags, gloves, and goggles help make cleanup easier
- Ideal for maintenance crews, labs or other areas prone to small spills
- Not UN rated

Capacity	Cat. No.
Absorbs up to 53 L (14 gal.)	89073-812

## SPILFYTER® HAZMAT **CLEANROOM SPILL KIT, NPS**

- Built-in disposal container in manageable, lightweight size
- Ideal for labs and cleanroom environments



Description	Absorbency	Color	Cat. No.
Spilfyter® HazMat Drum Spill Kit	10 gal.	White	15551-792

## SPILFYTER® CHEMICAL SPILL CENTER, NPS CORP.

- Space-saving cabinet contains emergency response products and protective gear
- Provides quick response capability for liquid spills
- Cabinet measures 15<sup>5</sup>/<sub>8</sub> W x 18<sup>1</sup>/<sub>2</sub> H x 9<sup>1</sup>/<sub>8</sub> D"



Description	Cat. No.
Chemical Spill Center	56609-224

## **PIG® ABSORBENT MAT PADS, NEW PIG**

- Polypropylene (made with 50% recycled content) soaks up and retains liquids
- Dimpled for quicker absorption of water-based liquids, petroleum products, solvents, and broad range of chemicals
- Choose light, medium, or heavyweight depending on the amount of liquid you need to absorb
- Can be incinerated after use to reduce waste

Description	Dimensions	Packaging	Cat. No.
Heavyweight	38.1 x 50.8 cm (15 x 20")	50 Pads	56620-726
Heavyweight	76.2 x 76.2 cm (30 x 30")	50 Pads	56620-544
Heavyweight	38.1 x 50.8 cm (15 x 20")	100 Pads	56620-032
Mediumweight	38.1 x 50.8 cm (15 x 20")	125 Pads	56620-044

## SPILFYTER® CHEMICAL **CLASSIFIER STRIPS, NPS**

- Strips simultaneously test for acid/base, oxidizer, fluoride, petroleum product/organic solvent, and iodine/bromine/ chlorine risks
- Laminated chemical classifier chart determines possible presence of chemical types according to color changes in strip

Description	Cat. No.
Chemical Classifier Strips Only	15552-166
Chemical Classifier Kit	56609-230
Chemical Classifier Color Chart	56609-254
Chemical Classifier Strips Only	56616-372

## **PIG® UNIVERSAL PADS** AND ROLLS, NEW PIG

- Eight-layer pads and rolls combine grip and strength to reduce slip hazards and keep floors clean
- Polypropylene (made with 50% recycled content) soaks up and retains liquids
- Dimpled for quicker absorption of water-based liquids, petroleum products, solvents, and a broad range of chemicals
- Choose light, medium, or heavyweight depending on the amount of liquid
- Can be incinerated after use to reduce waste

Description	Capacity	WxL	Weight	Cat. No.
Lightweight Pads	83.3 L (22 gal.)	38.1 x 50.8 cm (15 x 20")	7.7 kg (17 lbs.)	56620-034
Heavyweight Roll	152.2 L (40.2 gal.)	76.2 cm x 45.7 m (30" x 150')	13.6 kg (30 lbs.)	56620-040

#### PIG® HAZMAT MAT PAD, NEW PIG

- Absorbs the widest range of acids, bases and unknown liquids, even 98% sulfuric acid and 30% sodium hydroxide
- Chemical resistant, won't degrade or cause reaction upon contact with corrosive spills
- Eight layers of 100% polypropylene are thermally bonded; won't rip, tear or fray even when saturated
- Dimple pattern speeds wicking for faster, easier cleanup
- Highly absorbent, fine-fiber construction won't leave behind liquids or fiber residue

Description	Dimensions	Packaging	Cat. No.
Lightweight	38.1 x 50.8 cm (15 x 20")	200 Pads	56620-688
Heavyweight	38.1 x 50.8 cm (15 x 20")	100 Pads	56220-194



## PIG® 4-IN-1® ABSORBENT **MAT ROLL IN DISPENSER BOX, NEW PIG**

- Fast-wicking absorbent takes the shape of a pad, roll, wiper, or sock
- Perforated sections tear off and fold easily for versatile use
- Durable spunbonded polypropylene top layer resists scuffs and tears when used as a roll
- Soft bottom layer grips floors
- Absorbs up to 34L (9gal.) of oils, coolants, solvents, and water



## UNIVERSAL SPILL RESPONSE PAD, DIMPLED, BRADY

- Small, convenient pad size allows employees to fold and carry in pockets for quick response time
- Universal pad is multi-purpose, made to handle water-based liquids and oils
- Dimpled design provides added durability and reduces linting
- Polypropylene material
- Gray color



Description	Dimensions	Cat. No
Mediumweight	40.6 cm x 24 m (16" x 80')	56620-080

Description	Cat. No.
Pad	10809-790

## **PIG® ABSORBENT MAT PADS** IN DISPENSER BOX, NEW PIG

- Eight-layer pads and rolls combine grip and strength to reduce slip hazards and keep floors clean
- Dispenser box makes it easy to take, carry and store mats while protecting from dirt and moisture



MAXX	CHEM	ICAL	PAD,	BRADY

- Specially developed chemical sorbent
- Yellow color-coded for safety and easy separation of hazardous waste
- Heavy-weight pad design
- Will not react with aggressive fluids



Description	Dimensions	Packaging	Cat. No.
Lightweight	38.1 x 50.8 cm (15 x 20")	200 Pads	56620-556
Mediumweight	38.1 x 50.8 cm (15 x 20")	100 Pads	89073-820
Mediumweight	38.1 x 50.8 cm (15 x 20")	125 Pads	89073-814
Heavyweight	25.4 x 33 cm (10 x 13")	100 Pads	94001-112
Heavyweight	38.1 x 50.8 cm (15 x 20")	100 Pads	46000-492

Description	Dimensions	Absorbency	Color	Cat. No.
Pad	15W x 19L"	22 gal.	Black on Yellow	10796-288
Pad	12W x 12L"	30 gal.	Yellow	10796-286
Pad	12W x 12L"	30 gal.	Yellow	10

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

## SCIENCEWARE® LABMAT™ **BENCH LINER, BEL-ART**

- Disposable
- Supplied in dispenser carton
- Absorbent upper surface and flexible plastic non-skid backing
- Roll length: 15.2 m (50')



Description	Cat. No.
Safety Orange, Biohazard Designated, 50 ft. roll	13196-048
White Cut Sheets, Box of 100, 50.8 x 61 cm (20 x 24")	47727-664
White Labmat Liner, 50 ft. roll	54110-300

## **SPILFYTER® HANDS-IN-BAG®** ATMOSPHERIC CHAMBERS, NPS

- Made of 3mil, highclarity polyethylene
- Chambers have two or four inlets per side
- Listed dimensions refer to uninflated chambers



Description	Volume	Opening Dimensions	Overall Dimensions	Maximum Working Pressure	Cat. No.
			147.3L×114.3W		
4-Hand Chamber	500 l (17.65 cu. ft.)	76.2 cm (30")	cm (58×45")	690341	15552-194
			147.3L×129.5W		
2-Hand Chamber	520 L (18.36 cu.ft.)	91.4 cm (36")	cm (58×51")	690321	56616-258

## SPILFYTER® KOLLECT-A-KEM® **H-TECH LIQUID SORBENT** PADS AND PILLOWS, NPS

- Low-linting polypropylene fabric rapidly collects essentially all chemicals, acids, or combinations (including water and hydrofluoric acid)
- Soaks up 8 to 10 times its weight in most tough chemicals
- Material will not disintegrate and can be burned, leaving little ash

Description	Size	Cat. No.
2-Ply Pads	45.7 x 45.7 cm (18 x 18")	56609-223
Pillows	21.6 x 21.6 cm (8 <sup>1</sup> / <sub>2</sub> x 8 <sup>1</sup> / <sub>2</sub> ")	56616-342
Pillows	21.6 x 44.5 cm (8 <sup>1</sup> / <sub>2</sub> x 17 <sup>1</sup> / <sub>2</sub> ")	56616-344



## **ALLWIK® UNIVERSAL ABSORBENT SOCKS,** BRADY® SPC® ABSORBENTS. **BRADY WORLDWIDE**

- Moldable SOCs wrap around machinery and conform to uneven surfaces to prevent leaks from reaching walkways
- Highly versatile, grey absorbents pick up water-based, petroleum-based, and non-aggressive chemical fluids
- Gray color masks spills and stains, helping users resist the urge to pick up the absorbent before it is fully saturated
- Made of all-purpose polypropylene, suitable for most industrial applications

Description	Diameter	Length	Color	Cat. No.
ALLWIK® Universal Absorbent Socks	3"	12'	Gray	10810-746

## **PIG® HAZMAT CHEMICAL ABSORBENT SOCK, NEW PIG**

- Made of 100% chemical-resistant skin and fast-wicking filler



## **COBRA COIL™ SOCS SOCKS, BRADY**

- Dependable, flexible tube contains and absorbs fluids
- Molds around corners and conforms to uneven surfaces
- Available in a wide variety of types and sizes
- Vermiculite material
- Red color



Capacity	Dimensions	Packaging	Cat. No.	
Absorbs up to 3 L (100 oz.) per Sock	7.6 x 116.8 cm (3 x 46")	12 Socks	56620-082	De
Absorbs up to 7.6 L (2 gal.) per Sock	7.6 cm x 3 m (3" x 10')	6 Socks	46000-772	Fle

Description	Cat. No.
Flexi-Sock	10809-788

## PHENOLIC FOAM SPILL **CONTROL PILLOWS, NPS**

- Able to absorb 98% of their capacity in 30 seconds
- Pillows absorb a total of 10 to 20 times their weight of almost any liquid
- Treat through elution, evaporation, or incineration in accordance with local regulations



## MAINTENANCE SPILL **BERM. JUSTRITE**

- No assembly required; simply unfold and use
- Encased urethane foam sidewalls offer easy roll-through access without the need for a ramp
- Walls quickly spring back into place with no memory loss



Dimensions	Absorbency	Cat. No.
21.6 x 21.6 cm (8 <sup>1</sup> / <sub>2</sub> x 8 <sup>1</sup> / <sub>2</sub> ")	0.51-0.69 L (0.14-0.18 gal.)	56616-330
21.6 x 43.1 cm (8 <sup>1</sup> / <sub>2</sub> x 17")	1.6-2.2 L (0.43-0.58 gal.)	56609-220

Description	Exterior Dimensions	Cat. No.
Spill Berm	36 W x 4 H x 60 L"	10861-176



#### CENTURA® PREFABRICATED QUICK-DISCONNECT SAFETY DISPOSAL CANS, JUSTRITE®

- Provide convenient, hands-free system for safe collection, transfer, and disposal of **HPLC** solvents
- Durable polyethylene safety cans are suitable for pump-fed or gravity-flow waste methods
- Safeguard against accidents and increase vapor and fire protection
- Outfitted with quick-disconnect intake and vapor release fittings
- Compliant with OSHA 29 CFR 1910.106; EPA 40 CFR 264.173
- FM approved

Capacity	Dimensions	O.D. x H	Liquid Intake Fitting/ O-Ring Material	Vapor Release Fitting/O- Ring Material	Shipping Weight	Cat. No.
Round Safety D	isposal Cans					
	30.5O.D. x					
	37.5H cm	30.5 x 37.5 cm	Stainless Steel/	Stainless Steel/	3.2 kg (7	
7.6 L (2 gal.)	$(12 \times 14^3/4")$	$(12 \times 14^3/4")$	Fluoropolymer Resin	Fluoropolymer Resin	lbs.)	37001-286
	30.5O.D. x					
	50.8H cm	30.5 x 50.8	Stainless Steel/	Stainless Steel/	4.5 kg	
18.9 L (5 gal.)	(12 x 20")	cm (12 x 20")	Fluoropolymer Resin	Fluoropolymer Resin	(10 lbs.)	37001-288
	30.5O.D. x					
	37.5H cm	30.5 x 37.5 cm			3.2 kg (7	
7.6 L (2 gal.)	(12 x 14 <sup>3</sup> / <sub>4</sub> ")	(12 x 14 <sup>3</sup> / <sub>4</sub> ")	Polypropylene/EPDM	Polypropylene/EPDM	lbs.)	55100-020
	30.5O.D. x					
	50.8H cm	30.5 x 50.8			4.5 kg	
18.9 L (5 gal.)	(12 x 20")	cm (12 x 20")	Polypropylene/EPDM	Polypropylene/EPDM	(10 lbs.)	55100-022
	30.5O.D. x					
	37.5H cm	30.5 x 37.5 cm	Stainless Steel/		4.5 kg	
7.6 L (2 gal.)	(12 x 14 <sup>3</sup> / <sub>4</sub> ")	(12 x 14 <sup>3</sup> / <sub>4</sub> ")	Fluoropolymer Resin	Polypropylene/EPDM	(10 lbs.)	82003-632
	30.5O.D. x					
	50.8H cm	30.5 x 50.8	Stainless Steel/		4.5 kg	
18.9 L (5 gal.)	(12 x 20")	cm (12 x 20")	Fluoropolymer Resin	Polypropylene/EPDM	(10 lbs.)	82003-634
Oval Safety Dis	posal Can					
	19.4H x 11.7W					
	x 32.4D cm					
	(75/8 x 45/8	32.4 x 19.4 cm			1.4 kg (3	
3.8 L (1 gal.)	x 12 <sup>3</sup> / <sub>4</sub> ")	$(12^3/_4 \times 7^5/_8")$	Polypropylene/EPDM	Polypropylene/EPDM	lbs.)	82013-208



#### NONMETALLIC LIQUID DISPOSAL CANS, JUSTRITE®

- High-density polyethylene cans safely contain corrosives or liquid flammable wastes
- Flame arrester guards against outside ignition
- Built-in carbon insert provides grounding path
- Large openings are strategically placed for controlled filling and pouring
- Fixed-position handle keeps lid open for easier pouring
- When closed, lid automatically vents at 5psig
- FM approved

Capacity	O.D. x H	Cat. No.
18.9 L (5 gal.)	30.5 x 50.8 cm (12 x 20")	56609-187
7.6 L (2 gal.)	30.5 x 37.5 cm (12 x 14 <sup>3</sup> / <sub>4</sub> ")	56610-174



#### **OILY WASTE CANS, JUSTRITE®**

- Can be operated by hand or foot-lever opening device
- Lid closes automatically when not in use
- Round construction and elevated bottom encourage circulation of air
- One-piece cover facilitates use of collection bags
- Steel construction with powder coat paint finish

Description	Capacity	Dimensions	Color	Cat. No.
Oily Waste Can with Foot- Operated Cover	22.7 L (6 gal.)	30.10.D. x 40.3H cm (11 <sup>7</sup> / <sub>8</sub> x 15 <sup>7</sup> / <sub>8</sub> ")	Red	56610-539
Oily Waste Can with Foot- Operated Cover	37.9 L (10 gal.)	35.30.D. x 46.3H cm (13 <sup>15</sup> / <sub>16</sub> x 18 <sup>1</sup> / <sub>4</sub> ")	Red	56610-541
Oily Waste Can with Foot- Operated Cover	79.5 L (21 gal.)	46.6O.D. x 59.5H cm (18 <sup>3</sup> / <sub>8</sub> x 23 <sup>7</sup> / <sub>16</sub> ")	Red	56610-540
Oily Waste Can with Hand- Operated Cover	10 gal.	35.4O.D. x 46.4H cm (13 <sup>15</sup> / <sub>16</sub> x 18 <sup>1</sup> / <sub>4</sub> ")	Red	10836-818



## WASTE DISPOSAL CANS, HDPE, EAGLE MANUFACTURING

- For temporary storage of flammable liquid wastes
- Impact-resistant and will not rust or corrode
- Locking spout cap opens to an 80° angle
- Cap assembly opens automatically to relieve excessive internal vapor pressures
- FM approved

Capacity	O.D. x H	Color	Cat. No.
11.4 L (3 gal.)	31.7 x 36.8 cm (12 <sup>1</sup> / <sub>2</sub> x 14 <sup>1</sup> / <sub>2</sub> ")	Red	56609-915
18.9 L (5 gal.)	31.7 x 46.9 cm (12 <sup>1</sup> / <sub>2</sub> x 18 <sup>1</sup> / <sub>2</sub> ")	Red	56609-917
11.4 L (3 gal.)	31.7 x 36.8 cm (12 <sup>1</sup> / <sub>2</sub> x 14 <sup>1</sup> / <sub>2</sub> ")	White	56618-514
18.9 L (5 gal.)	31.7 x 46.9 cm (12 <sup>1</sup> / <sub>2</sub> x 18 <sup>1</sup> / <sub>2</sub> ")	White	56618-516



## NALGENE® BIOHAZARDOUS WASTE CONTAINERS, THERMO SCIENTIFIC

- Convenient one-step sterilization, with no need to remove autoclavable bag
- Port opening in cover allows convenient one-handed disposal of materials, limiting exposure to infectious waste
- Holds standard-size autoclavable bags
- Red universal biohazard symbol is molded in English and Spanish
- Leakproof side and bottom construction

Capacity	Dimensions	Cat. No.
5.5 L (1.5 gal.)	21O.D. x 26.7H cm (8 <sup>1</sup> / <sub>4</sub> x 10 <sup>1</sup> / <sub>2</sub> ")	16211-136
18.9 L (5 gal.)	27.9O.D. x 38.1H cm (11 x 15")	16211-134
56.8 L (15 gal.)	33O.D. x 68.6H cm (13 x 27")	16211-138

## **TERMINAL® BIOHAZARD** BENCHTOP KEEPER™ CONTAINERS, WHITNEY PRODUCTS

- For collection of biohazardous items such as pipet tips, petri dishes, test tubes, and slides
- Sturdy, plastic-lined paperboard construction
- Leak-resistant and autoclavable



#### **BIOHAZARD WASTE CANS, JUSTRITE®**

Cans are designed for the safe, temporary collection of biological waste



Capacity	Dimensions	Cat. No.
1.4 L (47.3 oz.)	10.2L x 10.2W x 17.8H cm (4 x 4 x 7")	11214-708
3 L (101.4 oz.)	15.2L x 15.2W x 25.4H cm (6 x 6 x 10")	11214-711

Description	Capacity	Cat. No.
Biohazard Waste Can, 6G Red	6 gal.	10836-824
Biohazard Waste Can, 10G Red	10 gal.	10836-912
Biohazard Can, 10G White with Soundguard	10 gal.	10836-914

## TERMINAL® SAFE KEEPER™ WASTE **CONTAINER, WHITNEY PRODUCTS**

- Equipped with reinforced hole for wall-hanging
- Completely closed bottom to avoid leakage
- Self-adhesive hook is included in each case
- Constructed of sturdy, plastic-lined paperboard for leak resistance
- Autoclavable



SAFFTY	CONTAINERS,	JUSTRITE

- Safely contain hazardous liquids and control vapors to reduce the risk of fire
- Helps comply with OSHA regulations and state/local fire codes



				Description	Capacity	Cat. No.
				Safety Can, 2.0 Gallon Poly	2 gal.	14222-208
escription	Capacity	L×H×W	Cat. No.	Safety Can, Poly 5 Gallon	5 gal.	14222-210
erminal Safe-Keeper Container	1.1 L (37.2 oz.)	14.6 x 27.9 x 5.1 cm (5 <sup>3</sup> / <sub>4</sub> x 11 x 2")	11214-717	Waste Disposal, 7.5 L (2 gal.)	2 gal.	89212-348

## **BIOHAZARD WASTE CONTAINERS, JUSTRITE®**

- For segregation of infectious waste
- Leakproof, sturdy metal construction
- Simple, foot-operated, self-closing lid to reduce contamination
- Biohazard bag is held securely around the circumference of the can



## **BIOHAZARDOUS WASTE CANS, EAGLE MFG**

- Meets OSHA requirements for exposures to bloodborne pathogens
- Red color with biohazard symbol



Capacity	Dimensions	Cat. No.
22.7 L (6 gal.)	30.1O.D x 40.3H cm (11 <sup>7</sup> / <sub>8</sub> x 15 <sup>7</sup> / <sub>8</sub> ")	56617-830
37.9 L (10 gal.)	35.3O.D x 45.7H cm (13 <sup>15</sup> / <sub>16</sub> x 18")	56617-832

Model	Capacity	Height	Color	Weight	Cat. No.
943BIO	22.8 L (6 gal.)	40.7 cm (16")	Red	4.1 kg (9 lbs.)	56610-177
947BIO	53 L (14 gal.)	53.4 cm (21")	Red	7.3 kg (16 lbs.)	56610-181
945BIO	37.9 L (10 gal.)	45.8 cm (18")	Red	6.4 kg (14 lbs.)	56610-226

### LABORATORY SAFETY CANS. **EAGLE MANUFACTURING**

- Flame arrester reduces the possibility of ignition of flammable liquid vapors
- Spout cap with nitrile rubber gasket ensures a leakproof seal
- Electrically welded construction
- Oval shape conserves space
- Rolled edge pour spout



2	7

## **OILY WASTE CANS, POLYETHYLENE, EAGLE MANUFACTURING**

- Impact-resistant
- Corrosion-resistant
- Rustproof



Capacity	Height	Top Diameter	Color	Weight	Cat. No.
22.7 L (6 gal.)	40.6 cm (16")	34.3 cm (13 <sup>1</sup> / <sub>2</sub> ")	Yellow	4 kg (9 lbs.)	56610-216
37.9 L (10 gal.)	45.8 cm (18")	45.8 cm (18")	Yellow	6.4 kg (14 lbs.)	56610-218
53 L (14 gal.)	53.3 cm (21")	45.7 cm (18")	Yellow	7.3 kg (16 lbs.)	56610-220
53 L (14 gal.)	53.3 cm (21")	45.7 cm (18")	Red	7.3 kg (16 lbs.)	56617-335

#### Type 316 Stainless Steel 3.8 L (1 gal.) 33 cm (13") 56609-970

## **LIQUID DISPOSAL SAFETY CANS, JUSTRITE®**

- An ideal solution for the containment of liquid flammable or corrosive waste
- Current-carrying, patented carbon insert embedded in the container for proper grounding



## **TYPE I NONMETALLIC SAFETY CANS, JUSTRITE®**

- Inert and resistant to tough acids, corrosives, and heat
- Feature dual-density flame arrester, self-closing cap, and pressure relief mechanism
- Current-carrying carbon insert imbedded in the can provides proper grounding
- Insert prevents the creation of arc during filling or pouring
- All cans are FM approved
- Round cans are UL and C-UL listed

Description	Capacity	Cat. No.
Disposal Can, 2G Poly With Gauge	2 gal.	10836-902
Disposal Can, 5G Poly With Gauge	5 gal.	10836-904

Shape	Capacity	Dimensions	O.D. x H	Cat. No.
Oval	1.9 L (0.5 gal.)	11.7W x 19.4L x 24.1H cm (4 <sup>5</sup> / <sub>8</sub> x 7 <sup>5</sup> / <sub>8</sub> x 9 <sup>1</sup> / <sub>2</sub> ")	_	56609-592
Oval	3.8 L (1 gal.)	11.7W x 19.4L x 32.4H cm (4 <sup>5</sup> / <sub>8</sub> x 7 <sup>5</sup> / <sub>8</sub> x 12 <sup>3</sup> / <sub>4</sub> ")	_	56609-594
Round	9.5 L (2.5 gal.)	27.3 O.D. x 36.2H cm (10 <sup>3</sup> / <sub>4</sub> x 14 <sup>1</sup> / <sub>4</sub> ")	27.3 x 36.2 cm (10 <sup>3</sup> / <sub>4</sub> x 14 <sup>1</sup> / <sub>4</sub> ")	56609-595
Round	18.9 L (5 gal.)	32.4 O.D. x 40.6H cm (12 <sup>3</sup> / <sub>4</sub> x 16")	32.4 x 40.6 cm (12 <sup>3</sup> / <sub>4</sub> x 16")	56609-621

## NONMETALLIC SELF-CLOSING LABORATORY CONTAINERS, JUSTRITE®

- Specially designed to resist acids and caustics
- Translucent, high-density polyethylene containers are marked in liters, quarts, and gallons for accurate filling and dispensing
- Spring-closing cap provides tight seal



## **BEL-ART DISPOSAL CARTON** FOR GLASS, SP SCIENCEWARE, **BEL-ART PRODUCTS**

- Sturdy design
- Packaged flat and easy to assemble
- Corrugated cardboard construction
- Supplied with polyethylene bag



Shape	Capacity	Dimensions	O.D. x H	Cat. No.
Round	9.5 L (2.5 gal.)	27.3O.D. x 36.1H cm (10 <sup>3</sup> / <sub>4</sub> x 14 <sup>1</sup> / <sub>4</sub> ")	27.3 x 36.1 cm (10 <sup>3</sup> / <sub>4</sub> x 14 <sup>1</sup> / <sub>4</sub> ")	56610-192

Model	LxWxH	Cat. No.
Benchtop	20 x 20 x 25 cm (8 x 8 x 10")	30617-648

## **SCIENCEWARE® LARGE INDUSTRIAL DRUM FUNNEL, BEL-ART**

- One-piece design
- Heavy-duty construction
- Wide top flange on top cylindrical section



## **VWR® BIOHAZARD INCINERATOR CARTONS**

- Allows safe, convenient disposal and incineration of biohazardous waste
- Negates the need to transfer contents
- The snug-fitting lid has a flap for easily inserting waste material





Inner Diameter	Cat. No.
14"	70690-202

Description	Dimensions	Cat. No.
Floor Incinerator Carton	30.5L x 30.5W x 68.5H cm (12 x 12 x 27")	56617-807
Benchtop Incinerator Carton	20.3L x 20.3W x 25.4H cm (8 x 8 x 10")	56617-810

## **HIGH VISIBILITY ABSORBENT MAT PAD, PIG®**

- High-visibility yellow color
- Won't rip, tear or fray even when saturated
- Absorbs most common industrial liquids



## **VWR® BROKEN GLASS DISPOSAL CARTONS**

- Easy to Assemble
- Disposable Cardboard Construction
- Safe and Convenient Disposal of **Broken Glassware**
- Color-Coded Lids






Description	Dimensions	Absorbency	Cat. No.
PIG® High-Visibility Absorbent Mat Pad	15" W x 20" L	Up to 22 gallons per bag	10860-054

Description	Dimensions	Cat. No.
Floor Disposal Carton	30.5L x 30.5W x 68.5H cm (12 x 12 x 27")	56617-801
Benchtop Disposal Carton	20.3L x 20.3W x 25.4H cm (8 x 8 x 10")	56617-804

## **PIG® BARREL TOP ABSORBENT** MAT, NEW PIG

- Absorbs and retains oils, coolants, solvents, and water
- Dark gray color hides grime, so mat stays on the job longer
- Fits 55-gallon steel drum tops; precut with holes for 3/4" and 2" bungs to provide a perfect fit
- Dispenser box makes it easy to carry and store mats while protecting them from dirt and moisture
- Heavyweight construction is highly durable and absorbent to handle pump drips and dispensing spills

Description	For Use With	Packaging	Cat. No.
Lightweight	For 55-Gallon Steel Drum	25 Pads	56620-678
Heavyweight	For 30-Gallon Steel Drum	25 Pads	89073-834
Heavyweight	For 55-Gallon Steel Drum	25 Pads	56620-036
Heavyweight	For 55-Gallon Steel/Poly Drum	25 Pads	89073-836



## PIG® HAZMAT MAT ROLL, NEW PIG

- Absorbs the widest range of acids, bases and unknown liquids, even 98% sulfuric acid and 30% sodium hydroxide
- Chemical resistant, won't degrade or cause reaction upon contact with corrosive spills
- Eight layers of 100% polypropylene are thermally bonded; won't rip, tear or fray even when saturated
- Dimple pattern speeds wicking for faster, easier cleanup
- Highly absorbent, fine-fiber construction won't leave behind liquids or fiber residue

inquirus of fisci residue		
Description	Dimensions	Cat. No.
Lightweight	76.2 cm x 91 m (30" x 300')	89205-910
Heavyweight	76.2 cm x 46 m (30" x 150')	56620-086



## **VWR® AUTOCLAVABLE BAGS, NONHAZARDOUS WASTE**

- High-integrity polypropylene
- Superior tear resistance
- Welded seals





WxH	Cat. No.
20.3 x 30.5 cm (8 x 12")	14220-036
35.6 x 48.3 cm (14 x 19")	14220-038
48.3 x 58.4 cm (19 x 23")	14220-040
63.5 x 88.9 cm (25 x 35")	14220-042
91.4 x 114.3 cm (36 x 45")	14220-044

## **PIG® ABSORBENT MAT ROLL, NEW PIG**

- Eight layers of 100% polypropylene thermally bonded to be exceptionally strong
- Won't rip, tear or fray even when saturated
- Dimple pattern speeds wicking of liquid for faster, easier cleanup
- Highly absorbent, fine-fiber construction won't leave liquids or fiber residue behind





- Designed to handle dangerous materials
- High-strength
- Autoclavable





WxH	Cat. No.
Printed Bags	
20.3 x 30.5 cm (8 x 12")	14230-910
30.5 x 61 cm (12 x 24")	14220-090
48.3 x 61 cm (19 x 24")	14230-912
61 x 76.2 cm (24 x 30")	14220-092
61 x 91.4 cm (24 x 36")	14220-096
63.5 x 88.9 cm (25 x 35")	14220-094
76.2 x 91.4 cm (30 x 36")	11215-816
96.5 x 121.9 cm (38 x 48")	14220-098
Plain Bags	
30.5 x 61 cm (12 x 24")	14220-100
61 x 76.2 cm (24 x 30")	14220-102
61 x 91.4 cm (24 x 36")	14220-104



## **VWR® AUTOCLAVABLE BIOHAZARD BAGS AND CONTAINERS**

COLLECTION

- High-integrity polypropylene
- Available with temperature indicator
- Resists punctures, tears and leaks

Capacity	Thickness	W×H	Bag Size	Container Size	Cat. No.
Red Bags with Indicator					
	Double-Thick	61 x 91.4 cm (24 x 36")			14221-994
	Double-Thick	78.7 x 101.6 cm (31 x 40")			14221-996
Starter Kits					
7.6 L (2 gal.)			35.6 x 48.3 cm (14 x 19")	22.2 dia. x 25.4 H cm (8 <sub>3</sub> / <sub>4</sub> x 10")	14221-160
11.4 L (3 gal.)			48.3 x 58.4 cm (19 x 23")	25.4 dia. x 30.5 H cm (10 x 12")	14221-162
45.4 L (12 gal.)			63.5 x 89 cm (25 x 35")	39.3 dia. x 49.5 H cm (15 ½ x 19 ½")	14221-164
Containers Only					
7.6 L (2 gal.)			35.6 x 48.3 cm (14 x 19")	22.2 dia. x 25.4 H cm (8 <sup>3</sup> / <sub>4</sub> x 10")	14221-154
11.4 L (3 gal.)			48.3 x 58.4 cm (19 x 23")	25.4 dia. x 30.5 H cm (10 x 12")	14221-156
45.4 L (12 gal.)			63.5 x 89 cm (25 x 35")	39.3 dia. x 49.5 H cm (15 ½ x 19 ½")	14221-158
Clear Bags with Indicator					
	2 mil	30.5 x 61 cm (12 x 24")			14220-066
	2 mil	61 x 76.2 cm (24 x 30")			14220-068
	2 mil	61 x 91.4 cm (24 x 36")			14220-070
	2 mil	94 x 122 cm (37 x 48")			11215-680
Red Bags with Indicator					
	2 mil	20.3 x 30.5 cm (8 x 12")			14220-026
	2 mil	35.6 x 48.3 cm (14 x 19")			14220-028
	2 mil	48.3 x 61 cm (19 x 24")			14220-030
	2 mil	63.5 x 88.9 cm (25 x 35")			14220-032
	2 mil	91.4 x 114.3 cm (36 x 45")			14220-034
Orange Bags with Indicator					
	2 mil	20.3 x 30.5 cm (8 x 12")			14220-046
	2 mil	35.6 x 48.3 cm (14 x 19")			14220-048
	2 mil	48.3 x 61 cm (19 x 24")			14220-050
	2 mil	63.5 x 88.9 cm (25 x 35")			14220-052
	2 mil	91.4 x 114.3 cm (36 x 45")			14220-054

## **VWR® AUTOCLAVABLE BIOHAZARD BAGS, DOUBLE THICK**

- Temperature-resistant polypropylene
- Autoclavable
- Biohazard warning label





## **VWR® AUTOCLAVABLE POLYPROPYLENE BAGS**

- Meet strength requirements in ASTM D 1709-04 for 165g dart drop test
- Can withstand autoclaving temperatures up to 135°C (275°F)





WxH	Cat. No.
30.4 x 61 cm (12 x 24")	14220-082
61 x 76.2 cm (24 x 30")	14220-084
61 x 91.4 cm (24 x 36")	14220-086
96.5 x 122 cm (38 x 48")	14220-088

WxH	Cat. No.
20.3 x 30.5 cm (8 x 12")	95042-548
25.4 x 38.1 cm (10 x 15")	95042-563
30.5 x 61 cm (12 x 24")	95042-554
61 x 76.2 cm (24 x 30")	95042-556
61 x 91.4 cm (24 x 36")	95042-558

## **VWR® AUTOCLAVABLE POLYETHYLENE BIOHAZARD BAGS, 4 MIL**

- Bright red color for quick identification
- Clearly labeled with biohazard warnings





## **VWR® INCINERATION BAGS**

- Durable polypropylene construction
- Not autoclavable
- Marked with biohazard symbol





W×H	Cat. No.
30.4 x 61 cm (12 x 24")	11215-822
61 x 76.2 cm (24 x 30")	11215-823
61 x 91.4 cm (24 x 36")	11215-826
96.5 x 122 cm (38 x 48")	11215-824

WxH	Cat. No.
20.3 x 30.4 cm (8 x 12")	14220-106
35.5 x 48.2 cm (14 x 19")	14220-108
48.2 x 58.4 cm (19 x 24")	14220-110
63.5 x 89 cm (25 x 35")	14220-112
91.4 x 114.3 cm (36 x 45")	14220-114

## **VWR® AUTOCLAVABLE** BAGS, 1.5 MIL

- Bags are available clear or red with proper biohazard warnings, or clear without label
- Rated for use at 135°C (275°F)





## **VWR® MICROCENTRIFUGE BETA SAMPLE BOX**

- Crushed ice or water fits under the rack
- Holds 36 micro sample tubes





For Tubes	Interior Dimensions	Cat. No.
1.5 mL	20.5L x 9W x 5.7H cm (8 <sup>1</sup> / <sub>16</sub> x 3 <sup>9</sup> / <sub>16</sub> x 2 <sup>1</sup> / <sub>4</sub> ")	32800-066

WxH	Cat. No.
Red Bags, Printed	
20.3 x 30.5 cm (8 x 12")	14220-000
30.5 x 61 cm (12 x 24")	14220-002
48.3 x 61 cm (19 x 24")	14220-004
61 x 91.4 cm (24 x 36")	14220-006
Clear Bags, Printed	
25.4 x 38.1 cm (10 x 15")	14220-008
30.5 x 61 cm (12 x 24")	14220-010
61 x 76.2 cm (24 x 30")	14220-012
61 x 91.4 cm (24 x 36")	14220-014
Clear Bags, Plain	
20.3 x 30.5 cm (8 x 12")	14220-016
25.4 x 38.1 cm (10 x 15")	14220-018
30.5 x 61 cm (12 x 24")	14220-020
61 x 76.2 cm (24 x 30")	14220-022
61 x 91.4 cm (24 x 36")	14220-024

## **SCIENCEWARE® BETA WET WASTE BOXES WITH LIDS**

- Clear acrylic construction
- Lids are removable or attached and hinged
- Wide-mouth funnel inside
- Nonskid feet



Description	Interior Dimensions	Cat. No.
Box with Hinged Lid, for Bottle and Funnel	16.5L x 16.5W x 47.6H cm (6 <sup>1</sup> / <sub>2</sub> x 6 <sup>1</sup> / <sub>2</sub> x 18 <sup>3</sup> / <sub>4</sub> ")	32800-054
Box with Removable Lid, for Bottle Only	16.5L x 16.5W x 30.5H cm (6 <sup>1</sup> / <sub>2</sub> x 6 <sup>1</sup> / <sub>2</sub> x 12")	32800-058

## **NALGENE® BENCHTOP BETA WASTE CONTAINER (WITH BOTTLE); ACRYLIC,** PE BOTTLE, THERMO SCIENTIFIC

- Constructed of 0.95 cm ( $^{3}/_{8}$ ") thick acrylic
- Cylindrical shield protects personnel from waste material



## **RADIOACTIVE WASTE POLY BAGS, ASSOCIATED BAG**

- Translucent yellow polyethylene is preprinted with repeating message that meets Federal Regulation 10-20.203
- Bottom-sealed bags are perforated on a roll for easy tear-off access



Capacity	Cat. No.
2 L (64 oz.)	56616-035

Description	Size	Thickness	Cat. No.
Radioactive Waste Poly Bags	24 x 36"	3 mil	47744-622


## BETA DRY WASTE BOX WITH LID, **SCIENCEWARE®, BEL-ART**

- Acrylic wall construction
- Supplied with polyethylene bag
- Nonskid feet
- Matte finished edges



## SAFETY SHIELDS, MITCHELL PLASTICS™

- Each shield tapers back at an angle for easy viewing and protection
- A variety of shield styles and designs accommodate varied workplace requirements
- Different sizes of balance shields are also available for use with Mettler. Sartorius, and general balances



Dimensions	Cat. No.
30.4L x 20.3W x 38.1H cm (12 x 8 x 15")	32800-052

Description	Dimensions	Thickness	Cat. No.
Biohazard Shield, Cell-Counter	$26H \times 20.3W \times 17.1D \text{ cm } (10^{1}/_{4} \times 8 \times 6^{3}/_{4}")$	9.5 mm ( <sup>3</sup> / <sub>8</sub> ")	25405-328
Tapered Biohazard Shield	52H x 45.7W x 30.5D cm (20 <sup>1</sup> / <sub>2</sub> x 18 x 12")	6.4 mm ( <sup>1</sup> / <sub>4</sub> ")	25405-332

## RADIACWASH™ DECONTAMINANT, **BIODEX MEDICAL SYSTEMS**

- For safely removing radioactive contaminants from skin, cloth, metal, glass, floors, plastic, and equipment
- Also removes general contaminants such as soil, grease, and residue



## **SCIENCEWARE® ADJUSTABLE** SPLASH SHIELDS, BEL-ART

- Ergonomically shaped, handles are easily adjusted horizontally and vertically
- Can be pulled close to the body for comfortable working position
- Available in four different styles to fit any bench space or work style



Description	Cat. No.
Pour Bottle	21876-302
Spray Bottle	21876-347

Size	Туре	Cat. No.
Single	Wall	16667-108
Single	Island Bench	16667-110
Double	Wall	16667-114
Double	wuii	10007-1

## **SCIENCEWARE® LARGE WEIGHTED SAFETY SHIELDS, BEL-ART**

- 4.7mm (<sup>3</sup>/<sub>16</sub>") clear polycarbonate barrier
- Exceptional impact resistance and optical clarity

8.4 kg (18.5 lbs.)

8.9 kg (19.6 lbs.)



	N. T. C.

13197-366

47750-422

WIPE TEST SME	ARS, BIODEX
<b>MEDICAL SYSTI</b>	EMS

- Sample any surface contaminated with radioactivity
- Convenient, easy-touse cloth discs
- Individual record folders to perform wipe tests as indicated in NRC and Agreement State Regulations



Description	Cat. No.
Wipe Test Smears	21908-872

# SCIENCEWARE®, LEAD-**LINED POLYETHYLENE**

76.2 cm (30")

91.4 cm (36")

- For safe storage of gamma or beta radiationemitting substances

STORAGE BOXES, BEL-ART

- Store vials, instruments, samples, solutions or waste



## **POCKET-SIZE PORTABLE RADIATION ALERT® MONITORS, S.E. INTERNATIONAL**

- Audible beeper can be switched on or off
- Built-in battery check, long battery life
- Carrying case is included



Dimensions	Cat. No.
15L x 15W x 20H cm (6 x 6 x 8")	62866-196
25L x 25W x 25H cm (10 x 10 x 10")	62866-290

Cat. No.
55408-531
55408-553
55408-576

## **SCIENCEWARE®** RADIATION DOTS, **BEL-ART**

- Stick-on dots adhere to plastics and glass to identify "hot" labware
- Each dot is with the radiation symbol on a yellow background



Description	Diameter	Cat. No.
Radioactive Indicator Dots	6.4 mm (¹/₄")	62866-186

## **RADIATION ALERT® PEN** DOSIMETERS, S.E. INTERNATIONAL

- Sturdy metal clip attaches the dosimeter to a pocket or any object to monitor total radiation exposure
- Hermetically sealed and immersion proof
- Capable of being charged to "zero" with 140 to 195 volts



Description	Cat. No.
Direct Reading Dosimeters, PEN	89068-906

## **ALL PURPOSE CABLE LOCKOUT, BRADY®**

- Versatile for unusual energy isolating devices that are difficult to lock out
- Compact, lightweight body made of rugged, impact-modified, glass-filled nylon
- Chemical, corrosion, and temperature resistant
- Includes nonconductive 2.4m (8') nylon cable, 3mm (1/8") in diameter
- 4 lock holes in handle accommodate most lock shackles and hasps

Description	Cat. No.
Cable Lockout	89011-768



## **GATE VALVE LOCKOUTS. BRADY WORLDWIDE®**

- Made of injection-molded polypropylene
- Extremely rugged for superior impact and chemical resistance
- Withstand temperatures from -28.9 to 148.9°C (-20 to 300°F)
- Unique knockout center accommodates OS&Y or "rising stem" valves
- Lockouts accept locks with shackles up to 9.52mm (3/8") diameter

Description	Material	Color	Cat. No.
Mini Gate Valve Lockout	Injection-Molded Polypropylene	Red	89011-760
Small Gate Valve Lockout	Injection-Molded Polypropylene	Red	89011-762
Medium Gate Valve Lockout	Injection-Molded Polypropylene	Red	12222-780
Large Gate Valve Lockout	Injection-Molded Polypropylene	Red	12222-788

## **CIRCUIT BREAKER LOCKOUTS, BRADY®**

- Rugged polypropylene and glassfilled, impact-modified nylon
- Accept lock shackles up to 7mm (9/32") in diameter and are easily installed
- Snap-On lockout snaps into place
- Clamp-On and Oversized lockouts do not require screwdriver due to the patented thumbscrew design



#### LOCKOUT TAGS, BRADY WORLDWIDE®

- Rigid polyester surface is easy to write on and stays legible longer than cardstock
- 3/8" diameter brass eyelet accepts most padlock shackles
- Tag size is 5.75"Hx3"W
- Standard package includes 25 tags and nylon fasteners



Description	Cat. No.
Oversized Lockout for 480/600V Breakers	12222-756
Clamp-On Lockout for 120/277V Breakers	12222-830
Clamp-On Lockout for 120/277V Breakers	12222-832
Clamp-On Lockout for 480/600V Breakers	12222-834
Snap-On Lockout for 120V Breakers	12222-840

Description	Size	Material	Color	Cat. No.
Lockout Tags,				
Economy Polyester	5.75"H x 3"W	<b>Economy Polyester</b>	Black/Red on White	12222-044
Lockout Tags,				
Economy Polyester	5.75"H x 3"W	<b>Economy Polyester</b>	Black/Red on White	12222-076
Lockout Tags, Cardstock	5.75"H x 3"W	Cardstock	Black/Red on White	89007-180

## **EXTRA-LARGE LOCKOUT STATION** (STATION ONLY), BRADY WORLDWIDE®

- Pegboard-style holes for hooks are drilled into the back (8 hooks supplied standard)
- Built-in lock rail holds 20 to 25 locks, depending on lock size
- Components sold seperately



Description	Size	Material	Color	Cat. No.
Extra-Large Lockout				
Station (Station Only)	30"H x 25"W x 5.25"D	Polystyrene	Red on White	89007-236

#### MINI CABLE LOCKOUT, BRADY®

- Perfect for use on disconnect switches and small gate valves
- Six lock holes accommodate most lock shackles and hasps
- Lockout features front legend that reads: "DANGER, LOCKED OUT, DO NOT REMOVE"



Dia. x D	Cat. No.
10.2 x 4.5 cm (4 x 1 <sup>3</sup> / <sub>4</sub> ")	89011-766

#### PRINZING® SAFETEE DONUT™ **ROUND VALVE LOCKOUTS, BRADY®**

- Designed to fit around a round valve handle
- Can be secured with a padlock to ensure that valve stays in off or safe position



#### **ACCREDO SAFETY BALL VALVE** LOCKOUT. ZING ENTERPRISES

- High quality
- Effective lockout device
- Very durable



Fits Valve Handle Diameter	Color	Cat. No.
2.5-6.4 cm (1-2 <sup>1</sup> / <sub>2</sub> ")	Red	56606-581
6.4-12.7 cm (2 <sup>1</sup> / <sub>2</sub> -5")	Red	56606-582
12.7-16.5 cm (5-6 <sup>1</sup> / <sub>2</sub> ")	Red	56606-584

Description	Material	Width	Cat. No.
Ball Valve Lockout, 3/8 - 1.4" Dia	Plastic	3.75"	76026-336
Ball Valve Lockout, 1.5 - 2.5" Dia	Plastic	4"	76026-338
Ball Valve Lockout, 2 - 8" Dia	Plastic	4.75"	76026-340

#### **RED LOCKOUT HASPS, BRADY WORLDWIDE®**

- Answer to safety concerns during group lockout situations
- Vinyl-coated, high-tensile steel; plated to resist rust
- Lock holes are 3/8" diameter to accommodate most standard lock shackles



#### **ACCREDO SAFETY** CABLE LOCKOUT HASP. **ZING ENTERPRISES**

- High quality
- Effective lockout device
- Very durable



Description	Material	Color	Cat. No.
Lockout Hasps (1" Diameter Jaws)	Vinyl-Coated High Tensile Steel	Red	12222-228
Lockout Hasps (1.5" Diameter Jaws)	Vinyl-Coated High Tensile Steel	Red	12222-226

Description	Material	Width	Cat. No.
Cable Lockout 3'	Plastic	4"	76026-392
Cable Lockout 6'	Plastic	4"	76026-394
Cable Lockout 9'	Plastic	4"	76026-396
Cable Lockout 15'	Plastic	4"	76026-398

#### **UNIVERSAL MULTI-POLE BREAKER LOCKOUT, BRADY®**

- Durable, impact-modified nylon, compatible with most two- or threepole breakers with a tie-bar
- Tighten thumbscrew to clamp lockout securely over tie-bar, insert lock to prevent clamp from being loosened



#### **ACCREDO SAFETY CLAMP-**ON BREAKER LOCKOUT-**CLEAT, ZING ENTERPRISES**

- No Tools Required for Installation
- Effective lockout device
- High quality



Description	Cat. No.
Universal Multi-Pole Breaker Lockout	12222-768
Universal Multi-Pole Breaker Lockout	12222-770

Description	Material	Width	Cat. No.
120/277V Clamp-on Breaker Lockouts w/ cleat	Plastic	1"	76026-350
480/600V Clamp-On Breaker Lockout w/ cleat	Plastic	2"	76026-352
Oversized Breaker Lockout, 480/600V, Switches			
up to 2 1/4" Wide - 7/8" Thick	Plastic	4"	76026-354

#### **ACCREDO SAFETY ELECTRICAL** PANEL HANDLE LOCKOUT. **ZING ENTERPRISES**

- Nylon Base
- Stainless Steel Strip
- High quality



#### **ZING GREEN SAFETY RECYCLOCKOUT CABLE/** HASP LOCKOUT DEVICE. **ZING ENTERPRISES**

- Made in USA
- Eco-friendly
- High quality



Description	Material	Width	Cat. No.
Electrical Panel Handle Lockout	Nylon	2.25"	76026-342

Description	Width	Cat. No.
ZING Cable/Hasp Lockout Device - 6'	3"	76026-272
ZING Cable/Hasp Lockout Device - 10'	3"	76026-274

#### ZING GREEN SAFETY RECYCLOCK SAFETY PADLOCK, KEYED ALIKE, 1-1/2" SHACKLE, 1-3/4" BODY, ZING ENTERPRISES

- Solid aluminum body
- Steel shackle
- Covered with plastic for corrosion resistance



#### **ZING GREEN SAFETY** RECYCLOCKOUT GROUP LOCKOUT **BOX, ZING ENTERPRISES**

- UL Validated for recycled content
- Made in USA
- High quality



Description	Width	Cat. No.
ZING Padlock, Keyed Alike, Red	1.5"	76026-028
ZING Padlock, Keyed Alike, Blue	1.5"	76026-032
ZING Padlock, Keyed Alike, Green	1.5"	76026-036

Description	Material	Width	Cat. No.
ZING Group Lockout Box (Red)	Stainless Steel	4"	76025-968
ZING Group Lockout Box (Yellow)	Stainless Steel	4"	76025-970

#### ZING GREEN SAFETY RECYCLOCK SAFETY PADLOCK, KEYED ALIKE, 1-1/2" SHACKLE, 3" LONG BODY, ZING ENTERPRISES

- Solid aluminum body
- Steel shackle
- Covered with plastic for corrosion resistance



#### ZING GREEN SAFETY RECYCLOCKOUT **LOCKOUT TAGOUT STATION, 12** PADLOCK, ZING ENTERPRISES

- Capacity to hold 24 padlocks
- 4 lockout hasps
- 10 safety tags with ties



Description	Width	Cat. No.
ZING Padlock, Keyed Alike, Red	1.5"	76026-076
ZING Padlock, Keyed Alike, Green	1.5"	76026-084
ZING Padlock, Keyed Alike, Yellow	1.5"	76026-168

Description	Width	Cat. No.
ZING Lockout Tagout Station, 12 Aluminum Padlocks	15"	76024-250

#### ZING GREEN SAFETY RECYCLOCKOUT **LOCKOUT TAGOUT STATION, 3** PADLOCK, ZING ENTERPRISES

- Can hold 6 padlocks
- Can hold 4 lockout hasps
- Can hold 3 safety tags with ties



D. 400 MILE	IT CENT	200
100	BANGE	
	OPERA JOURNAL LOCKED C	
	E	-
00	1 62	NG SE

NMC JUMBO	SELF-LAMINATING
LOCKOUT TA	GS

- Jumbo tags are easy to see from a distance
- Self-laminating polyester overlay



Description	Width	Cat. No.
ZING Lockout Station 3 Padlock Unstocked	11"	76026-242

Size	Material	Legend	Cat. No.
18.73 x 10.16 cm (73/8 x 4")	Hvy Paper Self Laminating	Danger Equipment Locked Out By	94016-252
18.73 x 10.16 cm (73/8 x 4")	Hvy Paper Self Laminating	Danger Do Not Operate	94016-254

#### ZING GREEN SAFETY RECYCLOCKOUT **LOCKOUT TAGOUT STATION, 8** PADLOCK, ZING ENTERPRISES

- Capacity to hold 16 safety padlocks
- 4 lockout hasps
- 10 safety tags with ties



#### **NMC LOCKOUT TAGS**

- Prevent accidental or unexpected start-up or release of stored energy
- Unrippable vinyl, features .95cm (3/8") reinforced brass grommet



Description	Width	Cat. No.
ZING Lockout Tagout Station, 8 Aluminum Padlocks	15"	76024-248

Description	Width	Cut. No.
ZING Lockout Tagout Station, 8 Aluminum Padlocks	15"	76024-248

#### **ECO SAFETY TAG CENTER, 8 HOOK, ZING ENTERPRISES**

- Made in USA
- High Quality
- Helps organize tags



Description	Material	Width	Cat. No.
ZING Sign Tag Center	Plastic	15"	76024-808

Size	Material	Legend	Cat. No.
		Danger Do Not Operate	
12.54 x 7.62 cm (6 x 3")	Unrippable Vinyl	Equipment Tag Out	36434-626
		Danger This Tag & Lock To	
12.54 x 7.62 cm (6 x 3")	Unrippable Vinyl	Be Removed Only	56607-832
12.54 x 7.62 cm (6 x 3")	Unrippable Vinyl	Danger Do Not Start	89186-006
12.54 x 7.62 cm (6 x 3")	Unrippable Vinyl	Danger Do Not Operate This Tag & Lock	94016-430
12.54 x 7.62 cm (6 x 3")	Unrippable Vinyl	Danger Electrical Panel Locked Out	94016-438
12.54 x 7.62 cm (6 x 3")	Unrippable Vinyl	Danger Equipment Locked Out	94016-442
12.54 x 7.62 cm (6 x 3")	Unrippable Vinyl	Danger Equipment Tagged Out	94016-448
12.54 x 7.62 cm (6 x 3")	Unrippable Vinyl	Danger Locked Out Do Not Operate	94016-472

### **ACCURO® GAS DETECTOR PUMP, DRAEGER**

- For use with Short-Term Detector Tubes (see 13453-238 series)
- Low-cost, one-handed bellows pump is ideal for measurements in hardto-reach areas
- Takes short-term measurements with reasonably few strokes when used with Draeger short-term detector tubes



Description	Cat. No.
accuro® Gas Detector Pump	34330-068
accuro® Soft Side Kit	34330-070
accuro® Hard Side Kit	34330-072

#### **SHORT-TERM DETECTOR TUBES, DRAEGER**

Short-Term detector tubes for use with the accuro® gas detector pump and aerotest breathing air tester



		Standard Measurement	
Gas or Vapor Tube	No. of Strokes	Range	Cat. No.
Hydrogen Sulfide	1	20-200 ppm, 2-20 ppm	34331-688
Hydrogen Sulfide	1, 10	10-200 ppm, 1-20 ppm	13450-568
Hydrogen Sulfide	1	1–60 ppm	13453-108
Hydrogen Sulfide	1	0.2-6 ppm	13453-112
Hydrogen Sulfide	10	0.2-5 ppm	13453-144
Hydrogen Sulfide	1	100-2000 ppm	13453-218
Hydrogen Sulfide	10, 1	5-600 ppm	13453-220
Hydrogen Sulfide	1	0.2- 7% volume	13453-364
Hydrogen Sulphide	10	0.5–15 ppm	13453-262
Nitrogen Dioxide with SEI Certification	2, 5	5-25 ppm, 0.5-10 ppm	13453-222
Oil		0.1–1 mg/m3	13453-394
Oil Mist	100	1–10 mg/m3, discoloration compared to color standard	13453-434
Oxygen	1	5–23% volume	13450-214
Phosgene	20, 40	0.02-1 ppm, 0.02-6 ppm	13453-152
Sulfur Dioxide	10	1–25 ppm	13453-232
Sulfur Dioxide	10, 20	1–25 ppm, 0.5–5 ppm	13453-280
Sulfuric Acid	100	1–5 mg/m3	13453-412
Water Vapor	1	20-40 mg/L	13453-158
Water Vapor		5-250 mg/m3	13453-350
Water Vapor	3	0.05-1 mg/L	13453-370

#### GAS DETECTION PUMP KIT AND HYDROGEN **SULFIDE DETECTION TUBES, SENSIDYNE®**

- Measures gas and vapor concentrations in work area as easily as reading a thermometer
- Calibration marks indicate gas concentration
- Synthetic rubber sheath allows pump to be held firmly, even with wet gloves
- Fail-safe handle locks in two positions (50 or 100cc)
- Flow finish indicator makes viewing instantaneous and easy



Description	Range	Cat. No.
Hydrogen Sulfide Detection Tubes	0.75-300 ppm	13502-596
Hydrogen Sulfide Detection Tubes	1–60 ppm	13502-610
Hydrogen Sulfide Detection Tubes	0.5–1.2%	13502-638
Hydrogen Sulfide Detection Tubes	0.2-6 ppm	13502-650
Hydrogen Sulfide Detection Tubes	0.5-40 ppm	14231-018
Gas Detection Pump Kit		14236-032

#### SHORT-TERM DETECTOR TUBES, DRAEGER

- Rapid and accurate readings
- Instantaneous measurement of hazardous substances



Extended Measurement Range	Gas or Vapor Tube	No. of Strokes	Standard Measurement Range	Cat. No.
-	Acetic Acid	3	5–80 ppm	13453-296
_	Ammonia	1	5–100 ppm	13453-106
50-700 ppm	Ammonia	10, 1	5-70 ppm	13453-202
_	Ammonia	5	2–30 ppm	13453-246
_	Ammonia	10	0.25-3 ppm	13453-356
_	Benzene	20	5–50 ppm	13453-248
2-30 ppm	Chlorine	10, 1	0.2–3 ppm	13453-216
-	Chloroform	_	2–10 ppm	13453-442
_	Carbon Dioxide	1, 5	0.5- 6% volume, 0.1-1.2% volume	13453-204
_	Carbon Dioxide	10	100-3000 ppm	13453-208
_	Carbon Dioxide	1	5–60% volume	13453-376
_	Dimethyl Sulfide	20	1–15 ppm	13453-290
_	Carbon Monoxide Carbon	1, 10	100–3000 ppm, 10–300 ppm	13453-210
_	Monoxide	10	8- 150 ppm	13453-214
10-300 ppm	Carbon Monoxide	10, 2	2–60 ppm	13453-254
_	Carbon Monoxide with SEI Certification	2, 10	100- 700 ppm, 5-150 ppm	13453-212
_	Formaldehyde	10, 20	0.5–5 ppm, 0.2–2.5 ppm	13453-360
_	Hydrazine	10, 20	0.25-10 ppm, 0.1-5 ppm	13453-362
_	Hydrochloric Acid	_	0.2–20 ppm	89027-098
_	Hydrogen	1	0.2-2% volume	13453-142
_	Hydrogen Peroxide	20	0.1–3 ppm	13453-430
	Carbon Dioxide	1	100-3,000 ppm	13453-374

#### **PAC 7000 SINGLE GAS DETECTORS, DRAEGER**

- Compact, personal monitoring of harmful concentrations of gas in industrial settings
- Audible multitone, visual 180°, and built-in vibration alarm
- TWA and STEL alarms are adjustable
- Monitors may be programmed to remind user to run bump tests at set intervals
- Fresh air and span calibration, adjustable operating time, concentration and event logger, password protection



#### **ALTAIR® MAINTENANCE-FREE** SINGLE-GAS DETECTORS, MSA

- Rated to IP67 protection levels for dust / water ingress
- Triple -alarm system featuring two bright flashing LEDs, a piercing audible alarm, and a vibrating alarm



Detectable Gas	Cat. No.
Oxygen	300072-528

This specific product is not available in Canada, Please contact your VWR Sales Representative to learn about easy access to similar options available in your region

Alarm Threshold 1	Alarm Threshold 2	Detectable Gas	Measurement Range	Cat. No.
		Carbon		
35 ppm	50 ppm	Monoxide (CO)	0-1999 ppm	89066-164
		Hydrogen		
10 ppm	20 ppm	Sulfide (H2S)	0-100 ppm	89066-166
0-25%	By Customer Request	Oxygen (O2)	0-25%	89066-168
		Hydrogen		
10 ppm	20 ppm	Cyanide (HCN)	0-50 ppm	89066-170
		Carbon Dioxide		
0.5%	3%	(CO2)	0-5%	89066-174
50 ppm	100 ppm	Ammonia (NH3)	0-300 ppm	89066-182

#### ALTAIR® SINGLE-GAS DETECTORS. MSA

- Rated to IP67 protection levels for dust /water ingress
- Triple -alarm system featuring two bright flashing LEDs, a piercing audible alarm, and a vibrating alarm





### **ALTAIR® 4X MULTIGAS DETECTORS. MSA**

- Less calibration gas required with maximum 24 hours run time
- Response and clear times less than 15 seconds
- End-of-sensor-life warning allows for planned sensor replacement reducing down time
- Galaxy™ System-compatible for powerful calibration and fleet-management system
- MotionAlert<sup>™</sup> feature activates when no movement is detected for 30 seconds, indicating "Man down"
- InstantAlert<sup>™</sup> feature is a manually activated alarm to alert others of hazardous situations
- Bump check mode provides clear indication of bump check status and provides long-term record storage
- Test to IP67





Detectable Gas	Cat. No.
Hydrogen Sulfide	300008-962
Carbon Monoxide	300072-526

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### **VWR® CHEMICAL CAPTURE FILTRATION SYSTEM**

- Continuously recirculates
- Captures any potential emissions
- Eliminates hazardous vapors





Detectable Gas	Cat. No.
LEL, Oxygen, Carbon Monoxide, Hydrogen Sulfide, Charcoal	300008-969
LEL, Oxygen, Carbon Monoxide, Hydrogen Sulfide, Phosphorescent	300008-970
LEL, Oxygen, Carbon Monoxide, Charcoal	300008-971

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Description	Cat. No.
Unit	
VWR® Chemical Capture Filtration System, 65 W	52428-821
Filters	
AS: Carbon filter for use with volatile organic compounds	10812-238

#### **COMPRESSED BREATHING AIR ANALYSIS KIT, SENSIDYNE®**

- The flowmeter is adjustable from 50 to 600cc/minute
- System accepts up to 3000psi with a standard No. 346 CGA fitting



#### ORGANIC VAPOR MONITORS, 3M™

- Meet and exceed OSHA accuracy requirements
- Overall accuracy is ±25% at a 95% confidence level
- Shelf life of 18 months



Description				Cat. No.
Compressed Breat	hing Air Kit			32011-233
Description	Color Change	Flow Rate	Measurement Range	Cat. No.
Detector Tubes				
Carbon Monoxide	From Yellow to Dark Brown	175 mL/min.	5–100 ppm	13502-660
Water Vapor	From Yellow to Yellowish Green/Blue	500 mL/min.	20-160 mg/m3	14233-747
Oil Mist	From Yellow to Pale Blue	470 mL/min.	0.3-1.5 mg/m3	14233-749
Carbon Dioxide	From Purplish Blue to Pale Pink	175 mL/min.	100-3000 ppm	14233-751
Oxygen	From White to Brown	50 mL/min.	2-24%v	14233-753

Description	Cat. No.
Monitor Only	56614-743
Monitor and Analysis	56614-746

#### SENSORS FOR PAC III PERSONAL **GAS MONITORS, DRAEGER**

- Sensors only



#### **CHIP MEASUREMENT SYSTEM** (CMS) ANALYZER, DRAEGER

- Portable, easy to use


Description

- Integrates variety of substancespecific, chemical-sensing chips with handheld reader



Cat. No

Description		out. 140.
CMS Analyzer		34331-684
Description	Range	Cat. No.
Chemical Sensing Chips		
Acetic Acid	2–50 ppm	12777-274
Acetone	40-600 ppm	12777-272
Benzene	0.2-10.0 ppm	34330-036
Carbon Dioxide	1000-25,000 ppm	34330-012
Carbon Dioxide	200-3000 ppm	12777-226
Formaldehyde	0.2-5.0 ppm	47729-682
Hydrochloric Acid	20-500 ppm	34330-034
Hydrogen Peroxide	0.2-2.0 ppm	12777-264
Hydrogen Sulfide	2-50 ppm	34330-010
Isopropanol	40-1000 ppm	12777-260
Mercaptan	0.25-6.0 ppm	12777-258
Methanol	20-500 ppm	12777-256
Nitrous Fumes	0.5-15.0 ppm	34330-014
Perchloroethylene	5-500 ppm	34330-030
Petroleum Hydrocarbons	20-500 ppm	12777-248
Phosgene	0.05-2.0 ppm	12777-224
Sulfur Dioxide	0.4–10.0 ppm	34330-026
Trichloroethylene	5–100 ppm	12777-234
Vinyl Chloride	10-250 ppm	12777-232
Water Vapor	0.4-10.0 mg/L	12777-230
Xylene	10-300 ppm	34331-682



#### **VWR® BARRIER TAPE**

- 3 mm non-adhesive polyethylene film
- Yellow or red film with **BOLD** black print





Description	Length	Width	Cat. No.
Yellow "Caution/Cuidado" Tape	1,000′	3"	10841-228
Red "Danger Do Not Enter/Peligro No Entrar" Tape	1,000′	3"	10841-230

#### BARRIER TAPES, **NATIONAL MARKER**

- Durable. lightweight polyethylene
- Red-orange barrier tape offers 4X the visibility of other colors
- Reusable, non-adhesive, chemical resistant, weatherproof, fade resistant

Description	WxL	Color	Legend	Cat. No.
Striped Barrier Tapes	1.9 cm x 45.7 m ( <sup>3</sup> / <sub>4</sub> " x 50 yds.)	Magenta/Yellow Stripe	_	36434-301
Striped Barrier Tapes	5.1 cm x 91.4 cm (2" x 36')	Black/Yellow Stripe	_	36434-302
Printed Barricade Tapes	7.6 cm x 304.8 m (3" x 1000')	Red	Danger – Danger	36434-321
Printed Barricade Tapes	7.6 cm x 304.8 m (3" x 1000')	Red	Danger Asbestos Hazard	36434-327
Printed Barricade Tapes	7.6 cm x 304.8 m (3" x 1000')	Orange	Caution Biohazard	36434-330
Printed Barricade Tapes	7.6 cm x 304.8 m (3" x 1000')	Yellow	Caution Chemical Spill	36434-332
Printed Barricade Tapes	7.6 cm x 304.8 m (3" x 1000')	Yellow	Caution – Cuidado	36434-334

#### **DRUM LABELS. BRADY**

- Labels remove cleanly, leaving no residue on surface



Description	Material	Height	Thickness	Width	Color	Legend	Cat. No.
						THIS CONTAINER	
NOTICE Drum Labels	Paper	6"	0.0038"	6"	Blue on White	HAS BEEN TRIPLE RINSED	12000-886

#### **BIOHAZARD WARNING LABEL, NATIONAL MARKER**

- Pressure-sensitive paper rolls can be written on to provide additional information



Material	Height	Width	Cat. No.
Plastic	7.6 cm (3")	7.6 cm (3")	36434-434

#### **ACETONE OSHA GHS LABEL, HCL LABELS**

- Comply with labeling requirements
- Chemical resistant lamination
- Two-year shelf/outdoor life



Format	Material	Length	Width	Color	Cat. No.
No NFPA	Laminated Adhesive Vinyl	4"	7"	Red/White	103042-990

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### **GASOLINE OSHA GHS** LABEL. HCL LABELS

- Comply with labeling requirements
- Chemical resistant lamination
- Two-year shelf/outdoor life



Format	Length	Width	Color	Cat. No.
With NFPA	3"	5"	Black/Yellow	103019-698

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### **HYDROGEN PEROXIDE OSHA GHS LABEL. HCL LABELS**

- Comply with labeling requirements
- Chemical resistant lamination
- Two-year shelf/outdoor life



Format	Length	Width	Color	Cat. No.
Without NFPA	2"	3"	Red/White	103043-738

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### **ISOPROPYL ALCOHOL** 70% OSHA GHS LABEL, **HCL LABELS**

- Comply with labeling requirements
- Chemical resistant lamination
- Two-year shelf/outdoor life



#### **HAZARDOUS WARNING LABELS**

- Writable surface
- Protects label from solvents. acids, and more



Height	Width	Cat. No.
5.0 cm (2")	9.5 cm (3 <sup>3</sup> / <sub>4</sub> ")	36433-435
10.2 cm (4")	17.8 cm (7")	36433-437

#### Width Without NFPA Red/White 103043-514

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### **KEROSENE OSHA GHS** LABEL, HCL LABELS

- Comply with labeling requirements
- Chemical resistant lamination
- Two-year shelf/outdoor life



#### **HAZARDOUS WASTE** LABELS, EPA AND DOT, **NATIONAL MARKER**

- Pressure-sensitive 0.004 mm thick vinyl labels
- For use with hazardous materials which are transported off-site
- Comply with EPA and DOT regulations



Format	Material	Length	Width	Color	Cat. No.
Without NFPA	Laminated Adhesive Vinyl	4"	7"	Red/White	103043-164

Height	Width	Legend	Cat. No.
10.2 cm (4")	15.2 cm (6")	Hazardous Waste—Handle With Care (with Accumulation Start Date)	56606-701
		Notice—This Container Has Been Triple Rinsed	56606-703
15.2 cm (6")	15.2 cm (6")	Caution—Contains PCBs	56606-705
15.2 cm (6")	15.2 cm (6")	Hazardous Waste—Handle With Care (with DOT Shipping/Generator Information)	56606-706
15.2 cm (6")	15.2 cm (6")	Non-Regulated Waste	56607-792

## DATE INITIALS

#### **NMC WRITE-ON INSPECTION LABELS**


- Rectangular shape
- UV resistant
- Chemical resistant
- Graffiti Proof

Description	Material	Height	Width	Color	Legend	Packaging	Cat. No.
Inspection Label							
Accecpted	Pressure-Sensitive Vinyl	1"	21/4"	Green/white	Accepted	27 labels per pack	94016-074
Inspection Label Repaired	Pressure-Sensitive Vinyl	1"	21/4"	Blue/white	Repaired By	27 labels per pack	94016-076
Inspection Label Calibrated	Pressure-Sensitive Vinyl	1"	21/4"	Black/white	Calibrated	27 labels per pack	94016-080
Inspection Label Calibrated	Pressure-Sensitive Vinyl	1"	21/4"	Green/white	Calibrated	27 labels per pack	94016-082
Inspection Label Do Not Use	Pressure-Sensitive Vinyl	1"	21/4"	Red/white	Do Not Use	27 labels per pack	94016-084
Inspection Label Certification	Pressure-Sensitive Vinyl	1"	21/4"	Black/white	Certification	27 labels per pack	94016-086
Inspection Label Qa Approved	Pressure-Sensitive Vinyl	1"	21/4"	Green/white	Qa Approved	27 labels per pack	94016-088
Inspection Label Inspected	Pressure-Sensitive Vinyl	1"	21/4"	Black/white	Inspected	27 labels per pack	94016-090
Inspection Label Rejected	Pressure-Sensitive Vinyl	1"	21/4"	Red/white	Rejected	27 labels per pack	94016-092
Inspection Label Maintenance	Pressure-Sensitive Vinyl	1"	21/4"	Black/white	Maintenance	27 labels per pack	94016-094

#### **WRITE-ON HAZARD** WARNING LABELS, **NATIONAL MARKER**

- Pressure-sensitive paper write-on labels are ideal for providing important additional information before applying





Height	Width	Legend	Cat. No.
2.2 cm ( <sup>7</sup> / <sub>8</sub> ")	7.3 cm $(2^7/8")$	Chemical	56607-837
2.2 cm ( <sup>7</sup> / <sub>8</sub> ")	7.3 cm (2 <sup>7</sup> / <sub>8</sub> ")	Hazard Warning Checklist & Color Bar	56607-838
2.2 cm ( <sup>7</sup> / <sub>8</sub> ")	7.3 cm (2 <sup>7</sup> / <sub>8</sub> ")	Biohazard	56607-839
2.2 cm ( <sup>7</sup> / <sub>8</sub> ")	7.3 cm (2 <sup>7</sup> / <sub>8</sub> ")	Biohazard Infectious Waste	56607-840
2.2 cm ( <sup>7</sup> / <sub>8</sub> ")	7.3 cm (2 <sup>7</sup> / <sub>8</sub> ")	Biohazard	56607-841

#### **NMC RIGHT-TO-KNOW LABELS**

- Pressure sensitive labels are comply with OSHA 29 CFR 1910.1200



Description	Material	Dimensions	Color	Cat. No.
Write-On Color Bar				
Labels, English	PS Vinyl	15.24 x 15.24 cm (6 x 6")	Black/Yellow/White/Red	94015-948

#### BBP®33 LABEL PRINTER **AND KITS, BRADY®**

- Hassle-free operation with auto-cutting, automatic label set-up
- No calibration, no sensor adjustment, no label waste
- Foolproof "drop-in" ribbon and cartridge labels



Description	Includes	Cat. No.
BBP33 Label Printer with Auto Cutter and LabelMark 6 Software	BRADY BBP® 33 Printer; LABELMARK™ Pro	53519-890
BBP33 Label Printer with Auto Cutter, LabelMark 5 Software and MarkWare Software	BRADY BBP® 33 Printer; LABELMARK™ Pro; MARKWARE™ Tape and Label Software	53519-894
BBP33 Label Printer with Auto Cutter	Cutter Cleaning Tool; Documentation Holder; Drivers CD; Power Cable; Printer; Quick Start Guide; Stylus Cleaning Kit; USB Cable	53519-888
BBP33 Label Printer with Auto Cutter and MarkWare Software	BRADY BBP® 33 Printer; MARKWARE™ Tape and Label Software	53519-892

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

#### **BBP®33 SERIES PRINTER** LABELS, BRADY®

- Cryogenic labels for tubes, vials, and canes
- Chemical- and stainresistant labels for slides and cassettes
- General labels for straws, petri dishes, bottles, flasks, microplates and bags



Material	For Use With	Diameter	Height	Length	Width	Color	Cat. No.	
B-481 Stainerbondz <sup>™</sup> Extreme Chemical Resistant Slide Label								
							53520-147	
B-432 Removable Label for All Room Temperature Applications								
							53520-083	
B-461 Ultra-Thin L	abel with Clear To	ail for Tubes	3					
Polyester	BBP®33			0.600"	1.625"	Clear/White	53520-072	
Polyester	BBP®33			0.500"	1.800"	Clear/White	53520-054	
Polyester	BBP®33			0.375"	1.800"	Clear/White	53520-056	
Polyester	BBP®33			1.000"	2.625"	Clear/White	53520-070	
B-490 Freezerbon	dz® Label for Froz	en Tubes						
Polyester	BBP®33		0.500"		0.900"	White	53520-058	
Polyester	BBP®33		0.500"		0.900"	White	53520-062	
Polyester	BBP®33		2.000"		1.250"	White	53520-112	
Polyester	BBP®33		0.600"		1.625"	White	53520-114	
Polyester	BBP®33		1.000"		1.900"	White	53520-116	
Polyester	BBP®33		0.250"		2.000"	White	53520-102	
B-492 Freezerbone	dz® Ultra-Thin for	Frosted/Fro	zen Tub	es and Co	anes			
Polyester	BBP®33		1.000"		0.900"	White	53520-138	
Polyester	BBP®33		0.375"		1.000"	White	53520-124	
	BBP®33		1.000"		1.000"	White	53520-137	
Polyester	BBP®33		0.500"		1.000"	White	53520-140	
Polyester	BBP®33		0.500"		1.000"	White	53520-142	
Polyester	BBP®33		0.500"		1.000"	White	53520-164	
Polyester	BBP®33		1.000"		1.900"	White	53520-118	
Polyester	BBP®33	0.375"	_		_	White	53520-088	
B-498 Tissue Cass	ette Label for Re-	identificati	on of Pro	cessed P	araffin E	Blocks		
Repositionable Vinyl Cloth	BBP®33 Printers		0.750"		1.000"	White	53520-184	
B-432 Removable		n Temperat		ications	1.000	WILLE	33320-104	
Nylon Cloth	BBP®33	ii reiiiperai	0.500"	ications	0.900"	White	53520-060	

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region



#### BMP®21 SERIES PRINTER LABEL CARTRIDGES, **BRADY WORLDWIDE®**

- Cryogenic labels for tubes, vials, and canes
- Chemical- and stain-resistant labels for slides and cassettes
- General labels for straws, petri dishes, bottles, flasks, microplates, bags, and more

Description	Material	For Use With	Dimensions	Length	Width	Color	Cat. No.
<b>B-499 Thick Nylon Cloth</b>	for Easy Handling						
Label	Nylon Cloth	BMP°21-PLUS, BMP°21, ID PAL, LABPAL, BMP°21-LAB	0.375" x 16'	0.375"	16'	Black on White	89204-986
Label	Vinyl	BMP°21-PLUS, BMP°21, ID PAL, LABPAL, BMP°21-LAB	0.375" x 21'	0.375"	21'	Black on White	89205-032
Label	Nylon Cloth	BMP°21-PLUS, BMP°21, ID PAL, LABPAL, BMP°21-LAB	0.500" x 16'	0.500"	16'	Black on White	89204-992
Label	Vinyl	BMP°21-PLUS, BMP°21, ID PAL, LABPAL, BMP°21-LAB	0.500" x 21'	0.500"	21'	Black on White	89205-012
Label	Nylon Cloth	BMP°21-PLUS, BMP°21, ID PAL, LABPAL, BMP°21-LAB	0.750" x 16'	0.750"	16'	Black on White	89204-998
Label	Vinyl	BMP°21-PLUS, BMP°21, ID PAL, LABPAL, BMP°21-LAB	0.750" x 21'	0.750"	21'	Black on White	89205-022
B-430 Clear High Perform	mance						
Label	Polyester	BMP°21-PLUS, BMP°21, ID PAL, LABPAL, BMP°21-LAB	0.375" x 21'	0.375"	21'	Black on Clear	89204-988
Label	Polyester	BMP°21-PLUS, BMP°21, ID PAL, LABPAL, BMP°21-LAB	0.500" x 21'	0.500"	21'	Black on Clear	89204-994
Label	Polyester	BMP°21-PLUS, BMP°21, ID PAL, LABPAL, BMP°21-LAB	0.750" x 21'	0.750"	21'	Black on Clear	89205-000
<b>B-423 Permanent Polyes</b>	ter						
Label	Polyester	BMP°21-PLUS, BMP°21, ID PAL, LABPAL, BMP°21-LAB	0.375" x 21'	0.375"	21'	Black on White	89204-990
Label	Polyester	BMP°21-PLUS, BMP°21, ID PAL, LABPAL, BMP°21-LAB	0.500" x 21'	0.500"	21'	Black on White	89204-996
Label	Polyester	BMP°21-PLUS, BMP°21, ID PAL, LABPAL, BMP°21-LAB	0.750" x 21'	0.750"	21'	Black on White	89205-002

#### **BRADYPRINTER I5100 INDUSTRIAL LABEL PRINTER, BRADY®**

- Single color printing
- 5000 labels per day (8.5 hours)
- Intuitive touchscreen to easily change settings
- Easy lock design for changing and placing materials
- Interchangable rollers
- Manual or auto-cutter options
- Five year warranty

i5100 Auto Cutter version

Description	Print Speed	Weight	Cat. No.
i5100 Standard version	11.8"/s	13.6 lbs.	76305-440
i5100 Standard version	11.8"/s	13.6 lbs.	76305-444
i5100 Auto Cutter version	11.8"/s	14.6 lbs.	76305-442

14.6 lbs.

76305-446

US

ONLY

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

11.8"/s

#### HANDY CONE<sup>™</sup> FLOOR SIGN, NMC

- Lightweight and compact
- Collapsible for quick storage
- Includes mountable storage tubes



Size	Legend	Cat. No.
45.72 cm (18")	Wet Floor	94015-626
78.74 cm (31")	People Working	94015-628
78.74 cm (31")	Wet Floor (Bilingual)	94015-630
78.74 cm (31")	Watch Your Step	94015-632
45.72 cm (18")	Caution Watch Your Step	94015-634
45.72 cm (18")	Caution Wet Floor	94015-636
45.72 cm (18")	Warning People Working	94015-640

#### FLOOR SIGNS, **NATIONAL MARKER**



#### **NMC PERFORATED TAGS**

- Warn off potential hazards
- Provide information on the job site



Color	Legend	Cat. No.
Yellow/Black	Caution, Men Working / Caution, Hazardous Area	56606-761
Yellow/Black	Caution, Wet Floor / Caution, Slippery When Wet	56606-763
White/Black/Red	Danger, Asbestos, Cancer and Lung Disease Hazard, Authorized Personnel Only, Respirators and Protective Clothing Required / Danger, Potential Asbestos Hazard, Do Not Enter	56607-844
White/Black/Red	Danger, High Voltage / Warning, Restricted Area	56607-847
White/Black	Do Not Enter, Restroom Closed for Cleaning / Do Not Enter, Work In Progress	56607-848

Description	Material	Height	Length	Color	Cat. No.
Danger Do Not Operate	Unrippable Vinyl	7.62 cm (3")	12.54 cm (6")	Black, Red, White	94020-464
Empty/In Service/ Full (Perferated)	Cardstock	8.26 cm (3.25")	12.54 cm (6")	Black/yellow	94008-148

#### **FOLDING "CAUTION WET FLOOR"** FLOOR SIGN, RUBBERMAID®

- Lightweight and versatile
- Bold graphic warning message
- Folds easily for convenient storage or transport



#### **NMC ACCIDENT PREVENTION TAGS**

- Warn off potential hazards and provide information on the job site
- Tags sold in packs of 25
- Include self-locking nylon fasteners



Description	Cat. No.
Folding "Caution Wet Floor" Floor Sign	89073-790

### WALK ON FLOOR SIGNS, NMC

- Pressure sensitive vinyl polyester
- Anti-skid laminate



Legend	Cat. No.
Emergency Shower	36434-564
Fire Extinguisher	36434-570
Restricted Area	36434-572
Watch Your Step	94023-516
Caution Radiation Area	94023-528
Do Not Enter	94023-532
Area In Front Of Electrical Panel Must Be Kept Clear For 36 Inches	94023-538

Size	Legend	Cat. No.
12.54 x 7.62 cm (6 x 3")	Notice	56606-596
12.54 x 7.62 cm (6 x 3")	Danger Do Not Operate	89186-010
12.54 x 7.62 cm (6 x 3")	Ladder Inspection	89195-014
12.54 x 7.62 cm (6 x 3")	Confined Space Entry Permit	94020-306
12.54 x 7.62 cm (6 x 3")	Confined Space Inspection	94020-308
12.54 x 7.62 cm (6 x 3")	Do Not Operate This Switch	94020-310
12.54 x 7.62 cm (6 x 3")	Do Not Start (Bilingual)	94020-312
12.54 x 7.62 cm (6 x 3")	Do Not Start Men Working (Bilingual)	94020-314
12.54 x 7.62 cm (6 x 3")	Do Not Use	94020-316
12.54 x 7.62 cm (6 x 3")	Eqiupment Needs Repair	94020-318
12.54 x 7.62 cm (6 x 3")	Inspection Record	94020-332
12.54 x 7.62 cm (6 x 3")	Out Of Service	94020-386
12.54 x 7.62 cm (6 x 3")	Temporarily Out Of Service	94020-390
12.54 x 7.62 cm (6 x 3")	Out Of Order	94020-432
12.54 x 7.62 cm (6 x 3")	Fire Extinguisher Recharge And Inspect.	94020-436
12.54 x 7.62 cm (6 x 3")	Empty Cylinder Do Not Use	94020-452
12.54 x 7.62 cm (6 x 3")	Emergency Shower And Eye Wash Test Record	94020-456
12.54 x 7.62 cm (6 x 3")	Hazardous Materials Nfpa	94020-492

#### PERSONAL PROTECTION (PPE) OSHA **NOTICE SIGNS, NATIONAL MARKER**

- Alert your employees and guests when a hazard is present
- Comply with OSHA 29 CFR 1910
- Each sign header reads "Notice"



#### SAFETY MOTIVATION SIGNS, **SAFETY FIRST, NMC**

Motivate employees to follow safety procedures and avoid costly accidents and injuries on the job



	Material	Legend	Cat. No.
25.4 x 35.56 cm (10 x 14")	.040 Alum	Safety Glasses Required Beyond This Point	94017-800
17.78 x 25.4 cm (7 x 10")	PS Vinyl	Safety Glasses Required Beyond This Point	94017-802
17.78 x 25.4 cm (7 x 10")	PS Vinyl	Protective Clothing Required In This Area	94018-004
17.78 x 25.4 cm (7 x 10")	Rigid Plastic	Protective Clothing Required In This Area	94018-008
25.4 x 35.56 cm (10 x 14")	PS Vinyl	Face Shield Required In This Area	94018-272
25.4 x 35.56 cm (10 x 14")	Rigid Plastic	Hearing Protection Must Be Worn In This Area	94018-352
25.4 x 35.56 cm (10 x 14")	Rigid Plastic	No Eating or Drinking in This Area	94018-490
25.4 x 35.56 cm (10 x 14")	Rigid Plastic	Personal Protection Required In This Area	94018-622
		Safety Glasses With Side Shields	
25.4 x 35.56 cm (10 x 14")	PS Vinyl	Required In This Area	94018-696
25.4 x 35.56 cm (10 x 14")	Rigid Plastic	Safety Shoes Required In This Area	94018-710
17.78 x 25.4 cm (7 x 10")	PS Vinyl	Safety Glasses Required In This Area	94018-920

Material	Dimensions	Legend	Header	Cat. No
Rigid Plasitc	17.78 x 25.4 cm (7 x 10")	Bend Knees While Lifting	Safety First	94020-894
Rigid Plasitc	17.78 x 25.4 cm (7 x 10")	Use Proper Lifting Techniques	Safety First	94020-956
Rigid Plasitc	17.78 x 25.4 cm (7 x 10")	The Safe Way Is The Best Way	Safety First	94021-234
.040 Alum	25.4 x 35.56 cm (10 x 14")	Report All Unsafe Conditions	Safety First	94020-942
Rigid Plasitc	25.4 x 35.56 cm (10 x 14")	Don'T Try To Lift More Than You Are Able	Safety First	94020-990
Rigid Plasitc	25.4 x 35.56 cm (10 x 14")	Is Our Responsibility Each And Every One Of Us	Safety First	94021-050
Rigid Plasitc	25.4 x 35.56 cm (10 x 14")	Safety Is Everybody'S Job	Safety First	94021-104
Rigid Plasitc	25.4 x 35.56 cm (10 x 14")	Be Careful	Safety First	94021-218

#### **SEE SIGN™ GRAPHIC SAFETY SIGNS AND LABELS, NMC**

- Alert employees to the location of restrooms, emergency devices and areas which may cause bodily harm



#### **DIGITAL SCOREBOARDS, NMC**

- Eliminates manual process of erasing and writing in the number of safe days
- Automated system updates every 24hrs, can be set for actual time to change

Safe days stand out in brightly lit numbers

WITHOUT A LOST TIME ACCIDENT ON THE JOB SAFETY BEGINS WITH YOU!

SAFETY FIRST

THIS DEPARTMENT HAS WORKED

2632 DAYS

Material	Dimensions	Legend	Cat. No.
PS Vinyl	10.16 x 10.16 cm (4 x 4")	Danger High Voltage	36434-498
PS Vinyl	10.16 x 10.16 cm (4 x 4")	Flammable	36434-500
PS Vinyl	10.16 x 10.16 cm (4 x 4")	Ear Protection Required (Graphic)	36434-502
PS Vinyl	10.16 x 10.16 cm (4 x 4")	Emergency Eye Wash (Graphic)	36434-512
PS Vinyl	10.16 x 10.16 cm (4 x 4")	Biohazard (Graphic)	36434-514
PS Vinyl	17.78 x 17.78 cm (7 x 7")	Emergency Shower (W/Graphic)	56606-717
PS Vinyl	17.78 x 17.78 cm (7 x 7")	Biohazard (W/Graphic)	56606-779
PS Vinyl	17.78 x 17.78 cm (7 x 7")	Emergency Eye (W/Graphic)	56606-788
PS Vinyl	17.78 x 17.78 cm (7 x 7")	Flammable (W/Graphic)	94020-548
Rigid Plastic	17.78 x 17.78 cm (7 x 7")	No Smoking (W/ Graphic)	94020-572
		In Case Of Fire Do Not Use	
Rigid Plastic	17.78 x 17.78 cm (7 x 7")	Elevators Use (W/ Graphic)	94020-596
PS Vinyl	10.16 x 10.16 cm (4 x 4")	Fire Door Please Keep Closed (Graphic)	94020-606
PS Vinyl	17.78 x 17.78 cm (7 x 7")	Exit (W/Graphic)	94020-668
PS Vinyl	17.78 x 17.78 cm (7 x 7")	Hot Surface (W/Graphic)	94020-672
Rigid Plastic	17.78 x 17.78 cm (7 x 7")	Hot Surface (W/ Graphic)	94020-674
Rigid Plastic	17.78 x 17.78 cm (7 x 7")	Electrical Hazard (W/ Graphic)	94020-678
Rigid Plastic	17.78 x 17.78 cm (7 x 7")	Radiation Hazard (W/ Graphic)	94020-696
PS Vinyl	10.16 x 10.16 cm (4 x 4")	Biohazard Sharps (Graphic)	94020-728

Material	Dimensions	Legend	Cat. No.
		Safety First This Department Has Worked Xxx Days Without An Osha Recordable	
0.085 Styrene	71.12 x 50.8 cm (28 x 20")	Injury On The Job Safety Begins With You	94012-450

#### **ZING GREEN SAFETY ECO** SAFETY SIGN. BIOHAZARD NO EATING, SMOKING OR **DRINKING, ZING ENTERPRISES**

- UL Validated for recycled content
- Made in USA
- High quality



Description	Material	Length	Width	Cat. No.
ZING Sign BIOHAZARD NO EATING, SMOKING OR DRINKING	Plastic	7"	10"	76023-294
ZING Sign BIOHAZARD NO EATING, SMOKING OR DRINKING	Aluminum	7"	10"	76023-296
ZING Sign BIOHAZARD NO EATING, SMOKING OR DRINKING	Self-Adhesive	7"	10"	76025-038

#### ZING GREEN SAFETY ECO SAFETY TAG, **EMERGENCY EYEWASH AND SHOWER INSPECTION, ZING ENTERPRISES**

- High quality 70% post-consumer recycled plastic with a surface that is easy to write on

<ul><li>Made in USA</li><li>Exceeds OSHA 50 pound pu</li></ul>	296		ONO consumptions and 4347	
Description	Material	Length	Width	Cat. No.
ZING Eco Safety Tag, EYE WASH, 10/Pack	Plastic	5.75"	3"	76026-020

#### **ZING GREEN SAFETY ECO** SAFETY PROJECTING SIGN, **EXIT, ZING ENTERPRISES**

- UL Validated for recycled content
- Made in USA
- High quality



Description	Material	Length	Width	Cat. No.
ZING Sign Exit	Plastic	7"	12"	76024-084
ZING Sign Exit	Plastic	7"	2.5"	76024-086

#### ZING GREEN SAFETY ECO **CORNER SIGN, REST ROOMS BILINGUAL, ZING ENTERPRISES**

- UL Validated for recycled content
- Made in USA
- High quality



ZING GREEN SAFETY ECO SAFETY
PROJECTING SIGN, EMERGENCY
SHUT OFF, ZING ENTERPRISES

- UL Validated for recycled content
- Made in USA
- High quality



Description	Material	Length	Width	Cat. No.
ZING Sign Rest Rooms/Banos	Plastic	10"	10"	76024-736

Description	Material	Length	Width	Cat. No.
ZING Sign Emergency Shut-Off	Plastic	7"	12"	76024-080
ZING Sign Emergency Shut-Off	Plastic	7"	2.5"	76024-082

#### **ZING GREEN SAFETY ECO GHS POSTER, ZING ENTERPRISES**

- Made in USA
- Educational
- High Quality



<b>ZING GREEN SAFETY ECO SAFETY</b>
PROJECTING SIGN, EYE WASH
BILINGUAL, ZING ENTERPRISES

- UL Validated for recycled content
- Made in USA
- High quality



Description	Material	Length	Width	Cat. No.
ZING GHS Poster, Safety Data	Plastic	18"	24"	76025-952
ZING GHS Poster, Intro To GHS	Plastic	18"	24"	76026-044
ZING GHS Poster, Labeling	Plastic	18"	24"	76026-046

Description	Material	Length	Width	Cat. No.
ZING Sign Eye Wash/Lavado De Ojos	Plastic	11"	2.5"	76024-126
ZING Sign Eye Wash/Lavado De Ojos	Plastic	11"	10.6"	76025-390

#### ZING GREEN SAFETY ECO SAFETY **PROJECTING SIGN, CHEMICAL** STORAGE AREA, ZING ENTERPRISES

- UL Validated for recycled content
- Made in USA
- High quality



#### ZING GREEN SAFETY ECO **SAFETY PROJECTING SIGN, FIRST AID STATION, ZING ENTERPRISES**

- UL Validated for recycled content
- Made in USA
- High quality



Description	Material	Length	Width	Cat. No.
ZING Sign Chemical Storage Area	Plastic	7"	2.5"	76025-180
ZING Sign Chemical Storage Area	Plastic	7"	12"	76025-370

Description	Material	Length	Width	Cat. No.
ZING Sign First Aid Station	Plastic	7"	12"	76024-030
ZING Sign First Aid Station	Plastic	7"	2.5"	76024-032

#### ZING GREEN SAFETY ECO **SAFETY PROJECTING** SIGN, SAFETY SHOWER, **ZING ENTERPRISES**

- UL Validated for recycled content
- Made in USA
- High quality



#### **ZING GREEN SAFETY ECO** SAFETY SIGN, BIOHAZARD, **ZING ENTERPRISES**

- UL Validated for recycled content
- Made in USA
- High quality



Description	Material	Length	Width	Cat. No.
ZING Sign Safety Shower	Plastic	7"	12"	76024-042
ZING Sign Safety Shower	Plastic	7"	2.5"	76024-044
ZING Sign Safety Shower	Plastic	10"	10"	76024-732

Description	Material	Length	Width	Cat. No.
ZING Sign BIOHAZARD	Plastic	7"	10"	76023-264
ZING Sign BIOHAZARD	Aluminum	7"	10"	76023-266
ZING Sign BIOHAZARD	Self-Adhesive	7"	10"	76025-032


#### ZING GREEN SAFETY ECO SAFETY PROJECTING SIGN, SPILL RESPONSE EQUIPMENT, **ZING ENTERPRISES**

- UL Validated for recycled content
- Made in USA
- High quality



#### **ZING GREEN SAFETY ECO BINDER HOLDER, WIRE** WALL RACK, HARDWARE **INCLUDED, ZING ENTERPRISES**

- Ideal for storage of SDS documents, lockout operations, safety procedures
- High quality
- Very durable



Description	Material	Length	Width	Cat. No.
ZING Sign Spill Response Equipment	Plastic	7"	12"	76024-550
ZING Sign Spill Response Equipment	Plastic	7"	2.5"	76024-552

Description	Material	Length	Width	Cat. No.
ZING Binder Wire Wall Rack	Steel	9"	14"	76026-280

#### **ZING GREEN SAFETY ECO SAFETY PROJECTING SIGN, SPILL** STATION, ZING ENTERPRISES

- UL Validated for recycled content
- Made in USA
- High quality



#### ZING GREEN SAFETY ECO GHS-**SDS BINDER, ZING ENTERPRISES**

- Manufactured from recycled materials
- High Quality
- Very durable



Description	Material	Length	Width	Cat. No.
ZING Sign Spill Station	Plastic	7"	12"	76024-118
ZING Sign Spill Station	Plastic	7"	2.5"	76024-120

Description	Material	Length	Width	Cat. No.
ZING SDS Binder, 1.5" Ring (300 Sheets)	Plastic	12"	1.5"	76025-944
ZING SDS Binder, 2.5" Ring (500 Sheets)	Plastic	12"	2.5"	76025-946
ZING SDS Binder, 3.0" Ring (600 Sheets)	Plastic	12"	3"	76025-948
ZING SDS Binder, 1.5" Ring Bilingual (300 Sheets)	Plastic	12"	1.5"	76025-950
ZING SDS Binder, 2.5" Ring Bilingual (500 Sheets)	Plastic	12"	2.5"	76026-040
ZING SDS Binder, 3.0" Ring Bilingual (600 Sheets)	Plastic	12"	3"	76026-042

## Front & center



Tyvek® & Tychem® Aprons are available for a variety of hazards & applications.



Tyvek® 400 provides an ideal balance of protection, durability and comfort compared to any limited-use fabric technology. Tyvek® 400 fabric offers an inherent barrier against particles (down to 1.0 micron in size). Available in bulk or vend pack.

**Tychem® 2000** utilizes the strength of DuPont Tyvek® fabric and a polyethylene coating. Lightweight and durable, Tychem® 2000 fabric provides at least 30 minutes of protection against 42 chemical challenges. Sleeved aprons are also available.

**Tychem® 4000**, utilizes Saranex(<sup>™</sup>)23-P film laminated to Tyvek® fabric to provide a rugged and durable fabric that resists abrasion. Tychem® 4000 fabric provides at least 30 minutes of protection against 124 chemical challenges. Sleeved aprons are also available.

Tychem® 6000 FR offers a single layer garment that provides triple hazard protection from liquid-chemical splash, flash fire and electric arc. Tychem® 6000 FR fabric provides at least eight hours breakthrough protection against 17 of the 21 standard ASTM F1001 chemicals and at least 30 minutes of protection for more than 180 chemical challenges including chemical warfare agents. Available in high visibility orange and low visibility gray.

Description	Size	Cat. No.	Unit
TY273BWH00010000	Universal	80080-916	Case of 100
TY273BWH000100VP	Universal	76188-338	Case of 100
QC273BYL00010000	Universal	11000-498	Case of 100
SL274BWH00005000	Universal	13452-842	Case of 50
TP284TORSM000400	SM	10016-858	Case of 4
TP284TORMD000400	MD	10016-856	Case of 4
TP284TORLG000400	LG	10016-854	Case of 4
TP284TORXL000400	XL	10016-860	Case of 4
TP284TOR2X000400	2X	10016-848	Case of 4
TP284TOR3X000400	3X	10016-850	Case of 4
TP284TOR4X000400	4X	10016-852	Case of 4
TP284TGYSM000400	SM	10016-844	Case of 4
TP284TGYMD000400	MD	10016-842	Case of 4
TP284TGYLG000400	LG	10016-840	Case of 4
TP284TGYXL000400	XL	10016-846	Case of 4
TP284TGY2X000400	2X	10016-834	Case of 4
TP284TGY3X000400	3X	10016-836	Case of 4
TP284TGY4X000400	4X	10016-838	Case of 4

## FOCUS: SAFETY VOLUME 1 ISSUE 1

**VWR LIT LIBRARY** 

c/o Archway 20770 Westwood drive Strongsville, OH 44149 PRSRT STD US POSTAGE PAID PERMIT 293 MIDLAND MI



#### 800 932 5000 | VWR.COM

Prices, product, and/or services details are current when published and subject to change without notice. | Certain products or services may be limited by federal, state, provincial, or boal regulations, IVWR, part of Narunor, makes no claims or warranties concerning sustainable/green products are the sole claims of the manufacturer and not those of VWR International, LLC and/or Avantor, inc. or affiliates. All prices are in US dallars unless otherwise noted. Offers valid in US and Canada, void where prohibited by law or company policy, while supplies last. | Trademarks are owned by Avantor, inc. or its affiliates, unless otherwise noted. | Visit vwr.com to view our privacy policy, trademark owners, and additional disclaimers. © 2019 Avantor, inc. All rights reserved.

0519 20M Lit. No. 930834



ATTN - POST OFFICE: ELECTRONIC SERVICE REQUESTED



#### **ATTN - MAILROOM:**

If addressee is no longer with the organization, please deliver to production materials buyer. Thank you.

# Setting science in motion to create a better world

From breakthrough discovery to agile delivery, we offer an extensive portfolio of mission-critical products, services, and solutions. We are a trusted global partner to customers in the life sciences, advanced technologies, and applied materials industries.



VWR, part of Avantor provides an integrated, seamless purchasing experience optimized for your success.

Learn how the new Avantor is moving forward at avantorsciences.com





